A-238 D44217

HUMBLE OIL & REFINING COMPANY HOUSTON, TEXAS

COP)

THE PROPERTY AND HOBBS OFFICE

June8, 1944.

U. S. Department of the Interior, Geological Curvey, 221 Ward Building, Artesia, New Mexico.

Centlemen:

In reply to your letter of June 3, 1944, file #028940, we enclose herewith Form 9-331A containing additional information on water shut-off covering our Tederal Virginia F. Carpenter et vir Sell #1 located in Eddy County, New Mexico.

If you need further information, please advise.

Yours wery truly,

HOLBLE OIL & R. FINING COMPANY

Division Superintendent

aur:


cc: Mr. W. E. Hubbard Mr. Dell Crosby Mr. V. P. Winder Mr. H. S. McGarry

2016 to

HUMBLE OIL & REFINING COMPANY HOUSTON, TEXAS



June 7, 1944.



W. C. Repartment of the Interior, 224 kard Building, Artesia, New Mexico.

Gentlemen:

To spolese herewith, Form 9-331A, Potice of intention to Drill our Padoral-H. As Zeineth Fell #1 located in Lan County, Her Series.

Yours very truly,

BINESS OIL & HIPTRING COMPANY

pivicios supe intendent

Mu:

sc: Mr. E. E. Hebbard Mr. Dell Crosby Mr. V. P. Winder N. M. Oil Conservation Con. Mr. H. S. McGarry

78 T

(SUBMIT IN TRIPLICATE)

Poderel Virginia F. Carpeater et vir.

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

U. S. Land Office
Lease or parmit 18 2014

and. Avious apprint-plant

Title____

SUNDRY	NOTICES	AND	REPORTS	ON	WELLS
~					


NOTICE OF INTENTION TO CHANGE PLANS	ne andft.	oting or acidizing ERING CASING RILLING OR REPAIR NDONMENT RY HER DATA) from \{\begin{align*}W\} \line of \text{line of } line of	19
Well No. Well No. is located ft. from Character of the derrick floor above sea level is (County or Subdivision The elevation of the derrick floor above sea level is	QUENT REPORT OF ALT QUENT REPORT OF RED QUENT REPORT OF ABA EMENTARY WELL HISTO REPORT, NOTICE, OR OTH THE ART (Meridian) ft.	FRING CASING RILLING OR REPAIR RILLING OR REPAIR RY RY REPAIR RY RY REPAIR RY RY REPAIR RY	19
Well No. is located ft. from S lin (Field) (Field) (County or Subdivision The elevation of the derrick floor above sea level is DETAILS OF V	QUENT REPORT OF RED QUENT REPORT OF ABA EMENTARY WELL HISTO REPORT, NOTICE, OR OTH THE AMERICAN Meridia Meridia	rilling or repair NDONMENT RY HER DATA) from {\begin{align*}W\\ W\end{align*} line of the content of the conten	19
Well No. is located ft. from S lin (Field) (Field) (County or Subdivision The elevation of the derrick floor above sea level is	QUENT REPORT OF ABA EMENTARY WELL HISTO REPORT, NOTICE, OR OTT me andft. (Meridian)	from W line of	19 30 f sec.
Well No. is located ft. from the line (Twp.) (Field) (County or Subdivision of the derrick floor above sea level is the content of the derrick subdivision of the derrick floor above sea level is the content of the derrick subdivision of the derrick floor above sea level is the content of the derrick subdivision of the derrick floor above sea level is the content of the derrick subdivision of the derrick floor above sea level is the content of the derrick subdivision of the derrick floor above sea level is the content of the derrick subdivision of the derrick floor above sea level is the content of the derrick subdivision of the derrick floor above sea level is the content of the derrick subdivision of the derrick floor above sea level is the content of the derrick subdivision of the derrick floor above sea level is the content of the derrick subdivision of the derrick floor above sea level is the content of the derrick floor above sea le	REPORT, NOTICE, OR OTH me andft.	from \(\begin{align*}{c} \beg	19
Well No. is located ft. from him (Range) (Field) (County or Subdivision DETAILS OF V	ne andft.	from \B\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	19
Well No. is located ft. from S lin (Twp.) (Range) (Field) (County or Subdivision The elevation of the derrick floor above sea level is	ne andft.	from (W) line of	19 20 f sec
Well No. is located ft. from S lin (Twp.) (Range) (Field) (County or Subdivision The elevation of the derrick floor above sea level is	ne andft.	from \bigg \big	30 f sec
Well No. is located ft. from S line (Twp.) (Range) (Field) (County or Subdivision The elevation of the derrick floor above sea level is DETAILS OF V	ne andft.	from \bigg\{\bigg\} line of \bigg\{\bigg\} \land \b	30 f sec
The elevation of the derrick floor above sea level is	775 ft.		7)
The elevation of the derrick floor above sea level is DETAILS OF V	75 ft.	(State or Territory	r)
DETAILS OF V			
DETAILS OF V			
(State names of and expected depths to phiertive sands; show sizes, weights, a			
(State names of and expected depths to objective sands; show sizes, weights, a	WORK		
er drilling was not desirable and it was decidented of abandonment of this well will be as factal depth 3518-3468. Heavy and lades fluid will be concerted from 2230-2150. Heavy and latel 100°. From 1100-1000° will be command. 7° control of the safety and half will be placed on the bottom of the safety half half from 1000° to bottom of surface pipe with suitable marker in accordance with plugging	ied to plug as follower Sold will be pumped and follower will be used for follower pipe. So to comment plug	of abundon at a will be fill of in hole from the placed of showing the placed of the p	this dopt led with e on 3466-22 in hole fy men as po ossible. a fluid wi

(SUBMIT IN TRIPLICATE)

U. S. Land Office. Artesia, N. N. Lease or permit No. 10-026740

Federal Virginia F. Carpeater at vir

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY



NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF W	ATER SHUT-OFF)
OTICE OF INTENTION TO CHANGE PLAN		SUBSEQUENT REPORT OF SE		
OTICE OF INTENTION TO TEST WATER S				
IOTICE OF INTENTION TO RE-DRILL OR	REPAIR WELL	SUBSEQUENT REPORT OF R	EDRILLING OR REPAIR	
IOTICE OF INTENTION TO SHOOT OR ACI	D(ZE	SUBSEQUENT REPORT OF A	BANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTE	R CASING	SUPPLEMENTARY WELL HIS	rory	
NOTICE OF INTENTION TO ABANDON WEL	L			
(INDICATE AF	BOVE BY CHECK MARK NA	TURE OF REPORT, NOTICE, OR C		. 19. 4
ell No. 1 is locate	ed 190 ft. from	$\left\{ \begin{array}{c} N \\ N \end{array} \right\}$ line and 1930 f	t. from $\{E_{i}\}$ line of	sec. 20
/4 of x /4 of sec. 20	16-8	* 0 j *2- ₹	(** *)	
(¼ Sec. and Sec. No.)	(Twp.)	Range) (Meri	dian)	
ware Lake 11dest	ddy		New Hextoc	
(Field)				
		S OF WORK		
tate names of and expected depths to ob	jective sands; show sizes.		ed casings; indicate mudd	ling jobs, ceme
of Casing - ?" the st which casing was sunt of concat used - 10 unt of mid wasd - No w Consi consisted - 5-23-44	jective sands; show sizes ing points, and all oth demanded = 22 to sack laces at the control of	weights, and lengths of propose er important proposed work)	en with fresh : ron bottom of e	m ber.
is of Casing - ?" Ith at which casing was unt of concat used - 10 mm Canonic cases - 5-23-44 is of concuting company	jective sands; show sizes ing points, and all oth commented = 22 to sack lacks at seed. Programme at the approximate the sack approxima	weights, and lengths of proposer important proposed work) Of: A cament plug do included 320° up f	en with fresh s ron bottom of e	m bar. muling.
on of Casing - ?" oth at which casing was ount of casest used - 10 cases casested - 5-23-44 as of casesting company	jective sands; show sizes ing points, and all other contents of 22 to sacks Income approximate come approximate receive approval in which is the contents of t	weights, and lengths of proposed work) of the camera plug do the came	en with fresh s ron bottom of e	m bar. muling.