Form 9- 881a		N. I	M. O. C. C. C	OPY		ndget Bureau No oproval expires 12	
(Feb. 1951)		(010)/7	~ ```	21	Land Office	New He	xico
	10,60	(SUBMIT IN	TRIPLICATE	()	1 N-	10402010	MI NALE
		UNITED	STATES				,
NO TO TO	DEPAF	TMENT O	F THE IN	TERIOR	Unit	RECE	
		GEOLOGIC	AL SURVEY		-	30-015	- V E
					-		7 1960
						DEV 2	1 1900
SUND	RY NOTIC	ES ANI	REPO	RTS ON	WEL	LS D. C	
NOTICE OF INTENTION TO D				PORT OF WATER			
NOTICE OF INTENTION TO C							1 1
NOTICE OF INTENTION TO R							1
NOTICE OF INTENTION TO S			SUBSEQUENT RE	PORT OF ABANDO	NMENT		
NOTICE OF INTENTION TO P	JLL OR ALTER CASING.		SUPPLEMENTARY	WELL HISTORY.			
NOTICE OF INTENTION TO A	BANDON WELL						
		<u> </u>	•••••				
	(INDICATE ABOVE BY CI	IECK MARK NATU	RE OF REPORT, N	OTICE, OR OTHER	DATA)		
			Đ	ecember 1	•		19 60
Henshaw De	p Unit						17
				3000.	(E.)	-	-ai.
	1 . 1	ft from T	Tline and	Juft. fro	m {	ne of sec	64
Well No. 🔜 🕷 i	s located	IL HOM_]S	f mic and				
. . .		ເມ ສາ	j	WKOTHA ST.	(and the second		
* *		در ده ک	• J • • • • • • • • • • • • • • • • • •	(Meridian)			
W/IL, SE/IL, Sec. ((4 Sec. and Sec. No.)	th Twp.)	در ده ک	e)	NOT	New Nex	Xigo	
(Field)	14 14 (Twp.)	(Rang is dicty Cour (County or Subc) Ny Ivision)	(Meridian)			
W/L, SE/L, Sec. (4 Sec. and Sec. No.) Home Sec. No.) (Field)	14 14 (Twp.)	(Rang is dicty Cour (County or Subc) Ny Ivision)	(Meridian)	New Mer		
W/L, SE/L, Sec. (4 Sec. and Sec. No.) Home Sec. No.) (Field)	14 14 (Twp.)	(Rang is dicty Cour (County or Subc) Ny Ivision)	(Meridian)	New Mer		
W/IL, SE/IL, Sec. ((4 Sec. and Sec. No.)	14 14 (Twp.)	(Rang is dicty Cour (County or Subc) e) livision) 3 25 ft.	(Meridian)	New Mer		
W/L, SE/L, 300. (4 Sec. and Sec. No.) Hereitan-Perinty Xm (Field)	errick floor abov	(Range (Range (County or Sub- county or Sub- e sea level is DETAILS) B I I I I I I I I	MIT (Meridian) estimat	New Me (State or Terr	ritory)	 5, cement-
(Kate names of and expected of	(Twp.) (Twp.) errick floor abov	(Range (Range (County or Subc (County or Subc e sea level is DETAILS a; show sizes, we a, and all other is	b) Ry ivision) 325 ft. OF WORK ights, and length mportant propos	(Meridian) estimat	Nets Mer (State or Ter ed	ritory) e mudding job	
(4 Bec. and Bec. No.) (4 Bec. and Bec. No.) (4 Bec. and Bec. No.) (4 Bec. and Bec. No.) (Field) ZINCIES 1917 a fe d The elevation of the d (State names of and expected c propose to drill	errick floor abov	(Range (Range (County or Subc (County or Subc e sea level is DETAILS a; show sizes, we a, and all other is	b) Ry ivision) 325 ft. OF WORK ights, and length mportant propos	(Meridian) estimat	Nets Mer (State or Ter ed	ritory) e mudding job	
CHARGE AND BEC. NO.) CHARGE AND BEC. NO.) CHARGE AND PROJECTIVE (Field) ZINCIES 1917 a fe d The elevation of the d State names of and expected of propose to drill	errick floor abov	(Range (Range (County or Subc (County or Subc e sea level is DETAILS a; show sizes, we a, and all other is	b) Ry ivision) 325 ft. OF WORK ights, and length mportant propos	(Meridian) estimat	Nets Mer (State or Ter ed	ritory) e mudding job	
(Held) ZINCIESIGN of the d (State names of and expected of propose to drill of Mytery tool	the line point (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.)	(Range (Range isidity Count (County or Subo (County or Subo e sea level is DETAILS DETAILS a; show sizes, we s; and all other in the Deep in	b) 1 1 1 1 1 1 1 1	Meridian) (Meridian) 95 Cime C e of proposed case of work) 8 10,000	New Met (State or Ter ed ings; Indicat	ritory) • mudding job • MIGY 1V4 3	ni e n
(State names of and expected of propose to drill of Bytery tool	the line point (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.)	(Range (Range isidity Count (County or Subo (County or Subo e sea level is DETAILS DETAILS a; show sizes, we s; and all other in the Deep in	b) 1 1 1 1 1 1 1 1	Meridian) (Meridian) 95 Cime C e of proposed case of work) 8 10,000	New Met (State or Ter ed ings; Indicat	ritory) • mudding job • MIGY 1V4 3	ni e n
State names of and expected of propose to drill propose to drill still 17 1/2" hole	the floor abov (Twp.) (Twp.) errick floor abov errick floor abov ing point ing poi	(Range (Range (County or Sub- (County or Sub- e sea level is DETAILS a; show sizes, we a, and all other in the Deep Dr consert 1,34	b) By iivision) 3 25 ft. OF WORK ights, and length mportant propose 1 2 8 1 3 3/3 ²	Min (Meridian) estimat estimat ed work) a 10,000 casing W	Nets Max (State or Terr ed ings; Indicat -foot A /500 ax	ritory) • mudding job • Ci rc ul	aien Lete ce
KALL SE/L, Sec. 1 (4 Sec. and Sec. No.) (4 Sec. and Sec. No.) (Field) Z/Adesign a fe d The elevation of the d State names of and expected c propose to drill out w/Rotary tool (11 17 1/2" hole rill 11" hole to t	the line point (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) ((County or Subo (Range (County or Subo e sea level is DETAILS as show sizes, we as and all other is the Deep Un conserve 1.84	b) iivision) 3 25 ft. OF WORK ights, and length mportant propos 4 2 4 4 2 4 5/3" 065	NMP (Meridian) estimat of proposed cas ed work) a 10,000 casing W, ing W/900	New Mex (State or Terr ed ings; indicat "foot P /500 ax. 8x. C:	ritory) e mudding job ennsylves e Circul irculate	nien Lete ce cement
KALL SE/L, Sec. 1 (4 Sec. and Sec. No.) (4 Sec. and Sec. No.) (Field) Z/Adesign a fe d The elevation of the d State names of and expected c propose to drill out w/Rotary tool (11 17 1/2" hole rill 11" hole to t	the line point (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) ((County or Subo (Range (County or Subo e sea level is DETAILS as show sizes, we as and all other is the Deep Un conserve 1.84	b) iivision) 3 25 ft. OF WORK ights, and length mportant propos 4 2 4 4 2 4 5/3" 065	NMP (Meridian) estimat of proposed cas ed work) a 10,000 casing W, ing W/900	New Mex (State or Terr ed ings; indicat "foot P /500 ax. 8x. C:	ritory) e mudding job ennsylves e Circul irculate	nien Lete ce cement
(K Bec. and Bec. No.) (K Bec. and Bec. No.) (K Bec. and Bec. No.) (Field) Z/nciesign a fe d The elevation of the d (State names of and expected c propose to drill pt u/Rotary tool rill 17 1/2" hole rill 11" hole to j	the line point (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) ((County or Subo (Range (County or Subo e sea level is DETAILS as show sizes, we as and all other is the Deep Un conserve 1.84	b) iivision) 3 25 ft. OF WORK ights, and length mportant propos 4 2 4 4 2 4 5/3" 065	NMP (Meridian) estimat of proposed cas ed work) a 10,000 casing W, ing W/900	New Mex (State or Terr ed ings; indicat "foot P /500 ax. 5x. C: css ing	ritory) e mudding job ennsylves e Circul irculate	aien Late ce cement C.
KALL SE/L, Sec. 1 (4 Sec. and Sec. No.) (4 Sec. and Sec. No.) (Field) Z/Adesign a fe d The elevation of the d State names of and expected c propose to drill out w/Rotary tool (11 17 1/2" hole rill 11" hole to t	the line point (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) ((County or Subo (Range (County or Subo e sea level is DETAILS as show sizes, we as and all other is the Deep Un conserve 1.84	b) iivision) 3 25 ft. OF WORK ights, and length mportant propos 4 2 4 4 2 4 5/3" 065	NMP (Meridian) estimat of proposed cas ed work) a 10,000 casing W, ing W/900	New Mex (State or Terr ed ings; indicat "foot P /500 ax. 5x. C: css ing	e mudding job annsylvar Oirsul irsulate u/250 as RECE	aien lete ce cement c. EIVE
KALL SE/L, Sec. 1 (4 Sec. and Sec. No.) (4 Sec. and Sec. No.) (Field) Z/Adesign a fe d The elevation of the d State names of and expected c propose to drill out w/Rotary tool (11 17 1/2" hole rill 11" hole to t	the line point (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) ((County or Subo (Range (County or Subo e sea level is DETAILS as show sizes, we as and all other is the Deep Un conserve 1.84	b) iivision) 3 25 ft. OF WORK ights, and length mportant propos 4 2 4 4 2 4 5/3" 065	NMP (Meridian) estimat of proposed cas ed work) a 10,000 casing W, ing W/900	New Mex (State or Terr ed ings; indicat "foot P /500 ax. 5x. C: css ing	ritory) e mudding job ennsylves e Circul irculate w/250 so	aien lete ce cement c. EIVE
(4 Bec. and Bec. No.) (4 Bec. and Bec. No.) (Field) ZIndesign a fe d The elevation of the d	the line point (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) (Twp.) ((County or Subo (Range (County or Subo e sea level is DETAILS as show sizes, we as and all other is the Deep Un conserve 1.84	b) iivision) 3 25 ft. OF WORK ights, and length mportant propos 4 2 4 4 2 4 5/3" 065	NMP (Meridian) estimat of proposed cas ed work) a 10,000 casing W, ing W/900	New Mex (State or Terr ed ings; indicat Soot P /500 ax. 500 ax. 500 ax. 500 ax. 500 ax. 500 ax.	ritory) e mudding job annsylvar o Circul irculate u/250 an RECE DEC 2	aien Lete ce cement c. EIVE R 1950
SW/H, SE/H, Sec. 1 (4 Sec. and Sec. No.) Heating - Period XXX (Field) Zincies ign a fe d The elevation of the d (State names of and expected of propose to drill out u/Hotery tool cill 17 1/2" hole rill 11" hole to f rill 7 7/3" hole	the 10,000 and 10,000	(County or Subo (Rang (County or Subo e sea level is DETAILS and all other in the Deep Ur concent 10% and 32%, 8 d coment 1	b) iivision) 3 25 ft. OF WORK ights, and length mportant proposities 4 2 as 5/3" ces 5.5# & 17	NMP (Meridian) estimat of proposed cased work) a 10,000 casing W, ing w/900 #, 5 1/2*	New Mex (State or Terr ed ings; indicat Soot P /500 ax. 500 ax	ritory) e mudding job annsylvar o Circul irculate u/250 an RECE DEC 2.1 S. C.	aien Lete ce cement c. EIVE C 1950 L 1950
Kill, SE/L, Sec. 1 (4 Sec. and Sec. No.) Kill Sec. and Sec. No.) Kill Sec. and Sec. No.) (4 Sec. and Sec. No.) (Field) Z/Acies 1977 a fe d The elevation of the d (State names of and expected c propose to drill propose to drill at u/Rotary tool cill 17 1/2" hole cill 11 7 7/3" hole to cill 7 7/3" hole to	the line of work must receive a	(County or Subo (Rang (County or Subo e sea level is DETAILS at and all other is m Deep Ur const 125, 8 d compart 1	b) iivision) 3 25 ft. OF WORK ights, and length mportant proposities 4 2 as 5/3" ces 5.5# & 17	NMP (Meridian) estimat of proposed cased work) a 10,000 casing W, ing w/900 #, 5 1/2*	New Mex (State or Terr ed ings; indicat Soot P /500 ax. 500 ax	ritory) e mudding job annsylvar o Circul irculate u/250 an RECE DEC 2.1 S. C.	aien Lete ce cement c. EIVE C 1950 L 1950
W/4, 55/4, 300. (4 Sec. and Sec. No.) Hereitany-Person (Field) Zincies ign a fe d The elevation of the d (State names of and expected of propose to drill out u/Hotery tool cill 17 1/2" hole rill 11" hole to f rill 7 7/3" hole	the line of work must receive a	(County or Subo (Rang (County or Subo e sea level is DETAILS at and all other is m Deep Ur const 125, 8 d compart 1	b) iivision) 3 25 ft. OF WORK ights, and length mportant proposities 4 2 as 5/3" ces 5.5# & 17	NMP (Meridian) estimat of proposed cased work) a 10,000 casing W, ing w/900 #, 5 1/2*	New Mex (State or Terr ed ings; indicat Soot P /500 ax. 500 ax	ritory) e mudding job annsylvar o Circul irculate u/250 an RECE DEC 2.1 S. C.	aien Lete ce cement c. EIVE C 1950 L 1950
I understand that this plan (4 Bec. and Bec. No.) (4 Bec. and Bec. No.) (4 Bec. and Bec. No.) (4 Bec. and Bec. No.) (Field) Z/Adesign a fe d (Field) Z/Adesign a fe d (Field) (Field) Z/Adesign a fe d (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field) (Field)	to 10,000 and shell)11 Con	(County or Subo (Rang (County or Subo e sea level is DETAILS and all other is DETAILS and all ot	b) iivision) 3 25 ft. OF WORK ights, and length mportant proposities 4 2 as 5/3" ces 5.5# & 17	NMP (Meridian) estimat of proposed cased work) a 10,000 casing W, ing w/900 #, 5 1/2*	New Mex (State or Terr ed ings; indicat Soot P /500 ax. 500 ax	ritory) e mudding job enneylves e Circul irculate u/250 es RECE DEC 1 S, C. may be comme	aien Lete ce cement c. EIVE 3 1950 Liggi 1960
I understand that this place	to 10,000 and shell)11 Con	(County or Subo (Rang (County or Subo e sea level is DETAILS and all other is DETAILS and all ot	b) 1 1 1 1 1 1 1 1	NMP (Meridian) estimat of proposed cased work) a 10,000 casing W, ing w/900 #, 5 1/2*	New Mex (State or Terr ed ings; indicat Soct P /500 ax. 500 ax	ritory) e mudding job annsylvar circulate u/250 an RECE DEC 2 S, C. may be comment Original S	aion Lete ce cement c. EIVE 3 1950 1 30 1 30 1 30 1 30 1 30 1 30 1 30 1 3

GPO 862040

	SEE I	NSTRUCTION			ORM ON T	HE REVERSE SIDE	<u> </u>	
perator	Shell 011 G			ECTION A	ter Deep		Well No.	
nit Letter	Section	Township	<u> </u>	Range			<u> </u>	
0 24 148					306	ounty 👪	iddy .	
tual Footage l	Location of Well: feet from the	south	line and	1980	feet fro	m the	line	
ound Level El		Formation		Pool			Dedicated Acreage:	
who has the r another. (65 If the answer	ight to drill into an 329 (e) NMSA 1	nd to produce f 935 Comp.) "no," have th	rom any pool a e interests of	all the owners	te the produ	uction either for his lidated by communi	("Owner" means the per mself or for himself and tization agreement or other	
If the answer ner	to question two is	"no," list all	the owners an	d their respect	ive interest Description	Federal Units s below:	RECEIVED	
					· · · · · · · · · · · · · · · · · · ·		DEC 2 2 1950	
		·····					S. GEOLOUAL SURVI	
	······	SECTIO	DN B				ABTESTALCATIONIEXICO	
						belief. Name Ro A 1 Position Liotric Company		
						I hereby c shown on	ertify that the well location the plat in SECTION B was om field notes of actual	
			7-7			surveys m supervisio	ade by me or under my on, and that the same is tru at to the best of my knowled	

•

.•

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for *both* oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.