	COPY TO O.	
orm 9-381 s. (Feb. 1951)		Budget Bureau No. Approval expires 12-
	(SUBMIT IN TRIPLICAT)	5) Land Office New Next
AHOPIKUPVII		Losso No.
JUN 2 3 1959	UNITED STATES	Unit
	PARTMENT OF THE IN	I ERIOR
CTING DISTRICT ENGINEER	GEOLOGICAL SURVEY	· Januari
		30-015-03
SUNDRY NOT	ICES AND REPO	RTS ON WELLS
NOTICE OF INTENTION TO DRILL		PORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	1 11	PORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-C	OFF SUBSEQUENT RE	PORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR		PORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		PORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CAS	SINGSUPPLEMENTARY	WELL HISTORY
(INDICATE ABOVE	BY CHECK MARK NATURE OF REPORT, N	OTICE, OR OTHER DATA)
		June 19
Sudawas Het		Juna 19
	ο (Ν)	
ell No. 431 is located	tt. from line and	We t. from W line of sec.
100/400/A Res. 31	168 the way	
(14 Sec. and Sec. No.) (1	Twp.) (Range)	(Meridian)
		(Materialsh)
System John V	186 gr	(Retricted)
Function of the desided	(County or Subdivision)	(State or Territory)
	bove sea level is ft.	New Mexico
he elevation of the derrick floor al	bove sea level is ft. DETAILS OF WORK	(State or Territory)
he elevation of the derrick floor a	bove sea level is ft. DETAILS OF WORK	(State or Territory)
he elevation of the derrick floor a	bove sea level is ft. DETAILS OF WORK	(State or Territory)
he elevation of the derrick floor a	bove sea level is ft. DETAILS OF WORK	(State or Territory)
he elevation of the derrick floor al	bove sea level is ft. DETAILS OF WORK sands; show sizes, weights, and length points, and all other important propose wars and shoet, using	(State or Territory)
he elevation of the derrick floor al	bove sea level is ft. DETAILS OF WORK sands; show sizes, weights, and length points, and all other important propose ways sand been, using ally 530° of 10 3/4" or	Many Manifes (State or Territory) s of proposed casings; indicate mudding jobs, o od work) ; eable tesle.
he elevation of the derrick floor al	bove sea level is ft. DETAILS OF WORK sands; show sizes, weights, and length points, and all other important propose ways sand been, using ally 530° of 10 3/4" or	Many Manifes (State or Territory) s of proposed casings; indicate mudding jobs, o od work) ; eable tesle.
he elevation of the derrick floor al tate names of and expected depths to objective ing a plan to drill a 2000' Gra propose to set approximate will and 8 5/8" about 20	bove sea level is	Many Mannice (State or Territory) s of proposed casings; indicate mudding jobs, o nd work) ; eable tasls. without pipe with 75 eachs. shut eff.
he elevation of the derrick floor al tate names of and expected depths to objective ing y plan to drill a 2000' Cca propose to set approximate will and a \$/8" about 20 \$ 1/2" oil chrime will be	bove sea level is	Many Mannice (State or Territory) s of proposed casings; indicate mudding jobs, o nd work) ; eable tasls. without pipe with 75 eachs. shut eff.
he elevation of the derrick floor al tate names of and expected depths to objective ing y plan to drill a 2000' Cca propose to set approximate will and a \$/8" about 20 \$ 1/2" oil chrime will be	bove sea level is	Many Mannice (State or Territory) s of proposed casings; indicate mudding jobs, o nd work) ; eable tasls. without pipe with 75 eachs. shut eff.
he elevation of the derrick floor al tate names of and expected depths to objective ing y plan to drill a 2000' dra propose to set approximite will and 8 5/8" about 20 5 1/2" eil string vill be 790' with 100 samin.	bove sea level is	Many Mannies (State or Torritory) s of proposed easings; indicate mudding jobs, o ad work) ; eable tests. weated give with 75 eachs. shut off.
he elevation of the derrick floor al	bove sea level is	Many Mannice (State or Territory) s of proposed casings; indicate mudding jobs, o nd work) ; eable tasls. without pipe with 75 eachs. shut eff.
he elevation of the derrick floor al into names of and expected depths to objective ing y plan to drill a 2000' dra propose to set approximite will and 8 S/8" about 20 5 1/2" eil string vill be 790' with 100 samp. 11 eacing will be run and a	bove sea level is	Many Mannies (State or Torritory) s of proposed easings; indicate mudding jobs, o ad work) ; eable tests. weated give with 75 eachs. shut off.
he elevation of the derrick floor al tate names of and expected depths to objective ing r plan to drill a 2000' Ora propose to set approximite will and 8 5/8" about 20 5 1/2" eil string vill be 750' with 100 stains. 11 cosing will be sum and a malegient Survey.	bove sea level is	Man Mantice (State or Territory) s of proposed casings; indicate mudding jobs, of d work) ; etble tools. wfloe pipe with 75 eachs. shut off. mated above the pay evound approved by the 3. 3.
he elevation of the derrick floor al tate names of and expected depths to objective ing r plan to drill a 2000' Ora propose to set approximite will and 8 5/8" about 20 5 1/2" eil string vill be 750' with 100 stains. 11 cosing will be sum and a malegient Survey.	bove sea level is	Many Mannices (State or Territory) a of proposed casings; indicate mudding jobs, of d work) ; etble tools. where pipe with 73 eachs. shut off. mated above the pay around approved by the 3. 3.
he elevation of the derrick floor al tate names of and expected depths to objective ing r plan to drill a 2000' Gra propose to set approximite will mod 8 5/8" about 20 5 1/8" eil string will be 790' with 100 states. 11 eacing will be run and a malagioni Survey.	bove sea level is	Many Mannices (State or Territory) a of proposed casings; indicate mudding jobs, of d work) ; etble tools. where pipe with 73 eachs. shut off. mated above the pay around approved by the 3. 3.
he elevation of the derrick floor al tate names of and expected depths to objective ing z plan to drill a 2000' Gra propose to set approximate will and 8 5/8" about 20 5 1/8" eil string will be 790' with 100 states. 11 eacing will be sum and a melogical Survey.	bove sea level isft. DETAILS OF WORK sands: show sizes, weights, and length points, and all other important propose young shud beet, using aly 550° of 10 3/4" or 60° for a Queen water run, and probably can sameated under methods we approve in writing by the Carlor RECEIVE	Many Mannices (State or Territory) a of proposed casings; indicate mudding jobs, of d work) ; etble tools. where pipe with 73 eachs. shut off. mated above the pay around approved by the 3. 3.
he elevation of the derrick floor al tate names of and expected depths to objective ing r plan to drill a 2000' Org propose to set approximate will and 8 S/8" about 20 5 1/2" eil string vill be 750' with 100 satis. 11 cosing will be run and a mological Survey. I understand that this plan of work must reco- propany John 11. Trigg	bove sea level is ft. DETAILS OF WORK sanda: show size, weights, and length points, and all other important propose plung sind took, using aly 550° of 10 3/4" or 10° for a Queen water run, and probably our semanted under methods we approval in writing by the Geologic RECEIVE	Mar Mantices (State or Territory) a of proposed casings; indicate mudding jobs, of d work) ; ethic tools. while tools. while tools. abut off. andtod above the pay around approved by the V. S.
he elevation of the derrick floor al into names of and expected depths to objective ing y plan to drill a 2000' dra propose to set approximite will and 8 S/8" about 20 5 1/2" eil string vill be 790' with 100 samp. 11 eacing will be run and a	bove sea level isft. DETAILS OF WORK sands: show sizes, weights, and length points, and all other important propose young shud test, using aly 550° of 10 3/4° or 60° for a Queen water run, and probably can consisted under methode ive approvalin writing by the Coviert RECEIVE	May Mantice (State or Territory) s of proposed casings; indicate mudding jobs, of id work) ; eable tasis. while the last. while eff. while the pay around approved by the S. S.
he elevation of the derrick floor al into names of and expected depths to objective ing r plan to drill a 2000' Org propose to set approximite will and 8 5/8" about 20 5 1/2" eil string vill be 750' with 100 satis. 11 casing will be run and a sological Survey. I understand that this plan of work must reco- propany John 11. Trigg	bove sea level is ft. DETAILS OF WORK sanda: show size, weights, and length points, and all other important propose plung sind took, using aly 550° of 10 3/4" or 10° for a Queen water run, and probably our semanted under methods we approval in writing by the Geologic RECEIVE	May Mantice (State or Territory) s of proposed casings; indicate mudding jobs, of id work) ; eable tasis. while the last. while eff. while the pay around approved by the S. S.
he elevation of the derrick floor al tate names of and expected depths to objective ing r plan to drill a 2000' Org propose to set approximate will and 8 S/8" about 20 5 1/2" eil string vill be 750' with 100 satis. 11 cosing will be run and a mological Survey. I understand that this plan of work must reco- propany John 11. Trigg	bove sea level isft. DETAILS OF WORK sands: show sizes, weights, and length points, and all other important propose young shud test, using aly 550° of 10 3/4° or 60° for a Queen water run, and probably can consisted under methode ive approvalin writing by the Coviert RECEIVE	New Members (State or Torritory) (State or Torritor

(p	nga na di genera 21 ng na hina na ng 199 na ng na hina ng 199 na hina ng	1 1			
	idit i ∎anan		the the second second second		
. .		ar er i			
			and an		
			a the second second second second	1. T	1

د مرسم کار استان کار کار کار کار میشند. مشیند، استان کار از این میرون از این کار کار ایران کارستگار بیدارست می 1997 - میرون کار میروز از میرون کار ۱998 میروز ۲۹۹ میروز ۲۹۹ میروز در داری میرون در دور میروز از از

Respectively and the second sec

	. Ale and		
	e e e e e e e e e e e e e e e e e e e	• • • •	
19 32 중신 (1997) 1914년 전 1914		an ang ang ang ang ang ang ang ang ang a	

(A) is the local contract of the first second and the second s

过去的 約 法抵押律

an and ear a anners danka dankanan manakan kerkang mendang kerkang kerangan a lang a anan kerang kerang kerang Ing pulation dan bergalak se Registrik dan bergalak dan ang mulai sebagai sebagai sebagai sebagai sebagai sebag U PJ kerangkang se Rukkan a Rukkan ang pang dan kerang dan sebagai da sebagai sebagai sebagai sebagai sebagai s

n 12 mai 12 - 11 m - 12 m - 13 m - 13 m - 12 m -

A the second second to the second second

, k 498° MAR dan an an an mula keng keng panangan kana pana pana pana berang. Bahat baban ak kenan

oris deste proventi se en la esta de la contra La esta de la esta de la esta de la contra de l

And the second second

al de la companya de la comp

		NEW MEXICO OIL					FORM C-128 Revised 5/1/57
	SEE INS	TRUCTIONS FOR COM	PLETING	THIS FORM	ON THE REV	ERSE SIDE	
			SECTIO				·
Operator			Lease				Well No.
John H. Unit Letter Sect		Township		Federal			4-31
C	31	16 S	Ran	3 0 또	County	Ede	٧
Actual Footage Locatio	on of Well:	<u></u>	_				
6() fee Ground Level Elev.		ortic line and		37.94 fe	et from the	West	line
Ground Level Elev.	Producing Fo	rmation irg Sand	Pool	ana Tala			Dedicated Acreage:
	Graybu	itg sauu	squ	are Lake			40 Acres
another. (65-3-29 2. If the answer to que wise? YES1	(e) NMSA 193 stion one is '': NO If	5 Comp.) .	of all the of Conso	owners been o lidation	consolidated erests below	by communi	nself or for himself and tization agreement or other-
		SECTION B]	CERTIFICATION
	- 04640 -					in SECTI plete to t belief.	certify that the information ON A above is true and com- he best of my knowledge and why the Trigg
Note: Locatio Pestier	d is 5.9 stone de	Miber tan Peral Lo. 5				Date	er //
						shown on plotted fro surveys m supervisio	ertify that the well location the plat in SECTION B was om field notes of actual ade by me or under my on, and that the same is true of to the best of my knowledge
			y		- 15 22 - 15 22 - 15 22		eyed 6-16-59 d Professional Engineer nd Surveyor, JOHN W. WEST
0 330 660 990 /	320 1650 198	0 2310 2640 200	0 1500	1000	500 0	Certificate	