

(SUBMIT IN TRIPLICATE)

Land Office New MexicoLease No. 081381-AUnit MUNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

RECEIVED

OCT 18 1961

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

October 10, 1961

Federal 15-3
Well No. 1 is located 330 ft. from S line and 330 ft. from E line of sec. 3
Sec. 3 16 South 21 East 100W
($\frac{1}{4}$ Sec. and Sec. No.) (Twp.) (Range) (Meridian)
North Square Lake (Grayburg) Elddy New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the ~~surface~~ above sea level is 4260 ft.
ground level

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Rotary rig will drill well from surface to T. D. Surface pipe will be set at 200' using 3-5/8", 24#/ft. J-55 new casing. Cement will be circulated to the surface and the casing will be tested with 1000 psi after W. O. C. 24 hours. A 6-3/4" hole will be drilled to approximately 3000' where the Frontier Sands will be cored. Then 4 1/2", 11.6#/ft. J-55 new casing will be cemented on bottom with sufficient cement to circulate to the surface. The casing will be tested with 1500 psi after W.O.C. 24 hours. Completion will be through perforations using a sand free stimulation.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Standard Oil Company of Texas, A Division of California Oil CompanyAddress Drawer #3Hanahan, TexasBy J. L. RowlandTitle District Engineer

NEW MEXICO OIL CONSERVATION COMMISSION
WELL LOCATION AND ACREAGE DEDICATION PLAT

FORM C-128
Revised 5/1/57

SEE INSTRUCTIONS FOR COMPLETING THIS FORM ON THE REVERSE SIDE

SECTION A

Operator Standard Oil Company of Texas, A Division of California Oil Company		Lease Federal 16-3		Well No. 1
Unit Letter N	Section 3	Township 16-S	Range 11-E	County Hddy
Actual Footage Location of Well: 330 feet from the South line and 330 feet from the West line				
Ground Level Elev. 4180'	Producing Formation Premier (Grayburg)	Pool North Square Lake (Grayburg)	Dedicated Acreage: 60 Acres	

1. Is the Operator the only owner in the dedicated acreage outlined on the plat below? YES _____ NO **X**. ("Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1935 Comp.)
2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? YES **X** NO _____. If answer is "yes," Type of Consolidation **Unitized**
3. If the answer to question two is "no," list all the owners and their respective interests below:

Owner	Land Description
	OCT 12 1961

SECTION B

SECTION 3

CERTIFICATION

I hereby certify that the information in SECTION A above is true and complete to the best of my knowledge and belief.

Name **J. L. Rowland**
Position **District Engineer**
Company **Standard Oil Co. of Texas, A Division of Calif. Oil**
Date **October 10, 1961**

I hereby certify that the well location shown on the plat in SECTION B was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed **October 7, 1961**
Registered Professional Engineer and/or Land Surveyor

James W. Stancel
Certificate No.

330'
7330'

0 330 660 990 1320 1650 1980 2310 2640 2000 1500 1000 500

INSTRUCTIONS FOR COMPLETION OF FORM C-128

1. Operator shall furnish and certify to the information called for in Section A.
2. Operator shall outline the dedicated acreage for *both* oil and gas wells on the plat in Section B.
3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
4. All distances shown on the plat must be from the outer boundaries of the Section.
5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.