December 5, 1963

Leonard Oil Company P. O. Box 400 Roswell, New Mexico

Re: GOR Tests, North Square Lake Pool.

Gentlemen:

We are in receipt of Form C-116, "Gas-Oil Test Report" for your well in the North Square Lake Pool. We notice some differences between these test GORs as reported on Form C-116 and on the actual production GORs as calculated from the production reported by you on Commission Form C-115. These differences are as follows:

			Test	Actual Production GOR		
Lease	Well	Location	GOR C-116	Oct.	Sept.	
Humble St.	#1 W	5-16-31	TSTM	525	482	
Midwest Fed.	#1 B	8-16-31	TSTM	Not reported	5457	

In so far as possible, the GORs reported on Form C-116 should reflect each well's actual production GOR and conversely, the well's actual proportional production GOR should not vary exceedingly from that reported, especially immediately after the annual test period.

We are, therefore, requesting that you furnish this office with any information available as to the cause of the differences previously mentioned, a copy of the recording chart will be most useful. If you have any questions concerning this matter, do not hesitate to call upon me.

Very truly yours,

R. L. Stamets

Edel (d teminessa

Decamend oil Company I. C. Box 400 Coswell, New Mexico

ಿಕ್ಕ ೨೮೩ ಶಿವಕ್ಕ ಗರ್ಯ ಆಭಾರತ ಕರ್ಣ. ೨೦೨೬:

Gentlehun.

We see in deceipt of Four Calle, "Gas-Gil Test Report" ion your wall in the Morth Square Take Fool. We notice some differences between these test Calla as reported on Form Calle and on the actual production Jose as relevanted from the production responded by you on Commission Rose Calle. These differences are set follows:

1735 00133	ubord Leuroa	វាង១២			
JUE B		diffu dip	Location	Light	89561
요왕취	325	2 1 31	5-16-51	井1 豆	Pumble St.
\$ 24 5	Mot repaired	341.34	8-131	7 (#	Micwest Pett.

In so far as possible, the Galla reported on Form C-life should refile or each well's accumal production GOR and conversely, the well's actual proportional production GGR should not vary exceedingly from that reported, especially is addictely after the annual test period.

We are, therefore, requesting that you furnish this office with any information available as to the cause of the differences previously mentioned, a copy of the recording chart will be most useful. If you have any questions assected this matter to call upon me.

Very high yours.

I. L. Stamets

A10 8429