(SUBMIT IN TRIPLICATE)

UNITED STATES

Budget Bureau No. 42-R358.4. Form Approved. Land Office ... Lease No. RECEIVED Unit 6 1982 MAR

DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

JAWES TENGINE			REPORT OF WATER SHUT-OFF	
TICE OF INTENTION TO DRILL			REPORT OF WATER SHOT-OFF	DIZING.
OTICE OF INTENTION TO CHANGI	E PLANS	1 11 _	REPORT OF SHOOTING CASING	
TICE OF INTENTION TO TEST W	VATER SHUT-OFF		REPORT OF RE-DRILLING OR I	REPAIR.
OTICE OF INTENTION TO RE-DRI	ILL OR REPAIR WELL		T REPORT OF ABANDONMENT	
TICE OF INTENTION TO SHOOT	OR ACIDIZE		TARY WELL HISTORY	
OTICE OF INTENTION TO PULL CONTICE OF INTENTION TO ABAND	ON WELL			
(IND	DICATE ABOVE BY CHECK MA	ARK NATURE OF REPOR	RT, NOTICE, OR OTHER DATA)	
			March 2	, 19 62
"F E "				
hilf-Federal		(N)	nd 2310 ft. from (W)	line of sec
Il No. 2 is lo	ocated 600 ft. fro	om Six line ar	id #34 It. Irom W	Inne or see.
	16 S	31 E	HRPM	
(% Sec. and Sec. No.)	(Twp.)	(Range)	(Meridian)	
orth Square La	ce-Greadure	Eddy	New Mex	1co Territory)
(Field)	(Cour	nty or Subdivision)	(2.11.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.	
(Field)				3 17 Pro 17 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
•	1.1. Anna nhove sea	level is	ft.	
•				MAR 5 4353
ne elevation of the deri	DET	TAILS OF WO	RK	94 W W
ne elevation of the deri	DET	TAILS OF WO	ORK	dicate mudding jobs, cement
ne elevation of the deri	DE7 ths to objective sands; sho ing points, and	TAILS OF WO	PRK lengths of proposed casings; in proposed work)	94 W W
e elevation of the deri	DE7 ths to objective sands; sho ing points, and	TAILS OF WO	PRK lengths of proposed casings; in proposed work)	dicate mudding jobs, cement
ne elevation of the deri ate names of and expected dept	ths to objective sands; showing points, and	TAILS OF WO	lengths of proposed casings; in	dicate mudding jobs, cements
ne elevation of the deri ate names of and expected dept remier Sand (G	ths to objective sands; showing points, and	TAILS OF WO	PRK lengths of proposed casings; in proposed work)	dicate mudding jobs, cements
ne elevation of the deri ate names of and expected dept Premier Sand (G	ths to objective sands; showing points, and trayburg) & To 7-5/8* & appendix acc.	TAILS OF WO w sizes, weights, and l all other important tal Depth pprox. 200	ORK lengths of proposed casings; incorposed work) 3600.	dicate mudding jobs, cement
ne elevation of the deri enternames of and expected dept Premier Sand (G	ths to objective sands; shoring points, and rayburs) & To	rails of Wo w sizes, weights, and all other important otal Depth pprox. 200	ORK lengths of proposed casings; improposed work) 3500 . with coment of	irculated to
ne elevation of the deri enternames of and expected dept Premier Sand (G	ths to objective sands; showing points, and rayburs) & To 7-5/8" & agurface. ng: 3-1/2" & agurface.	rails of Wo w sizes, weights, and all other important tal Depth pprox. 200 TD cement	oRK lengths of proposed casings; incorposed work) 3000. with coment of the coment of	irculated to
ne elevation of the deri enternames of and expected dept enternames Sand (G	ths to objective sands; showing points, and rayburs) & To 7-5/8" & agurface. ng: 3-1/2" & agurface.	rails of Wo w sizes, weights, and all other important tal Depth pprox. 200 TD cement	ORK lengths of proposed casings; improposed work) 3500 . with coment of	irculated to
ne elevation of the deri enternames of and expected dept Premier Sand (G	ths to objective sands; showing points, and rayburs) & To 7-5/8" & agurface. ng: 3-1/2" & agurface.	rails of Wo w sizes, weights, and all other important tal Depth pprox. 200 TD cement	oRK lengths of proposed casings; incorposed work) 3000. with coment of the coment of	irculated to
ne elevation of the deri enternames of and expected dept Premier Sand (G	ths to objective sands; showing points, and rayburs) & To 7-5/8" & agurface. ng: 3-1/2" & agurface.	rails of Wo w sizes, weights, and all other important tal Depth pprox. 200 TD cement	oRK lengths of proposed casings; incorposed work) 3000. with coment of the coment of	irculated to
e elevation of the deri ate names of and expected dept remier Sand (G surface Casing:	ths to objective sands; shoring points, and rayburg) & To 7-5/8" & agurface. 13-1/2" aground macaron.	TAILS OF WO waizes, weights, and all other important; tal Depth pprox. 200 TD cement shoe, plus 1 string 6	ork lengths of proposed casings; incorposed work) 3000'. with coment of the coment	dicate mudding jobs, coments All Liver in the coments are coments are coments are coments are coments are coments
e elevation of the deri ate names of and expected dept remier Sand (G surface Casing:	ths to objective sands; shoring points, and rayburg) & To 7-5/8" & agurface. 13-1/2" aground macaron.	TAILS OF WO waizes, weights, and all other important; tal Depth pprox. 200 TD cement shoe, plus 1 string 6	ork lengths of proposed casings; incorposed work) 3000'. with coment of the coment	dicate mudding jobs, coments All Liver in the coments are coments are coments are coments are coments are coments
e elevation of the deri- stenames of and expected dept remier Sand (G surface Casing: Production Casi	ths to objective sands; showing points, and the sample of work must receive approximately appr	rails of Wo w sizes, weights, and all other important; otal Depth pprox. 200 TD cement shoe, plus 1 string g	oRK lengths of proposed casings; incorposed work) 3000. with coment of the coment of	dicate mudding jobs, coments All Liver in the coments are coments are coments are coments are coments are coments
remier Sand (Gurface Casing) rocuction Casi	ths to objective sands; shoring points, and rayburg) & To 7-5/8* & as surface. 1-3-1/2*** around macaron. of work must receive approx.	TAILS OF WO w sizes, weights, and all other important; otal Depth pprox. 200 TD cement shoe, plus 1 string of	lengths of proposed casings; improposed work) 35001. with coment of the coment of th	dicate mudding jobs, coments All Liver in the coments are coments are coments are coments are coments are coments
remier Sand (Gurface Casing) Toduction Casi Tunderstand that this plans Company	ths to objective sands; showing points, and the sample of work must receive approximately appr	TAILS OF WO w sizes, weights, and all other important; otal Depth pprox. 200 TD cement shoe, plus 1 string of	lengths of proposed casings; improposed work) 3500'. with coment of the coment of th	irculated to ke cement 250-300 throu
remier Sand (Grant Casing) I understand that this plan company Address	ths to objective sands; shoring points, and rayburg) & To 7-5/8* & as surface. 1-3-1/2*** around macaron. of work must receive approx.	TAILS OF WO w sizes, weights, and all other important; otal Depth pprox. 200 TD cement shoe, plus 1 string of	lengths of proposed casings; improposed work) 35001. with coment of the coment of th	irculated to ke cement 250-300 throu

NUMBER OF COPIE	SRECEI	VED	 	
DIS	TRIBUTI	ON	 	
SANTA FE				
FILE				
U.S.G.S.				
LAND OFFICE				
	OIL			
TRANSPORTER	g A S			
PROBATION OFFI	E			
OPERATOR				

NEW MEXICO OIL CONSERVATION COMMISSION

FORM C-128 Revised 5/1/57

G.S		WELL LOCAT	ION AND	ACREA	GE DEDIC	CATION	PLAI	
NSPORTER GAS		SEE INSTRUCTIONS	FOR COMPL	ETING THI	IS FORM ON	THE REVE	RSE SIDE	
RATION OFFICE								
			SECTION	A			W-II N	
erator Martin	Williams & J	ludson	Lease	Gulf FE			Well No.	
it Letter	Section	Township	Range		County			<u> </u>
C	ò	I-16-3	R	31-B	Eddy			
tual Footage Lo	ocation of Well:	North line an	d 2310	fee	et from the	West	line	
ound Level Elev			Pool				Dedicated Acreas	çe:
4053			North S	quare Le	ske Graybi	arg	40	Acres
who has the rig another. (65- If the answer t wise? YES	ght to drill into an: -3-29 (e) NMSA 19 to question one is 	the dedicated acreage of to produce from any positions, or any positions, or any positions, or any acreate the interest of answer is "yes," Type"no," list all the owner	s of all the ow e of Consolida	opriate the ners been c	production ei	ther for his	nself or for himsel	f and
ner	to question two is	no, list all the owner		and Descrip				
	-							
							***	1954
		SECTION B				1	CERTIFICATION	
2310'		099				n SECT plete to belief. Name M. Position Age: Company Date	nt	wledge and
16				 				
s 						shown of plotted f surveys supervis	certify that the we in the plat in SECT from field notes of made by me or und tion, and that the s ect to the best of met.	ION B was actual er my ame is true
	990 1320 1660		2000 1500	1000	500 0	Registe and/or I	1, 1962 red Prefessional E and Surveyor	ngineer

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.