

Land Office \_\_\_\_\_

Lease No. 029418Unit D

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

RECEIVED

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	<input checked="" type="checkbox"/>	SUPPLEMENTARY WELL HISTORY <u>To complete</u>	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO ABANDON WELL		<u>Well in Premier Sand</u>	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

12-1, 19 59Well No. Cell 10-1 is located 330 ft. from N line and 660 ft. from W line of sec. 10

16S (Twp.) 31E (Range) (Meridian)  
Undesignated (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is 4166 ft. G.L.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

The well was drilled to 13,400'. Cement plugs were spotted as follows: 75 sx 13,400' to 13,200', 113 sx - 11,900 to 12,200', 90 sx - 8500 to 8600', 120 sx 6070 to 6250, 50 sx - 4700 to 4800' and 100 sx 3600 to 3800'. Cement was drilled in out to 3625'. 9 5/8" casing was perforated 1/4 jets per foot as follows: 3633-36, 3638-47, 3650-60, 3662-66, and 3678 to 85. Perforations were fraced 1/40,000 gals galled crude and 60,000 lbs sand.

RECEIVED

DEC 4 1959

U.S. GEOLOGICAL SURVEY  
ALBUQUERQUE, NEW MEXICO

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Standard Oil Company of TexasAddress Drawer 8Newman, TexasBy C.F. Dwyer C.F. DwyerTitle District Engineer