

(SUBMIT IN TRIPLICATE)

Land Office New MexicoLease No. 026418

Unit _____

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYRECEIVED
MAR 14 1961

SUNDRY NOTICES AND REPORTS ON WELLS

D. C. C.
ARTESIA, OFFICE

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 8, 1961

Federal 15-10
Well No. 6 is located 2310 ft. from N line and 1980 ft. from W line of sec. 10

<u>NE 1/4 Sec. 10</u>	<u>16S</u>	<u>31E</u>	<u>N-M</u>
(1/4 Sec. and Sec. No.)	(Twp.)	(Range)	(Meridian)
<u>North Square Lake (Grayburg)</u>	<u>Levy</u>	<u>New Mexico</u>	
(Field)	(County or Subdivision)	(State or Territory)	

The elevation of the Ground derrick floor above sea level is 4191 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Gaskle Dril. Co. will drill this well. Surface pipe will be set @ 200' using 8 5/8, 36#, J-55 new csg. Cnt will be cire to surface. After WOC 24 hrs. test csg to 1000 Psi. Drill out w/6 3/4 bit and drill to total depth of approximately 3900'. Premier Sands will be cored. At total depth 4 1/2", 11.6#, J-55 csg will be cemented using two stages, 1st stage thru shoe and 2nd stage thru collar @ 1000'. WOC 24 hrs and test 4 1/2" csg to 1500 Psi. Completion will be through perforations with frac for stimulation.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Standard Oil Company Of Texas, A Division Of California Oil CompanyAddress Drawer #8Monahans, TexasBy C. F. Dwyer
C. F. Dwyer
Title District Engineer

NEW MEXICO OIL CONSERVATION COMMISSION
WELL LOCATION AND ACREAGE DEDICATION PLAT

FORM OC-128
5/1/57

SEE INSTRUCTIONS FOR COMPLETING THIS FORM ON THE REVERSE SIDE

SECTION A

Operator **Standard Oil Company Of Texas
A Division Of California Oil Company**

Lease

Federal 15-10

W.H.N.C.

Unit Letter

Section

Township

Range

County

K

10

16S

11E

Mad

Actual Footage Location of Well:

2310

feet from the

South

line and

1980

feet from the

West

line

Ground Level Elev.

4191

Producing Formation

Grayburg (Premier)

Pool

North Square Lake (Grayburg)

Dedicated Acreage:

40

Acres

1. Is the Operator the only owner in the dedicated acreage outlined on the plat below? YES _____ NO **X**. ("Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1935 Comp.)
2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? YES **X** NO _____. If answer is "yes," Type of Consolidation **Unitized**
3. If the answer to question two is "no," list all the owners and their respective interests below:


Owner

Land Description

RECEIVED

MAR 10 1961

SECTION B



CERTIFICATION

I hereby certify that the information in SECTION A above is true and complete to the best of my knowledge and belief.

Name

C. F. Dwyer

Position

District Engineer

Company **Standard Oil Co. Of Tex.
A Division Of Calif. Oil Co.**

Date

March 7, 1961

I hereby certify that the well location shown on the plat in SECTION B was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed

March 2, 1961
James W. Stansel
Registered Professional Engineer
and/or Land Surveyor

Certificate No.

0 330 660 990 1320 1650 1980 2310 2640 2000 1500 1000 500 0

INSTRUCTIONS FOR COMPLETION OF FORM C-128

1. Operator shall furnish and certify to the information called for in Section A.
2. Operator shall outline the dedicated acreage for *both* oil and gas wells on the plat in Section B.
3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
4. All distances shown on the plat must be from the outer boundaries of the Section.
5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.