

NM OIL CONS. COMMISSION
Drawer DD
Artesia, NM 88210

Form 9-331
Dec. 1973

Form Approved.
Budget Bureau No. 42-R1424

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

C/SF
SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ gas ☐
well well other

2. NAME OF OPERATOR

Anadarko Production Company

3. ADDRESS OF OPERATOR

P. O. Box 67, Loco Hills, New Mexico 88255

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: 330' FSL & 2130' FEL Sec. 25, T16S, R31E
AT TOP PROD. INTERVAL: Same Eddy County, New Mex.
AT TOTAL DEPTH: Same

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐
(other) Clean out

SUBSEQUENT REPORT OF:

☐
☐
☐
☐
☐
☐
☐
☐
☒

5. LEASE

LC 029492 A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

MAY - 4 1982

8. FARM OR LEASE NAME

Robinson

9. WELL NO.

3

10. FIELD OR WILDCAT NAME

Grayburg-Jackson-Queen-Gbr-SA

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

25 - 16S - 31E

12. COUNTY OR PARISH

Eddy

13. STATE

New Mexico

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)

4176' DF

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1. Rigged up pulling unit and reverse unit.
2. Tripped out of hole with rods and tubing.
3. Ran wash pipe & cutrite shoe on 2-7/8" tubing - washed over junk and recovered approximately 135' junk tubing.
4. Ran 6 1/2" bit; cleaned out and jetted hole clean to 4030'.
5. Ran X-Y Caliper log 4025' - 3400'; ran Comp./Neutron log 4024' - 2000'.
6. Re-ran tubing and rods.
7. Returned well to production.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Peter W. Chester TITLE Area Supervisor DATE November 19, 1981

ACCEPTED FOR RECORD

PETER W. CHESTER

APPROVED BY
CONDITIONS OF

APPROVAL, IF ANY:

MAY 3 1982

U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

See Instructions on Reverse Side