## MM OIL SCOME INCHMI Form approved. Budget Bureau No. 42-R1424. UN ED STATES DEPARTMENT OF THE INTERMORY (Other Instruction. 5. LEASE DESIGNATION AND SERIAL NO. GEOLOGICAL SURVEY Artesia, NM 88210 LC-060543 6. IF INDIAN, ALLOTTEE OR TRIBE NAME SUNDRY NOTICES AND REPORTS ON WRECEIVED (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.) 7 UNIT AGREEMENT NAME JUN 2 3 1982 WE'L Square Lake Flood (East) TA - WIW OTHER 8. FARM OR LEASE NAME 2. NAME OF OPERATOR O. C. D. Newmont Oil Company Brunina ARTESIA, OFFICE 9. WELL NO. P. O. Box 1305, Artesia, N.M. 88210 LOCATION OF WELL (Report location clearly and in accordance with any State requirements. At surface ADDRESS OF OPERATOR No. 10. FIELD AND POOL, OR WILDCAT Square Lake (G. 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA 660' FSL & 1980' FEL of Sec. 29 Sec. 29-16S-31E 12. COUNTY OR PARISH | 13. STATE 15 BLEVATIONS (Show whether DF, RT, GR, etc.) 14. PERMIT NO. 3950' GLM Eddu New Mexico Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data 16. NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: REPAIRING WELL TEST WATER SHUT-OFF PULL OR ALTER CASING WATER SHUT-OFF ALTERING CASING FRACTURE TREATMENT MULTIPLE COMPLETE FRACTURE TREAT SHOOTING OR ACIDIZING ABANDONMENT<sup>4</sup> ABANDON\* SHOOT OR ACIDIZE CHANGE PLANS (Other) REPAIR WELL (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) (Other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) \* we propose to plug and abandon the above well as follows: Pull tubing and packer Spot 50 sack cement plug across producing interval in cased hole to Perforate at base of salt and squeeze with 50 sacks cement leaving 100' plug in casing. salt and squeeze with 50 sacks cement leaving 100' 4. Perforate at top of plug in casing. (673'-573') Set 15 sack cement plug at surface down surface and production casing Erect permanent well marker. Your office will be notified 24 hrs. prior to operations. Note: All plugs will be tagged Hole will be loaded between all plugs with 10# mud We do not plan to pull any casing.

18. I hereby certify that the forego 6/14/82 Area Manager TITLE (This space for Federal or APPROVED (Orig. Sd.) PETER W. CHESTER TITLE CONDITIONS OF APPROVA ANY: N 2 4 1982

COR

JAMES A. GILLHAM \*Sed Instructions on Reverse Side DISTRICT SUPERVISOR