

NO. OF COPIES RECEIVED	4
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	2

RECEIVED NEW MEXICO OIL CONSERVATION COMMISSION

SEP 29 1972

O. C. C.
ARTESIA, OFFICE

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. B-2721

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name East Square Lake
2. Name of Operator NEWMONT OIL COMPANY	8. Farm or Lease Name State "R"
3. Address of Operator P. O. BOX 1305, ARTESIA, NEW MEXICO 88210	9. Well No. 1
4. Location of Well UNIT LETTER <u>D</u> , <u>660</u> FEET FROM THE <u>North</u> LINE AND <u>660</u> FEET FROM THE <u>West</u> LINE, SECTION <u>32</u> TOWNSHIP <u>16S</u> RANGE <u>31E</u> N.M.P.M.	10. Field and Pool, or Wildcat Square Lake G. SA.
15. Elevation (Show whether DF, RT, GR, etc.) 3893' G.L.	12. County Eddy

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

We plan to plug this well in the following manner: ^{8 1/4" 612-50}
^{5 1/2" 3207-100}

- Set bridge plug at 3170' and place 25 ft. cement plug on top.
- Fill hole with 9.5 lb./gal mud.
- Perforate 3 holes radially at 1555' (approx. 70' below base of salt) and set cement retainer at 1505'. Cement through tbg and retainer with 35 sacks and leave a cement plug in casing from retainer to perforations.
- * Perforate 3 holes radially at ⁶⁴⁰600' (approx 8' above top of salt) and set cement retainer at 550'. Cement through tbg and retainer with 100 sack of cement and leave a cement plug in casing from retainer to perforation. Cement should circulate.
- Set 10 sack cement plug in top of 5 1/2" casing.
- Set marker

We will notify N.M.O.C.C. in sufficient time to witness operations.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

Original Signed By

SIGNED G. C. Joy TITLE _____ Dist. Supt. DATE 10/2/72

APPROVED BY W. A. Grossert TITLE OIL AND GAS INSPECTOR DATE OCT 2 1972

CONDITIONS OF APPROVAL, IF ANY: * as noted above