

OIL CONSERVATION DIV
811 S. 1st ST.
UNITED STATES ARTESIA, NM 88210-2834
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

MAR 31 1997

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

XERIC OIL & GAS CORP.

3. Address and Telephone No.

P.O. BOX 352, MIDLAND, TEXAS 79702

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1370' FNL AND 990' FEL, SECTION 33, T-16-S, R-31-E, N.M.P.M.

5. Lease Designation and Serial No.

LC-056302

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

JOHNSON #13

9. API Well No.

31-015-64976

10. Field and Pool, or Exploratory Area

SQUARE LAKE

11. County or Parish, State

EDDY CO. N.M.

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐ Notice of Intent
☒ Subsequent Report
☒ Final Abandonment Notice

TYPE OF ACTION

☒ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☐ Other

☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water


(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

01-23-97 SQUEEZED 100 SKS. TO 3000' W/2400# SQUEEZE PRESS-OK'D BY JOE LARA W/BLM

01-24-97 PRESSURE TEST SQUEEZE-OK'D COULD NOT PUMP INTO.
CUT & PULLED 1110' OF 5 1/2" CASING
RIH & SPOT 50SKS. CEMENT @ 1160'-POH-WOC

01-27-97 RIH & TAGGED CEMENT @ 990'
PUH TO 790' SPOT 50 SKS. CEMENT POH-WOC
RIH & TAGGED CEMENT @ 621'
PUH TO 30' CIRC. 10SKS. CEMENT TO SURFACE
INSTALL DRY HOLE MARKER
CIRC. 10# SALT GEL



14. I hereby certify that the foregoing is true and correct

Signed [Signature]

Title Vice President

Date 2-3-97

(This space for Federal or State office use)

Approved by (ORIG. SGT.) JOE LARA

Title Petroleum Engineer

Date 3/27/97

Conditions of approval, if any: