

(SUBMIT IN TRIPLICATE)

Land Office Les Cruces Lease No. 029438 (A) Unit

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

NOTICE OF INTENTION TO DRILL NOTICE OF INTENTION TO CHANGE PLANS. NOTICE OF INTENTION TO TEST WATER SHUT-OFF. NOTICE OF INTENTION TO RE-DRILL OR REPAIR W NOTICE OF INTENTION TO SHOOT OR ACIDIZE NOTICE OF INTENTION TO PULL OR ALTER CASING NOTICE OF INTENTION TO ABANDON WELL	ELL	SUBSEQUENT REPORT OF WATER SHUT-OFF SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING SUBSEQUENT REPORT OF ALTERING CASING SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR SUBSEQUENT REPORT OF ABANDONMENT SUPPLEMENTARY WELL HISTORY
(INDICATE ABOVE BY	CHECK MARK NAT	URE OF REPORT, NOTICE, OR OTHER DATA)
Johnson	•	November 3 , 195
	·	line and
(Field)	(County of Sul	odivision) (State of Territory)
he elevation of the derrick floor abo	ve sea level i	is ft.
		OF WORK
	DETAILS	OF WORK
tate names of and expected depths to objective san	de show sizes w	sights and lengths of process to the state of the state o
ing port	its, and an other	important proposed work)
We prepase to drill this we run approximately 150' of	all to an ap	eights, and lengths of proposed casings; indicate mudding jobs, ceme important proposed work) prescimate total depth of 4000°. We will face pipe and coment with 50 sax, and coment with 100 sax. Hele is to be
We propose to drill this we non expressimately 150° of 7° drilled with cable tools. I understand that this plan of work must receive	il to an ap 8 5/8" tor cusing and	preximate total depth of 4000'. We will face pipe and cament with 50 sax, and
We propose to drill this we run approximately 150° of 7° drilled with cable tools. I understand that this plan of work must receive company Corpor Drilling Compa	il to an ap 8 5/8" tor cusing and	preximate total depth of 4000°. We will face pipe and cament with 50 sax, and cament with 100 sax. Hele is to be
We propose to drill this we run approximately 150° of approximately 3400° of 7° drilled with cable tools. I understand that this plan of work must receive company Corpor Building	il to an ap 8 5/8" tor cusing and	preximate total depth of 4000°. We will face pipe and cament with 50 sax, and cament with 100 sax. Hele is to be
We prepose to drill this we run expressimately 150° of 7° drilled with cable tools. I understand that this plan of work must receive company Corpor Drilling Compa	il to an ap 8 5/8" tor cusing and	preximate total depth of 4000°. We will face pipe and cament with 50 sax, and cament with 100 sax. Hele is to be

general de la companya de la compan En la companya de la

en de la composition La composition de la

and the second of the second o

and the control of th

1940)	Carper Drillin Johnson		Well Ma.		
35	7 16	B, R	31 8, 1	MPM.	
acetica	NE 4 NE 4				
	Eddy		No.	Mondoo T165 R	31 25
				\$26 \\ \$35	236
				1 3 1	
		1	-	1660	
				16607	
,		1		·	
		ļ			
h					
		1			

This is to certify that the above plat was propered from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my imeviseign and belief.

November 3. 355.