NO. OF COPIES RECEIVED 7		Form C-103
DISTRIBUTION	RFCE.V.	Supersedes Old C-102 and C-103
SANTA FE /	NEW MEXICO OIL CONSERVATION COMMENTO	Effective 1-1-65
FILE / _	007.0	Co. Indiana Thursday
LAND OFFICE	OCT 2 3 1970	State State Fee TA
OPERATOR 4	_	5. State Oll & Gus Legse No.
	O. C.	
SUNDRY (DO NOT USE THIS FORM FOR PROP , USE "APPLICATION"	NOTICES AND REPORTS ON WELLS, OFFICE ON DELLA OF THE PROPERTY OF PLUG BACK TO A DIFFERENT RESERVOIR. ON FOR PERMIT - " (FORM C-101) FOR SUCH PROPOSALS.)	
i. OIL GAS WELL WELL	OTHER- RE-ENTRY	7. Unit Agreement Name
2. Name of Operator Yates Petroleum Co	rporation	8. Form or Lease Name J La Zy J
3. Address of Operator 207 South 4th Stre	et - Artesia, New Mexico 88210	9. Weli No. 2
4. Location of Well	80 East Line and FEE	10. Field and Pool, or Wildcat Unci. Eagle Creek S.A.
· ·		ET FROM
THE LINE, SECTION	22 17S 25E	
	15. Elevation (Show whether DF, RT, GR, etc.) 3517 GR	12. County Eddy
Check A	ppropriate Box To Indicate Nature of Notice, Report	or Other Data
NOTICE OF INT	ENTION TO: SUBSEC	QUENT REPORT OF:
PERFORM REMEDIAL WORK	2 WE AND ADMINISTRATION (T)	
TEMPORARILY ABANDON	PLUG AND ABANDON	ALTERING CASING
PULL OR ALTER CASING	ظ الحصا	PLUG AND ABANDONMENT
	CHANGE PLANS CASING TEST AND CEMENT TOR OTHER	e Casing
OTHER		
17. Describe Proposed or Completed Ope	rations (Clearly state all pertinent details, and give pertinent dates, in	cluding estimated date of starting any proposed
WORK SEE HOLE 1103.		, and a second control of the second control
Spudded old hole o		A TOTAL TOTAL
TD 1155'. Followi	ng work done 10-17 t -10-21-70. Ran 38	jts (1155') of /" 24#
	cemented with 200 sx of Incor mixe	
	& 4 sx of gel and 100 sx Neat Incor	
	5 PM 10-18-70. Ran temperature sur	
	/4" conductor pipe in 5 stages and	
	" tubing to 600'. Cemented 600'-51	
	0 sx Incor 6% CaCl; 300-214' 100 sx	
100 sx Incor 6% Ca	C1; 170' 100 sx Incor 4% CaCl. Fil	.led top of hole $w/4$ yards
•	800 sacks of cement.	
-		
WOC 72 hours and b	ailed hole dry. Drilled plug, redu	iced hole to $6\frac{1}{4}$ " and
resumed drilling.		•
* Clean out with 10" to	It to 695 & 8" tet to 1155', Set waring & '98" ag at 648.9'. All 5 % cag war	trings as fallaces si
10 4" eng et 607; 3	"98" ag at 648.9" all 8 98" un was	Dulled pringle running
7" cag.		
	ove is true and complete to the best of my knowledge and belief.	
0. 1	A .	•
SIGNED Eddie h, his	lifuel THE Engineer	DATE 10-22-70
24 A		POT an Maria
APPROVED BY . J. O. LL	TITLE OIL AND GAS INSPECTOR	DATE 001 23 1970