



IN REPLY REFER TO:

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

P. O. Box 187  
Artesia, New Mexico

March 8, 1957

Mr. Tom Boyd  
102 South Second Street  
Artesia, New Mexico

Re: Oil and Gas Lease  
LC 062618-A

Dear Sir:

Your "Subsequent Report of Abandonment" dated February 22, 1957, covering your well No. 1-X Hitchcock located (1930 feet from north and 675 feet from east lines of) section 23, T. 16 S., R. 27 E., wildcat area, Eddy County, New Mexico, is hereby approved.

Very truly yours,


John A. Frost  
District Engineer

JAF:ma

Inspected by John A. Frost  
March 6, 1957

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY





(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Las Cruces  
Lease No. 062-13-A  
Unit Hitchcock

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

February 22, 1957

Well No. 1 X is located 1980 ft. from N line and 675 ft. from E line of sec. 23

16 27 N. 100° E.  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Eddy New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is \_\_\_\_\_ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

2/2/57 Drilled to 2293' Did not find oil in quantity to warrant commercial production.

2/6/57 Mudded from 2293' to 1650', Set bridge plug, bridge with 10' rocks and 15 sacks cement. Mudded hole to 675', pulled 652' of 10" casing, set bridge, dumped in 10' rocks and 10 sacks cement, mudded hole back to 400', set 10' rock and 10 sacks cement plug, mudded hole to top, set 10 sacks cement plug and marker.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Tom Foyd

Address 102 South Second

Artesia, New Mexico

By Robert S. Lounsbury

Title Agent