IL CONSERVATION COMMISSION ST FOR ALLOWABLE AND TRANSPORT OIL AND NATUR	Supersedes Old C-104 and Effective 1-1-17
ST FOR ALLOWABLE AND	Superscales 014 (+104 and 1 theotive 1-1-1)
ST FOR ALLOWABLE AND	Superscales 014 (+104 and 1 theotive 1-1-1)
AND	Superscales 014.1-404 and Utective 4-4-42
	RAL GAS
TRANSPORT OIL AND NATUR	
	RECEIVED
	A 188E
	MAY 1 0 1965
	O. C. C.
	ARTESIA, OFFICE
79701	
Other (Please explain	
To sell app	prox. 650 BO produced
during test	ing.
in the control of the	
Some the better of the orthogon	I that of France
Wildcat - Cisco	Federal
Line and 1880 Feet F	from The Rast
Off m	
	Eddy Count
GAS	
4	
P. O. Box 3119, 1	Midland, Texas
Moderns (Give address to which a	ipproved copf of this form is to be sent;
In data defined by sommerses	When
	, when
	4 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)
e, give commungiing order number	
New Well Workever Deeper	1 Ind Black Same Resty, Totte, Fres
	Commenter At 1 diff. Help
Now Well Workever Desper	The state of the s
	Plug
	Plug
Total Depth	Plug
Total Depth	Plug
Total Depth Top 11/Clas Pay	Plug
Total Depth Top 11/das Pay	Plug
Total Depth Top 11/Clas Pay	Plug
Total Depth Top 11/das Pay	Plug (Astro) (Tabing Depth Depth Casing Choe
Total Depth Top 11/das Pay	Plug (Astro) (Tabing Depth Depth Casing Choe
Total Depth Top 11/das Pay	Plug (Astro) (Tabing Depth Depth Casing Choe
Total Depth Top 11/Clas Pay ND CEMENTING RECORD DEPTH SET	Plug 1 de f.D. Farmar begith SACKS CEMENT
Total Depth Top 11/Mas Pay ND CEMENTING RECORD DEPTH SET after recovery of total volume of load lepth or be for full 24 hours)	Plug 1 JULED. Taring Dopth SACNS CEMENT oil and must be equal to or exceed top allos
Total Depth Top 11/Clas Pay ND CEMENTING RECORD DEPTH SET	Plug 1 JULED. Taring Dopth SACNS CEMENT oil and must be equal to or exceed top allos
Total Depth Top 11/Clas Pay ND CEMENTING RECORD DEPTH SET after recovery of total volume of load lepth or be for full 24 hours; Freducing Method (Flom., pump., ga	Plug 1 JULED. Taring Dopth SACNS CEMENT oil and must be equal to or exceed top allos
Total Depth Top 11/Mas Pay ND CEMENTING RECORD DEPTH SET after recovery of total volume of load lepth or be for full 24 hours)	Plug 1 JULED. Taring Dopth SACNS CEMENT oil and must be equal to or exceed top allos
Total Depth Top 11/Clas Pay ND CEMENTING RECORD DEPTH SET after recovery of total volume of load lepth or be for full 24 hours) Freducing Method (Flom., pump., ga	Plug 1 Joseph SACKS CEMENT oil and must be equal to or exceed top allows lift, etc.)
Total Depth Top 11/Clas Pay ND CEMENTING RECORD DEPTH SET after recovery of total volume of load lepth or be for full 24 hours; Freducing Method (Flom., pump., ga	Plug 1 Joseph SACKS CEMENT oil and must be equal to or exceed top allows lift, etc.)
Total Depth Top 11/Clas Pay ND CEMENTING RECORD DEPTH SET after recovery of total volume of load lepth or be for full 24 hours) Freducing Method (Flom., pump., ga	Plug 1 Joseph Cop the Cossing Choe SACKS CEMENT oil and must be equal to or exceed top allows lift, etc.)
Total Depth Top 11/Clas Pay ND CEMENTING RECORD DEPTH SET after recovery of total volume of load lepth or be for full 24 hours) Freducing Method (Flom., pump., ga	Plug 1 Joseph Cop the Cossing Choe SACKS CEMENT oil and must be equal to or exceed top allows lift, etc.)
Total Depth Top: 11/Clas Pay ND CEMENTING RECORD DEPTH SET after recovery of total volume of load lepth or be for full 24 hours) Freeducing Method (Flom., pump., ga	Plug 1 de P.D. Tamma Dopth Dopth Casing Glose SACNS CEMENT oil and must be equal to or exceed top allos s lift, etc.) Taske Time
Total Depth Top 11/Clas Pay ND CEMENTING RECORD DEPTH SET after recovery of total volume of load lepth or be for full 24 hours) Freducing Method (Flom., pump., ga	Plug 1 Joseph Cop the Cossing Choe SACKS CEMENT oil and must be equal to or exceed top allows lift, etc.)
Total Depth Top: 11/Clas Pay ND CEMENTING RECORD DEPTH SET differ recovery of total volume of load lepth or be for full 24 hours) Freducing Method (Flom., pump., ga	Plug (ACAS CEMENT SACAS CEMENT SACAS CEMENT oil and must be equal to or exceed top allows life, etc.) (Savery of Acidensate)
Total Depth Top: 11/Clas Pay ND CEMENTING RECORD DEPTH SET after recovery of total volume of load lepth or be for full 24 hours) Freeducing Method (Flom., pump., ga	Plug 1 de P.D. Tamma Dopth Dopth Casing Glose SACNS CEMENT oil and must be equal to or exceed top allos s lift, etc.) Taske Time
Total Depth Top 11/Mas Pay ND CEMENTING RECORD DEPTH SET after recovery of total volume of load lepth or be for full 24 hours? Freducina Method (Flow, pump. gathasine) frestate Water-1815 India, forstemate/NAMCT	Plug 1 ACRS CEMENT SACKS CEMENT SACKS CEMENT oil and must be equal to or exceed top allows life, etc.) Take Time base Time Crivity of Audersone Chake Time
Total Depth Top: 11/Clas Pay ND CEMENTING RECORD DEPTH SET after recovery of total volume of load liepth or be for full 24 hours? Freducina Method (Flow, pump. ga classics) resource Water - 13.11 Inthia. Condensate/ASACTC Classing recover.	Plug (ACAS CEMENT SACAS CEMENT SACAS CEMENT oil and must be equal to or exceed top allows life, etc.) (Savery of Acidensate)
	Wildcat - Cisco

TITLE

Geologist

May 6, 1965 (Date) This form is to be filed in compliance with RULE 1104.

If this is a request for allowable for a newly drilled or deepened well, this form must be accompanied by a tabulation of the deviation tests taken on the well in accordance with RUCE 111.

All sections of this form must be filled out completely for allowable on new and recompleted wells.

able on new and recompleted wells.

Fift out Sections I, II, III, and VI only for changes of owner, well name or number, or transporter, or other such change of condition.

Separate Forms C-104 must be filed for each pool in multiply

214 FIRST SAVINGS & LOAN BUILDING

P. O. BOX 1538
MIDLAND. TEXAS 79701
May 6, 1965

HOME OFFICE

ROOSEVELT BUILDING

727 WEST SEVENTH STREET

LOS ANGELES, CALIFORNIA 90017

AREA 213 MADISON 9-3143

AREA 915 MUTUAL 3-4269 AREA 915 MUTUAL 3-4260

New Mexico Oil Conservation Commission P. O. Drawer DD Artesia, New Mexico

Re: Bell Petroleum Company

No. 1 Federal

Eddy County, New Mexico

Gentlemen:

Attached are five (5) copies of Form C-104 requesting authorization to sell approximately 650 barrels of oil produced from the Cisco formation in the captioned well during testing.

Bell Petroleum Company has filed Form 9-331 with the USGS requesting permission to plug and abandon this well.

Very truly yours

BELL PETROLEUM COMPANY

Geologist

vab

Enclosures (5)

Section 1.

i we gai

TABOL DELLA SECTION LELL

these little

in the state of the second of the state of t

.Ilm silv dos of the dark normal some some men