

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

AREA 640 ACRES
LOCATE WELL CORRECTLY

Tenneco Oil Company

State Skelly E-7178

(Company or Operator)

(Lease)

Well No. 1, in SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Sec. 24, T. 17-S, R. 28-E, NMPM.

Wildcat Pool, Eddy County.

Well is 1980 feet from North line and 660 feet from East line

of Section 24. If State Land the Oil and Gas Lease No. is E-7178

Drilling Commenced May 31, 1963 Drilling was Completed June 10, 1963

Name of Drilling Contractor Yates Drilling Company

Address 309 Carper Building, Artesia, New Mexico

Elevation above sea level at Top of Tubing Head 3694 GL The information given is to be kept confidential until
19

OIL SANDS OR ZONES

No. 1, from to No. 4, from to

No. 2, from to No. 5, from to

No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

CASING RECORD

| SIZE | WEIGHT PER FOOT | NEW OR USED | AMOUNT | KIND OF SHOE | CUT AND PULLED FROM | PERFORATIONS | PURPOSE |
|-------|-----------------|-------------|--------|--------------|---------------------|--------------|----------------|
| 8 5/8 | 24# | New | 506 | Guide | | | Surface String |
| | | | | | | | |
| | | | | | | | |

MUDDING AND CEMENTING RECORD

| SIZE OF HOLE | SIZE OF CASING | WHERE SET | NO. SACKS OF CEMENT | METHOD USED | MUD GRAVITY | AMOUNT OF MUD USED |
|--------------|----------------|-----------|---------------------|-------------|-------------|--------------------|
| 11" | 8 5/8" | 506 | 300 | Pump & Plug | Air | |
| | | | | | | |
| | | | | | | |

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Result of Production Stimulation.....

Depth Cleaned Out.....

RI AD OF DRILL-STEM AND SPECIAL TEST

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 4049 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing P & A, 19
OIL WELL: The production during the first 24 hours was barrels of liquid of which % was
was oil; % was emulsion; % water; and % was sediment. A.P.I.
Gravity
GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of
liquid Hydrocarbon. Shut in Pressure lbs.
Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

| Southeastern New Mexico | | | Northwestern New Mexico | | |
|-------------------------|------|--|-------------------------|--|-----------------------|
| T. Anhy | | | T. Devonian | | T. Ojo Alamo |
| T. Salt | | | T. Silurian | | T. Kirtland-Fruitland |
| B. Salt | 652 | | T. Montoya | | T. Farmington |
| T. Yates | 769 | | T. Simpson | | T. Pictured Cliffs |
| T. 7 Rivers | 1024 | | T. McKee | | T. Menefee |
| T. Queen | 1589 | | T. Ellenburger | | T. Point Lookout |
| T. Grayburg | 1990 | | T. Gr. Wash | | T. Mancos |
| T. San Andres | 2290 | | T. Granite | | T. Dakota |
| T. Glorieta | 3723 | | T. | | T. Morrison |
| T. Drinkard | | | T. | | T. Penn |
| T. Tubbs | | | T. | | T. |
| T. Abo | | | T. | | T. |
| T. Penn | | | T. | | T. |
| T. Miss | | | T. | | T. |

FORMATION RECORD

| From | To | Thickness in Feet | Formation | From | To | Thickness in Feet | Formation |
|------|------|----------------------|--|------|----|----------------------|-----------|
| 0 | 11 | 11 | KB - GL | | | | |
| 11 | 769 | 758 | Salt, anhydrite & undifferentiated sand & shale | | | | |
| 769 | 2290 | 1521 | Sand & shale, dolomite | | | | |
| 2290 | 3723 | 1433 | Dolomite | | | | |
| 3723 | 4049 | 326 | Lime w/shale stringers | | | | |

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far
as can be determined from available records.

June 13, 1963 (Date)
Company or Operator Tenneco Oil Company Address Box 307, Hobbs, New Mexico
Name A. W. Lang Position or Title District Production Superintendent

State Skelly E-7178
Unit H, Section 24, T-17-S, R-28-E
Eddy County, New Mexico

DEVIATION SURVEYS

| <u>Depth</u> | <u>Degrees of Deviation</u> |
|--------------|-----------------------------|
| 510 | 1/2 |
| 1029 | 3/4 |
| 1520 | 3/4 |
| 2020 | 1 |
| 2546 | 1 |
| 3060 | 1 1/4 |
| 3440 | 1 1/4 |
| 3594 | 1 |
| 3936 | 1/2 |
| 4049 | 3/4 |


AFFIDAVIT

State of New Mexico


County of Lea

Before me on this day personally appeared A. W. Lang, known to me to be the person whose name is subscribed to this instrument, who after being duly sworn on Oath states that he represents Tenneco Oil Company in the capacity of District Production Superintendent and that said report of Deviation Surveys contains no misstatements or inaccuracies and that no pertinent matter has been omitted, and that affiant is duly authorized to make this affidavit.

TENNECO OIL COMPANY


A. W. Lang

Sworn to and subscribed before me this 13th day of June 1963.

 Notary Public in and for Lea County, New Mexico.

My Commission Expires February 13, 1966.

| OIL CONSERVATION COMMISSION | |
|-----------------------------|---|
| AREA DISTRICT OFFICE | |
| 1. Case No. | ✓ |
| 2. Date | ✓ |
| 3. Name | ✓ |
| 4. Address | ✓ |
| 5. Phone | ✓ |
| 6. State | ✓ |
| 7. County | ✓ |
| 8. City | ✓ |
| 9. Zip | ✓ |
| 10. Other | ✓ |