

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYLand Office New MexicoLease No. LC-029424

Unit

RECEIVED

NOV 14 1963

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<input checked="" type="checkbox"/>		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

November 4, 1963, 19

Henshaw Deep Unit

Well No. 9 is located 660 ft. from N line and 1980 ft. from W line of sec. 23

NE/4 NW/4 Sec. 23

(1/4 Sec. and Sec. No.)

16 S

(Twp.)

30 E

(Range)

NMPM

(Meridian)

Und. Henshaw-Wolfcamp

(Field)

Eddy

(County or Subdivision)

New Mexico

(State or Territory)

The elevation of the derrick floor above sea level is 3836 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to spot cement plugs as follows:

9150' - 8800' with 75 axs Incor

8600' - 8500' with 25 axs Incor

7800' - 7600' with 50 axs Incor

6500' - 6400' with 25 axs Incor

4550' - 4450' with 25 axs Incor

surface with 15 axs Incor.

Verbal permission to plug obtained via telephone conversation October 31, 1963,
from Ronnie E. Shook of U.S.G.S.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Shell Oil CompanyAddress Box 1858Roswell, New MexicoBy W. E. BingenTitle Division Mechanical Engineer