Form 9-331a
(Feb. 1961)

APPROVED
SEP 3 1963

RECEIVED SEP 4 1963
D. C. OFFICE

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

_____8-29_____, 19 63

Jefferies

Well No. __1__ is located _660_ ft. from {N/S} line and _1980_ ft. from {E/W} line of sec. __27__

_____Sec 27_____ __16S__ __31E__ _____
(¼ Sec. and Sec. No.)   (Twp.)   (Range)   (Meridian)

East Square Lake _____ Eddy _____ New Mexico
(Field)   (County or Subdivision)   (State or Territory)

The elevation of the derrick floor above sea level is __4032__ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

6-28-63 Run 38' of 13 3/8" C.P. Used casing set with 2 yrds. ready mix cement.

7-16-63 Run 3773' of 5½" C.P. 15.5 Used casing set with 150 sacks Incore cement plus 50 sackethrough 1" pipe from surface to 687'.

7-17-63 Perforated from 3576 - 3612 & 3730 - 3738.

7-31-63 Treated formation then perforations with 54,000 sand, 2,000 bls. slick water & 1500 gals. acid.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company __George A. Chase__

Address __502 Clayton__

__Artesia, New Mexico__

By _George A. Chase_

Title __Owner__