

NUMBER OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	1
FILE	2
U.S.G.S.	
LAND OFFICE	
TRANSPORTER	OIL
	GAS
PRODUCTION OFFICE	
OPERATOR	3

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

AREA 640 ACRES
LOCATE WELL CORRECTLY

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE If State Land submit 6 Copies

International Yates (Company or Operator) State 647 (Lease)

Well No. 195, in NW 1/4 of NE 1/4, of Sec. 32, T. 17-S, R. 28-E, NMPM.

Artesia Pool, Eddy County.

Well is 990 feet from North line and 1650 feet from East line of Section 32. If State Land the Oil and Gas Lease No. is 647.

Drilling Commenced June 16, 1963. Drilling was Completed June 22, 1963.

Name of Drilling Contractor S. P. Yates Drilling Company.

Address Artesia, New Mexico.

Elevation above sea level at Top of Tubing Head 3694' GL. The information given is to be kept confidential until Not Confidential, 19.

OIL SANDS OR ZONES

No. 1, from 1886 to 1891. No. 4, from to.

No. 2, from to. No. 5, from to.

No. 3, from to. No. 6, from to.

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from None to feet.

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
7"	17 lb.	Used	502'	Float			Surface
4 1/2"	11.6 lb.	New	1984'	Float		1886-91'	Production

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
8 5/8"	7"	505'	125	One plug		
6 1/2"	4 1/2"	1983'	75	Two plugs		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Treat 1886-91' with 250 gallons mud acid, fracture with 30,000 lbs. sand, 200 lbs. glass beads, 300 lbs. Adomite in 456 barrels lease crude.

Result of Production Stimulation Flowed 45 barrels oil in 4 hours on 1/2" choke.

Depth Cleaned Out 1964

LOG OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 1995 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing June 25, 1963

OIL WELL: The production during the first 24 hours was 45 barrels of liquid of which 100% was oil; 0% was emulsion; 0% water; and 0% was sediment. A.P.I. Gravity 37°

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico			Northwestern New Mexico		
T. Anhy.			T. Devonian		T. Ojo Alamo
T. Salt.			T. Silurian		T. Kirtland-Fruitland
B. Salt.			T. Montoya		T. Farmington
T. Yates		367'	T. Simpson		T. Pictured Cliffs
T. T. River		623'	T. McKee		T. Menefee
T. Queen		1190'	T. Ellenburger		T. Point Lookout
T. Goshute		1610'	T. Gr. Wash.		T. Mancos
T. Las Alamos		1920'	T. Granite		T. Dakota
T. Glodeta			T. Premier	1883'	T. Morrison
T. Muskogean			T. Lov. Sand	1965'	T. Penn.
T. Tule					T.
T. Alamo					T.
T. Penn.					T.
T. Miss.					T.

FORMATION RECORD

From	To	Thickness in Feet	Formation
0	160	160	Lime, sand, red shale
160	367	207	Anhydrite
367	470	103	Red sand & anhydrite
470	623	153	Anhydrite, red shale, dolomite
623	1190	567	Dolomite & anhydrite
1190	1225	35	Red sand
1225	1610	385	Anhydrite, sand & red shale
1610	1883	273	Dolomite & sand
1883	1920	37	Sand & dolomite
1920	1965	45	Dolomite
1965	1984	19	Dolomite & sand

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the foregoing is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company or Operator: International-Yates Address: P.O. Box 427, Artesia, New Mexico
Name: G. R. Appledorn Position: District Engineer
Date: June 26, 1963