

NEW MEXICO OIL CONSERVATION COMMISSION

At a PBD depth of 2600'
Santa Fe, New Mexico well turned over to:Castle & Wignell
Box 868
Midland, Texas

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

AREA 640 ACRES
LOCATE WELL CORRECTLY

Pan American Petroleum Corporation

State "BZ"

(Company or Operator)

(Lease)

Well No. 4, in SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Sec. 27, T. 17-S, R. 28E, NMPM.Empire AboPool, Eddy

County.

Well is 2263.2 feet from North line and 660 feet from East lineof Section 17. If State Land the Oil and Gas Lease No. is B-2071-17Drilling Commenced 1-19-63, 19____. Drilling was Completed 2-7-63, 19____.Name of Drilling Contractor Davidson Bros. Co.Address Midland, TexasElevation above sea level at Top of Tubing Head 3617' RDB. The information given is to be kept confidential until Not Confidential, 19____.

OIL SANDS OR ZONES

No. 1, from None to____. No. 4, from____ to____.
No. 2, from____ to____. No. 5, from____ to____.
No. 3, from____ to____. No. 6, from____ to____.

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from None to____ feet.
No. 2, from____ to____ feet.
No. 3, from____ to____ feet.
No. 4, from____ to____ feet.RECEIVED
MAY 7 1963
E. C. C.
ARTESIA OFFICE

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8-5/8"	24	New	964	Guide			Surface
4-1/2"	9.5	New	6231	Guide	5340	*	Oil String

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
12-1/4	8-5/8	967	650	Pump-Plug		
7-7/8"	4-1/2"	6204	150	Pump-Plug		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

*Perforations 6022-55 acidized with 10,000 gallons
*perforations 6128-60 acidized with 5000 gallons
*perforations 6022-6160 fraced with 100,000 gallons water, 100,000# sand.Result of Production Stimulation Never recovered loadDry holePB 2600

Depth Cleaned Out_____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 6204 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing Dry Hole, 19

OIL WELL: The production during the first 24 hours was barrels of liquid of which % was
was oil; % was emulsior; % water; and % was sediment. A.P.I.
Gravity.

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of
liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy		T. Devonian	
T. Salt		T. Silurian	
B. Salt		T. Montoya	
T. Yates		T. Simpson	
T. 7 Rivers		T. McKee	
T. Queen		T. Ellenburger	
T. Grayburg		T. Gr. Wash	
T. San Andres	1995	T. Granite	
T. Glorieta		T.	
T. Drinkard		T.	
T. Tubbs		T.	
T. Abo Reef	6020	T.	
T. Penn		T.	
T. Miss		T.	
T. Ojo Alamo			
T. Kirtland-Fruitland			
T. Farmington			
T. Pictured Cliffs			
T. Menefee			
T. Point Lookout			
T. Mangos			
T. Dakota			
T. Morrison			
T. Penn			
T.			
T.			
T.			
T.			
T.			

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	835	835	Red Rock				
835	941	106	Red Rock, Lime				
941	1781	840	Anhy				
1781	2324	543	Anhy, Lime				
2324	6204	3880	Lime				
DEVIATION SURVEYS				COMMISSION			
		Depth	Degrees Off				
		802	3/4				
		1287	1				
		1710	1				
		2078	1				
		2564	3/4				
		2868	1				
		3172	1-1/2				
		3472	1-1/2				
		3805	2				
		4262	2				
		4596	2-1/2				
		5115	2-1/2				
		5398	2				
		5636	2				
		5842	3/4				
		6005	3/4				

The above information is true and correct to the best of my knowledge and belief.

V. E. Staley
Area Superintendent

Sworn and subscribed to this, the 2nd day of May, 1963

Public in and for
Lea County, New Mex

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

May 2, 1963

(Date)

Company or Operator American Petroleum Corp.
Original Signed by:
Name V. E. STALEY

Address Box 63 - Hobbs, New Mexico
Position Title Area Superintendent