•							
				∕\ <b>u</b>	Form Approved		
m 9-331a		5		201	Land Office	er Mexico	
eb. 1951)	ROVE	SUBMIT	IN TRIPLICATE	o Colland	Lease No. IC-0	64637	
AP	2 4000	LINIT	ED STATES	3.		T	
	VGV 222 396/2_	TAFAIT	OF THE IN	TERIOR	Unit	EBET.	'E
	A LEVISK ENAUT		GICAL SURVEY			31011	1
7.5	AMES A ENGINEER	GEOLOG	GICAL SURFE.			- ₹UV 2 € <sub>191</sub>	30
1 10	4					1774	٠.
	_ JNDRY NOT		ND DEDO	RTS ON	WELLS	Seater D. Co.	
SU	JNDRY NOT	TICES A	ND KELO	KID OI		AGIA, DEFIL	`₹,
		13	_	EPORT OF WATER		1 1	
NOTICE OF INTENTIO	ON TO DRILL		CURSEOUENT R	EPORT OF SHOOT!	NG OR ACIDIZING		
NOTICE OF INTENTION	ON TO CHANGE PLANS	OFF	CURSEOUENT R	EPORT OF ALTERI	NG CASING		
NOTICE OF INTENTI	ON TO TEST WATER SHUT	UR WELL	SUBSEQUENT R	EPORT OF RE-DRI	LLING OR REPAIR		
NOTICE OF INTENT	ON TO RE-DRILL OR REPA ON TO SHOOT OR ACIDIZ	E	SUBSEQUENT F	REPORT OF ABAND	ONMENT		
NOTICE OF INTENT	ON TO PULL OR ALTER C	ASING	SUPPLEMENTAL	RY WELL HISTORY			
NOTICE OF INTENT	ON TO ABANDON WELL						
			K NATURE OF REPORT,	NOTICE, OR OTHE	R DATA)		
	(INDICATE ABOV	E BY CHECK MARI	R NATURE OF REPORT			. 40	
				Hovember'	23	, 19 <b>62</b>	
					ר דידו		
Hensia.	is located	unda c. c	Max line and	660 ft. f	rom Line	of sec. 23	
Well No. 6	is located	ft. from	$^{\mathbf{m}}$ (S) $^{\mathbf{m}}$		[-44-]		
		163	30E				
	386 6.3						
NE/4, DE/4,	Sec. No.)	(Twp.)	(Range)	(Meridian)	Hev Mex	Leo	
(½ Sec. and	Sec. No.)	BAAY	County	(Meridian)	(State or Territo		
(Fiel	Sec. No.)	(Count	y or Subdivision)	·	(State or Territo		
(Fiel	Sec. No.)	(Count	y or Subdivision)	·	(State or Territo		
(1/2 Sec. and (Field	of the derrick floo	(Count	y or Subdivision) level is 3840	ft. <b>estim</b>	(State or Territo	ory)	
The elevation	of the derrick floo	(Count	y or Subdivision) level is 3840	ft. <b>estim</b>	(State or Territo	ory)	t-
The elevation	of the derrick floo	r above sea	y or Subdivision)  level is 3810  AILS OF WOF sizes, weights, and le	ft. estimates	(State or Territo	ory) mudding jobs, cemen	t-
The elevation	of the derrick floo	r above sea	y or Subdivision)  level is 3810  AILS OF WOF sizes, weights, and le	ft. estimates	(State or Territo	ory) mudding jobs, cemen	⊦- est
The elevation (State names of and	of the derrick floo	r above sea	y or Subdivision)  level is 3810  AILS OF WOF sizes, weights, and le	ft. estimates	(State or Territo	ory) mudding jobs, cemen	⊦- est
The elevation (State names of and	of the derrick floo	r above sea  DET  ctive sands; show ing points, and a	y or Subdivision) level is 3840 AILS OF WOF sizes, weights, and leall other important pr	ft. estimates of proposed oposed work)	(State or Territo	mudding jobs, cemen	7 <b>26</b>
The elevation (State names of and	of the derrick flood expected depths to object of the derick flood of the derrick flood of the derick flood of the derrick f	County r above sea  DET ctive sands; show ing points, and a	y or Subdivision) level is 3840 AILS OF WOF sizes, weights, and le ill other important pr	ft. estimates of proposed oposed work)  80. 6 as	(State or Territo	mudding jobs, cemen  t Wolfamp t	ost meat
The elevation (State names of and	of the derrick flood expected depths to object of the derick flood of the derrick flood of the derick flood of the derrick f	County r above sea  DET ctive sands; show ing points, and a	y or Subdivision) level is 3840 AILS OF WOF sizes, weights, and le ill other important pr	ft. estimates of proposed oposed work)  80. 6 as	(State or Territo	mudding jobs, cemen  t Wolfamp t	ost meat
The elevation (State names of and	of the derrick flood expected depths to object of the derick flood of the derrick flood of the derick flood of the derrick f	County r above sea  DET ctive sands; show ing points, and a	y or Subdivision) level is 3840 AILS OF WOF sizes, weights, and le ill other important pr	ft. estimates of proposed oposed work)  80. 6 as	(State or Territo	mudding jobs, cemen  t Wolfamp t	ost meat
The elevation (State names of and	of the derrick flood expected depths to object of the derick flood of the derrick flood of the derick flood of the derrick f	County r above sea  DET ctive sands; show ing points, and a	y or Subdivision) level is 3840 AILS OF WOF sizes, weights, and le ill other important pr	ft. estimates of proposed oposed work)  80. 6 as	(State or Territo	mudding jobs, cemen  t Wolfamp t	ost meat
The elevation (State names of and	of the derrick flood expected depths to object of the derick flood of the derrick flood of the derick flood of the derrick f	County r above sea  DET ctive sands; show ing points, and a	y or Subdivision) level is 3840 AILS OF WOF sizes, weights, and le ill other important pr	ft. estimates of proposed oposed work)  80. 6 as	(State or Territo	mudding jobs, cemen  t Wolfamp t	mezi
The elevation (State names of and	of the derrick flood expected depths to object of the derick flood of the derrick flood of the derick flood of the derrick f	County r above sea  DET ctive sands; show ing points, and a	y or Subdivision) level is 3840 AILS OF WOF sizes, weights, and le ill other important pr	ft. estimates of proposed oposed work)  80. 6 as	(State or Territo	mudding jobs, cemen  t Wolfamp t	ost meat
The elevation (State names of and	of the derrick flood expected depths to object of the derick flood of the derrick flood of the derick flood of the derrick f	County r above sea  DET ctive sands; show ing points, and a	y or Subdivision) level is 3840 AILS OF WOF sizes, weights, and le ill other important pr	ft. estimates of proposed oposed work)  80. 6 as	(State or Territo	mudding jobs, cemen  t Wolfamp t	ost meat
The elevation (State names of and	of the derrick flood expected depths to object of the derick flood of the derrick flood of the derick flood of the derrick f	County r above sea  DET ctive sands; show ing points, and a	y or Subdivision) level is 3840 AILS OF WOF sizes, weights, and le ill other important pr	ft. estimates of proposed oposed work)  80. 6 as	(State or Territo	mudding jobs, cemen  t Wolfamp t	ost meat
The elevation (State names of and	of the derrick flood expected depths to object of the derick flood of the derrick flood of the derick flood of the derrick f	County r above sea  DET ctive sands; show ing points, and a	y or Subdivision) level is 3840 AILS OF WOF sizes, weights, and le ill other important pr	ft. estimates of proposed oposed work)  80. 6 as	(State or Territo	mudding jobs, cemen  t Wolfamp t	ost meat
The elevation (State names of and	of the derrick flood expected depths to object of the derick flood of the derrick flood of the derick flood of the derrick f	County r above sea  DET ctive sands; show ing points, and a	y or Subdivision) level is 3840 AILS OF WOF sizes, weights, and le ill other important pr	ft. estimates of proposed oposed work)  80. 6 as	(State or Territo	mudding jobs, cemen  t Wolfamp t	ost meat
The elevation (State names of and	of the derrick flood expected depths to object of the derick flood of the derrick flood of the derick flood of the derrick f	County r above sea  DET ctive sands; show ing points, and a	y or Subdivision) level is 3840 AILS OF WOF sizes, weights, and le ill other important pr	ft. estimates of proposed oposed work)  80. 6 as	(State or Territo	mudding jobs, cemen  t Wolfamp t	ost meat
The elevation (State names of and	of the derrick flood expected depths to object of the to 500's hole to 5	r above sea  DET.  ctive sands; show ing points, and a common com	y or Subdivision) level is 3840 AILS OF WOF sizes, weights, and le ill other important pr	ft. estimates of proposed oposed work)  80. 6 as	(State or Territo	mudding jobs, cemen  t Wolfamp t	ost meat
The elevation (State names of and Actary Too.)  Fill 13 3/4  Fill 6 3/4  I understand Company	of the derrick flood expected depths to object of the to 500's hole to 5	r above sea  DET.  ctive sands; show ing points, and a common com	y or Subdivision) level is 3840 AILS OF WOF sizes, weights, and le ill other important pr	ft. estimates of proposed oposed work)  No. 6 as  3/4° casing v.  64, 4 1/2°	(State or Territonic ted casings; indicate casings; indicate casings v/500 state casing v	mudding jobs, comen  A Wolfound to  Circ. comen  (365 ex. 31962 700 100 100 100 100 100 100 100 100 100	ARTESIA, NEW MEXICO
The elevation (State names of and	of the derrick flood expected depths to object of the derrick flood despected depths to object of the to 500 hole to 3100 hole to 3500 that this plan of work my shell oil core.	r above sea  DETA  ctive sands; show ing points, and a  constant c	y or Subdivision) level is 3840 AILS OF WOF sizes, weights, and le ill other important pr	ft. estimates of proposed oposed work)  No. 6 as  3/4° casing v.  64, 4 1/2°	(State or Territonic ted casings; indicate casings; indicate casings v/500 state casing v	mudding jobs, comen  A Wolfound  A Circ. Comen  (36) SX. 23 1965  May blight my codd  Original Signed	ARTESIA, NEW MEXICO
The elevation  (State names of and Actary Too.)  Fill 13 3/4  Fill 6 3/4  I understand  Company	of the derrick flood expected depths to object of the to 500 hole to 3100 hole to 9500 that this plan of work my 3hell 011 Co.	r above sea  DET.  ctive sands; show ing points, and a common com	y or Subdivision) level is 3840 AILS OF WOF sizes, weights, and le ill other important pr	ft. estimates of proposed oposed work)  No. 6 as  3/4° casing v  64, 4 1/2°	(State or Territonic ted casings; indicate casings; indicate casings v/500 states casing v/500 states casi	mudding jobs, comen  A Wolfound to  Circ. comen  (365 ex. 31962 700 100 100 100 100 100 100 100 100 100	ARTESIA, NEW MEXICO

		 _
NUMBER OF COPIE	SRECEIVED	 
DIS	TRIBUTION	
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
	OIL	
TRANSPORTER	GA5	
PRORATION OFFI	CE	

## NEW MEXICO OIL CONSERVAT: ( COMMISSION FORM C-128 Revised 5/1/57 WELL LOCATION AND ACREAGE DEDICATION PLAT

TRANSPORTER GA	1		SEE INSTR	UCTIONS F	OR COMP	LETING TH	IS FORM O	N THE REV	ERSE SIDE
OPERATOR									
Oceania					ECTION	<u> </u>			Well No.
Operator Shell Gil Company				Lease Monshay Doop			Unit	wen No. 6	
Unit Letter	Section		Township	168	Range	306	County	20	47
Actual Footage		of Well: om the	ecuth	line and	660	fe	et from the	east	line
Ground Level E		oducing Fo			Pool				Dedicated Acreage:  Acres
ot availab	42	Fols							Acres
who has the another. (6 2. If the answe	right to dr 5-3-29 (e r to questi	ill into and ) NMSA 193 on one is '	to produce fro 55 Comp.) 'no,'' have the answer is ''y	om any pool interests o es,'' Type o	and to app of all the o	wners been chation	production consolidated	either for hi	itization agreement of other-
Owner						Land Descrip	otion		3 1962 3 1962 3 1964 5 KW WE
									OV 2.3 19 FOLUBICAL SIA, TEW
		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·						
			SECTIO	N B				,	CERTIFICATION ()
								in SECT plete to belief.  Name Company	
						0 + ,0661	- 5.50'	shown of plotted for surveys supervise and correspond to the plotter of the surveys and believes the surveys and believes the surveys and surveys the	
0 330 660	990 132	0 1650 19	80 2310 264	0 2000	) 1500	1000	500	Certifica	te No. 676

## INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.