| | | | DEPAH | TMENI | OF THE I | NTEF | RIORAUG 3 | 1 1004 | ſ | | | AND SERIAL | NO. |
|---|--|--|---|--|---|---|---|--|---|---|--|---|--|
| | | | | | GICAL SURV | | | <u> </u> | | | - 077 | Ü J. B OR TRIBE NA | |
| . . | | ION | FOR PI | RMIT T | O DRILL, I | DEEP | EN, OREPA | Jer 199 | <u>ECK</u> | 0. 1. 1.014 | - · | e og tribe na | |
| | a. TYPE OF WORK | DRILL | X | | DEEPEN | | PLUC | g back | | 7. UNIT AG | BEEMENT N | AME | |
| | WELL | GAS Well | | OTHER | | | | MULTIPLE ZONE | X | 8. FARM OF | LEASE NA | 21 | |
| 2. | NAME OF OPERATO | | | | | | | • | | 9. WELL N | | FEDERA | L |
| 3. | WATER-FLO | | SOCIAT | ES, INC | • | | | | | | 2 | 11 | |
| · .* | 2211 CONT | INENT | AL NAT | IONAL B | K. BLDG. F | т. Wo | RTH, TEXAS | 7610 | 2 | 10. FIELD | AND POOL, | R WILDCAT | |
| | At surface 198 | L (Repoi O' FR (SE/4 | OM NOR | TH LINE | AND 1346' S - R31E - | FROM | WEST LINE | OF SE | стіой | 11. SEC., T. | QUARE L | BLK. | |
| | At proposed prod | . zone E | , | | | | | | ; ;; ;; | | 65-31E, | | |
| 14 | 4 MILES FA | | | | TH OF LOCO | | | 1 CO | | 12. COUNTI EDDY | I OR PARISE | 13. STATE NEW | |
| 15 | 5. DISTANCE FROM LOCATION TO NE | PROPOSEI | - <u>)</u> | FROM F | AST LINE | | O. OF ACRES IN LI | | | F ACRES ASS | IGNED | <u> </u> | |
| | LOCATION TO NE PROPERTY OR LEAS (Also to nearest | AREST E LINE, F drlg. lin | T. if any) | OF LEA | SE | • | 448.42 | | TO T | D WELL | | | |
| 18 | B. DISTANCE FROM TO NEAREST WE OR APPLIED FOR, O | | | | | 19. PI | BOPOSED DEPTH | | 20. ROTA | RY OR CABLE | TOOLS | | |
| 01 | OR APPLIED FOR, O | | | | <u>No. 1</u> | | 3300' | | R | DTARY | OT. DATE W | ORK WILL ST | ART |
| | 3855' | | 4949 | , | | | | | | | | ORE SEP | - |
| 23 | 5 77 | | ····· | т | PROPOSED CASI | NG AN | D CEMENTING | PROGRAM | r | | | | |
| | | | | ſ | | | | | | | | | |
| | SIZE OF HOLE | | SIZE OF | | WEIGHT PER B | TOOT | SETTING DEI | | <u> </u> | QUANT | ITY OF CEMI | INT | |
| | SIZE OF HOLE | | size of 8-5/8" | CABING | 24# | '00T | | -0F | CIR | QUANT CULATE | ITY OF CEMI | NT | |
| 30 - 7 | | L Np. | 8-5/8" 5-12" 0 2 WIL Y COUN | O.D. D. BE DR TY, NEW | 24# 14# ILLED AS A MEXICO. | PROD | 450'(SA 3290' | | 300 E SE/ | CULATE SACKS | E N.1/4 | OF SECT | TI ON OF |
| 30 - 1 The NV Dbjec Zone { | 11" <u>7-7/8"</u> Loe Federa T16S - R31E W/4 of Sect tive pay zo 8 - approxi | L Np. , EDD ION 3 NES A MATE | 8-5/8" 5-2" 0 2 wil Y Coun Y Coun O or 4 Re Zon depth | CABING 0.D. D. L BE DR TY, NEW D ACRES E 5 - A 3270' A | 24# 14# ILLED AS A MEXICO. PPROXIMATE LL IN GRAY | PROD THE A DEPT BURG | 450'(^T 8A 3290' UCING WELL ACREAGE DED TH 3100', Z - SAN ANDR | IN TH +CATED ONE 6 ES. P | 300 E SE/ TO T - APP PROJEC | CULATE SACKS 4 OF TH HIS WEL ROXIMAT TED TOT | E NV/4 L IS TH E DEPTH AL DEP | OF SECT 1E SE/4 4 3145', 1H 15 33 | OF , AN 300' |
| 30 - 7 The N Dbjec Zone & Surfac Vill e | 11" 7-7/8" Loe Federa T16S - R31E W/4 of Sect T1VE PAY ZO | L ND. , EDD 10N 3 NES A MATE 8-5/8 ED. | 8-5/8" 5-2" 0 2 wil y Coun 0 or 4 ne Zon depth " 0.D. The lo | CABING 0.D. D. L BE DR TY, NEW D ACRES E 5 - A 3270' A 3270' A) WILL NG STRI | 24# 14# ILLED AS A MEXICO. | PROE THE A DEPT BURG APPRC 0.D. | 450'(TSA 3290' DUCING WELL ACREAGE DED TH 3100', Z - SAN ANDR DXIMATELY 4 CASING WIL | IN TH IN TH ICATED ONE 6 ES. P | 300 E SE/ TO T - APP ROJEC | CULATE SACKS 4 OF TH HIS WEL ROXIMAT TED TOT TOP OF | E N.//4 L IS TH E DEPTH AL DEP THE SAI | OF SECT IE SE/4 1 3145', TH IS 33 | OF , AN 300' |
| 30 - 1 THE NO DBJEC ZONE & SURFAC WILL E WITH 3 | 11" 7-7/8" Loe Federa TIGS - R3IE W/4 of Sect Tive pay zo 8 - approxi ce casing (be circulat | L ND., EDD ion 3 mate 8-5/8 ed. f cem | 8-5/8" 5-2" 0 2 WIL Y COUN O OR O OR HE EDT HE ENT PR | CABING O.D. D. L BE DR TY, NEW D ACRES E 5 - A 3270' A 3270' A) WILL NG STRI ECEDED | $\frac{24\#}{14\#}$ ILLED AS A MEXICO. PPROXIMATE LL IN GRAY BE SET AT NG OF $5\frac{1}{2}$ " BY DRILLI | PROD THE A DEPT BURG APPRC O.D. NG MU | 450'(TSA 3290' DUCING WELL ACREAGE DED TH 3100', Z SAN ANDR SAN ANDR DXIMATELY 4 CASING WIL JD. | IN TH +CATED ONE 6 ES. P 50' IN L BE S | 300 E SE/ TO T - APP ROJEC I THE ET AT | CULATE SACKS GF TH HIS WEL ROXIMAT TED TOT TOP OF TOTAL | E N. 1/4 L IS TH E DEPTH AL DEP THE SAU DEPTH A | OF SECT 1E SE/4 1 3145', TH 15 33 T AND C | OF , AN 300' :EME ENTE |
| 30 - 1 The M Dbjec Zone & Surfac will e with <u>S</u> Each f | 11" 7-7/8" Loe Federa TI6S - R3IE W/4 of Sect Tive pay zo 8 - approxi ce casing (be circulat 300 sacks o | L ND., EDD ion 3 mate 8-5/8 ed. f cem | 8-5/8" 5-2" 0 2 WIL Y COUN O OR O OR HE EDT HE ENT PR | CABING O.D. D. L BE DR TY, NEW D ACRES E 5 - A 3270' A 3270' A) WILL NG STRI ECEDED | $\frac{24\#}{14\#}$ ILLED AS A MEXICO. PPROXIMATE LL IN GRAY BE SET AT NG OF $5\frac{1}{2}$ " BY DRILLI | PROD THE A DEPT BURG APPRC O.D. NG MU | 450'(TSA 3290' DUCING WELL ACREAGE DED TH 3100', Z SAN ANDR SAN ANDR DXIMATELY 4 CASING WIL JD. | IN TH +CATED ONE 6 ES. P 50' IN L BE S | 300 E SE/ TO T - APP ROJEC I THE ET AT | CULATE SACKS GF TH HIS WEL ROXIMAT TED TOT TOP OF TOTAL | E N. 1/4 L IS TH E DEPTH AL DEP THE SAU DEPTH A | OF SECT 1E SE/4 1 3145', TH 15 33 T AND C | OF , AN 300' :EME ENTE |
| 30 - 1 The M Dbjec Zone & Surfac Vill e Vill e Each f | 11" 7-7/8" Loe Federa TIGS - R3IE W/4 of Sect TIVE PAY ZO 8 - APPROXI CE CASING (BE CIRCULAT 300 SACKS O PRODUCTIVE | L ND., EDD ion 3 mate 8-5/8 ed. f cem | 8-5/8" 5-2" 0 2 WIL Y COUN O OR O OR HE EDT HE ENT PR | CABING O.D. D. L BE DR TY, NEW D ACRES E 5 - A 3270' A 3270' A) WILL NG STRI ECEDED | $\frac{24\#}{14\#}$ ILLED AS A MEXICO. PPROXIMATE LL IN GRAY BE SET AT NG OF $5\frac{1}{2}$ " BY DRILLI | PROD THE A DEPT BURG APPRC O.D. NG MU | 450'(TSA 3290' DUCING WELL ACREAGE DED TH 3100', Z SAN ANDR SAN ANDR DXIMATELY 4 CASING WIL JD. | IN TH +CATED ONE 6 ES. P 50' IN L BE S | 300 E SE/ TO T - APP ROJEC I THE ET AT | CULATE SACKS GF TH HIS WEL ROXIMAT TED TOT TOP OF TOTAL | E N. 1/4 L IS TH E DEPTH AL DEP THE SAU DEPTH A | OF SECT 1E SE/4 1 3145', TH 15 33 T AND C | OF , AN 300' :EME ENTE |
| 30 - 1 THE M DBJEC ZONE & ZONE & VILL E VILL E VILL E VILL E VILL E VILL E VILL E VILL E VILL E | 11" 7-7/8" Loe Federa TIGS - R3IE W/4 of Sect TIVE PAY ZO 8 - APPROXI CE CASING (BE CIRCULAT 300 SACKS O PRODUCTIVE | L ND., EDD ION 3 NES A MATE 8-5/8 ED. F CEM ZONE | $\frac{8-5/8"}{5-\frac{1}{2}"}$ 2 WIL Y COUN O OR 4 RE ZON DEPTH " O.D. THE LO ENT PIR WILL B | CASING O.D. D. L BE DR TY, NEW D ACRES E 5 - A 3270' A 3270' A 3270' A WILL NG STRI ECEDED E TREAT | 24# 14# ILLED AS A MEXICO. PPROXIMATE LL IN GRAY BE SET AT NG OF 52" BY DRILLI ED UNDER A Proposal is to dee | PROE THE A DEPT BURG APPRC 0.D. NG MU PACH | 450'(TSP 3290' DUCING WELL ACREAGE DED TH 3100', Z - SAN ANDR DXIMATELY 4 CASING WIL JD. KER SET ON | IN TH IN TH ICATED ONE 6 ES. P 50' IN L BE S TUBING | 300 E SE/ TO T PROJEC THE ET AT WITH | CULATE SACKS 4 OF TH HIS WEL ROXIMAT TED TOT TOP OF TOTAL SLICK | E N. /4 L IS TH E DEPTH AL DEP THE SAU DEPTH A WATER AND PROPOSE | OF SECT IE SE/4 A 3145', TH IS 33 T AND C AND CEME | OF , AN 300' : Eme Ente D00 |
| 30 - 1 THE N DBJEC ZONE & SURFAC VILL E VILL E VILL E CACH F POUNDS | 11" 7-7/8" LOE FEDERA TIGS - R3IE W/4 OF SECT TIVE PAY ZO 8 - APPROXI CE CASING (BE CIRCULAT 300 SACKS O PRODUCTIVE S OF SAND. | L Np., EDD ION 3 NES A MATE 8-5/8 ED. F CEM ZONE CRIDE PR S to drll if any. | $\frac{8-5/8"}{5-\frac{1}{2}"}$ 2 WIL Y COUN O OR 4 RE ZON DEPTH " O.D. THE LO ENT PIR WILL B | CASING O.D. D. L BE DR TY, NEW D ACRES E 5 - A 3270' A 3270' A 3270' A) WILL NG STRI ECEDED E TREAT DOGRAM: If a directions | 24# 14# ILLED AS A MEXICO. PPROXIMATE LL IN GRAY BE SET AT NG OF 5 ¹ / ₂ " BY DRILLI ED UNDER A proposal is to dee ally, give pertinen | PROE THE A DEPT BURG APPRC 0.D. NG MU PACH | 450'(TSP 3290' DUCING WELL ACREAGE DED TH 3100', Z - SAN ANDR DXIMATELY 4 CASING WIL JD. KER SET ON | IN TH +CATED ONE 6 ES. P 50' IN L BE S TUBING Atta on pre- tions and R WATE | 300 E SE/ TO T ROJEC THE ET AT WITH sent prod measure | CULATE SACKS FOF TH HIS WEL ROXIMAT TED TOT TOP OF TOTAL SLICK SLICK | E N. 1/4 L IS TH E DEPTH AL DEP THE SAU DEPTH WATER and propose ertical depu | OF SECT IE SE/4 A 3145', TH IS 33 T AND C AND CEME | 0F , AN 300' :Eme Ente 0000 |
| 30 - 1 THE M DBJEC ZONE & VILL E VILL E VIL VILL E VILL E VILL E VILL E VILL E VIL VILL E VIL VILL E VIL VIL VIL VIL VIL VIL VIL VIL VIL VIL | 11" 7-7/8" LOE FEDERA TIGS - R3IE W/4 OF SECT TIVE PAY ZO 8 - APPROXI CE CASING (BE CIRCULAT 300 SACKS O PRODUCTIVE S OF SAND. | L Np., EDD ION 3 NES A MATE 8-5/8 ED. F CEM ZONE CRIDE PF S to drill if any. ?. C. | 8-5/8" 5-2" O 2 WIL Y COUN O OR WIL RE ZON DEPTH " O.D. THE LO ENT PIR WILL B WILL B MOPOSED PR Il or deepe | CABING O.D. D. L BE DR TY, NEW D ACRES E 5 - A 3270' A 3270' A) WILL NG STRI ECEDED E TREAT OORAM: If a directional Coord of the second seco | 24# 14# ILLED AS A MEXICO. PPROXIMATE LL IN GRAY BE SET AT NG OF 5 ¹ / ₂ " BY DRILLI ED UNDER A proposal is to dee ally, give pertinen | PROE THE A DEPT BURG APPRC 0.D. NG MU PACH | 450'(TSP 3290' DUCING WELL ACREAGE DED TH 3100', Z SAN ANDR DXIMATELY 4 CASING WIL JD. CER SET ON plug back, give da on subsurface loca | IN TH +CATED ONE 6 ES. P 50' IN L BE S TUBING Atta on pre- tions and R WATE | 300 E SE/ TO T ROJEC THE ET AT WITH sent prod measure | CULATE SACKS FOF TH HIS WEL ROXIMAT TED TOT TOP OF TOTAL SLICK SLICK | E N. 1/4 L IS TH E DEPTH AL DEP THE SAU DEPTH WATER and propose ertical depu | OF SECT IE SE/4 A 3145', TH IS 33 T AND C AND CEME AND IO,C | 0F , AN 300' :Eme Ente 0000 |
| 30 - 1 THE N DBJEC ZONE & SURFAC VILL E VILL E VITH S EACH F POUNDS | LOE FEDERA TIGS - R3IE W/4 OF SECT TIVE PAY ZO 8 - APPROXI CE CASING (BE CIRCULAT 300 SACKS O PRODUCTIVE S OF SAND. MADOVE SPACE DES SOF SAND. MADOVE SPACE DES SIGNED | L Np., EDD ION 3 NES A MATE 8-5/8 ED. F CEM ZONE CRIDE PF S to drill if any. ?. C. | 8-5/8" 5-2" O 2 WIL Y COUN O OR WIL RE ZON DEPTH " O.D. THE LO ENT PIR WILL B WILL B MOPOSED PR Il or deepe | CABING O.D. D. L BE DR TY, NEW D ACRES E 5 - A 3270' A 3270' A) WILL NG STRI ECEDED E TREAT OORAM: If a directional Coord of the second seco | 24# 14# ILLED AS A MEXICO. PPROXIMATE LL IN GRAY BE SET AT NG OF 5 ¹ / ₂ " BY DRILLI ED UNDER A proposal is to dee ally, give pertinen | PROE THE A DEPT BURG APPRC 0.D. NG MU PACH | 450'(TSP 3290' DUCING WELL ACREAGE DED TH 3100', Z SAN ANDR DXIMATELY 4 CASING WIL JD. CER SET ON plug back, give da on subsurface loca | IN TH +CATED ONE 6 ES. P 50' IN L BE S TUBING Atta on pre- tions and R WATE | 300 E SE/ TO T ROJEC THE ET AT WITH sent prod measure | CULATE SACKS FOF TH HIS WEL ROXIMAT TED TOT TOP OF TOTAL SLICK SLICK | E N. 1/4 L IS TH E DEPTH AL DEP THE SAU DEPTH WATER and propose ertical depu | OF SECT IE SE/4 A 3145', TH IS 33 T AND C AND CEME AND IO,C | 0F , AN 300' :Eme Ente 0000 |
| 30 - 1 THE N DBJEC ZONE & SURFAC VILL E VILL E VITH S EACH F POUNDS | II" 7-7/8" LOE FEDERA TI6S - R3IE W/4 OF SECT TIVE PAY ZO 8 - APPROXI CE CASING (BE CIRCULAT 300 SACKS O PRODUCTIVE S OF SAND. K ABOVE SPACE DES SIGNED (This space for | L Np., EDD ION 3 NES A MATE 8-5/8 ED. F CEM ZONE CRIDE PF S to drill if any. ?. C. | 8-5/8" 5-2" O 2 WIL Y COUN O OR WIL RE ZON DEPTH " O.D. THE LO ENT PIR WILL B WILL B MOPOSED PR Il or deepe | CABING O.D. D. L BE DR TY, NEW D ACRES E 5 - A 3270' A 3270' A) WILL NG STRI ECEDED E TREAT OORAM: If a directional Coord of the second seco | 24# 14# ILLED AS A MEXICO. PPROXIMATE LL IN GRAY BE SET AT NG OF 5 ¹ / ₂ " BY DRILLI ED UNDER A proposal is to dee ally, give pertinen | PROE THE A DEPT BURG APPRC 0.D. NG MU PACH | 450'(TSP 3290' DUCING WELL ACREAGE DED TH 3100', Z SAN ANDR DXIMATELY 4 CASING WIL JD. KER SET ON plug back, give de on subsurface loce CO-ORDINATO OPERATIO | IN TH +CATED ONE 6 ES. P 50' IN L BE S TUBING Atta on pre- tions and R WATE | 300 E SE/ TO T ROJEC THE ET AT WITH sent prod measure | CULATE SACKS FOF TH HIS WEL ROXIMAT TED TOT TOP OF TOTAL SLICK SLICK | E N. 1/4 L IS TH E DEPTH AL DEP THE SAU DEPTH WATER and propose ertical depu | OF SECT IE SE/4 A 3145', TH IS 33 T AND C AND CEME AND IO,C | 0F , AN 300' :Eme Ente 0000 |
| 30 - 1 THE N DBJEC ZONE & SURFAC VILL E VILL E VITH S EACH F POUNDS | LOE FEDERA TIGS - R3IE W/4 OF SECT TIVE PAY ZO 8 - APPROXI CE CASING (BE CIRCULAT 300 SACKS O PRODUCTIVE S OF SAND. (ABOVE SPACE DES MADOVE SPAC | L Np., EDD ION 3 NES A MATE 8-5/8 ED. F CEM ZONE CRIDE PF S to drill if any. ?. C. | 8-5/8" 5-2" O 2 WIL Y COUN O OR WIL RE ZON DEPTH " O.D. THE LO ENT PIR WILL B WILL B MOPOSED PR Il or deepe | CABING O.D. D. L BE DR TY, NEW D ACRES E 5 - A 3270' A 3270' A) WILL NG STRI ECEDED E TREAT OORAM: If a directional Coord of the second seco | 24# 14# ILLED AS A MEXICO. PPROXIMATE LL IN GRAY BE SET AT NG OF 5 ¹ / ₂ " BY DRILLI ED UNDER A proposal is to dee ally, give pertinen | PROE THE A DEPT BURG APPRC 0.D. NG MU PACH | 450'(TSP 3290' DUCING WELL ACREAGE DED TH 3100', Z SAN ANDR DXIMATELY 4 CASING WIL JD. KER SET ON plug back, give de on subsurface loce CO-ORDINATO OPERATIO | IN TH +CATED ONE 6 ES. P 50' IN L BE S TUBING Atta on pre- tions and R WATE | 300 E SE/ TO T ROJEC THE ET AT WITH sent prod measure | CULATE SACKS FOF TH HIS WEL ROXIMAT TED TOT TOP OF TOTAL SLICK SLICK | E N. 1/4 L IS TH E DEPTH AL DEP THE SAU DEPTH WATER and propose ertical depu | OF SECT IE SE/4 A 3145', TH IS 33 T AND C AND CEME AND IO,C | 0F , AN 300' :Eme Ente 0000 |
| 30 - 1 THE N DBJEC ZONE & SURFAC VILL E VILL E VITH S EACH F POUNDS | LOE FEDERA TIGS - R3IE W/4 OF SECT TIVE PAY ZO 8 - APPROXI CE CASING (BE CIRCULAT 300 SACKS O PRODUCTIVE S OF SAND. (ABOVE SPACE DES MADOVE SPAC | L Np., EDD ION 3 NES A MATE 8-5/8 ED. F CEM ZONE CRIDE PF S to drill if any. ?. C. | 8-5/8" 5-2" O 2 WIL Y COUN O OR WIL RE ZON DEPTH " O.D. THE LO ENT PIR WILL B WILL B MOPOSED PR Il or deepe | CABING O.D. D. L BE DR TY, NEW D ACRES E 5 - A 3270' A 3270' A) WILL NG STRI ECEDED E TREAT OORAM: If a directional Coord of the second seco | 24# 14# ILLED AS A MEXICO. PPROXIMATE LL IN GRAY BE SET AT NG OF 5 ¹ / ₂ " BY DRILLI ED UNDER A proposal is to dee ally, give pertinen | PROE THE A DEPT BURG APPRC 0.D. NG MU PACH | 450'(TSP 3290' DUCING WELL ACREAGE DED TH 3100', Z SAN ANDR DXIMATELY 4 CASING WIL JD. KER SET ON plug back, give de on subsurface loce CO-ORDINATO OPERATIO | IN TH +CATED ONE 6 ES. P 50' IN L BE S TUBING Atta on pre- tions and R WATE | 300 E SE/ TO T ROJEC THE ET AT WITH sent prod measure | CULATE SACKS FOF TH HIS WEL ROXIMAT TED TOT TOP OF TOTAL SLICK SLICK | E N. 1/4 L IS TH E DEPTH AL DEP THE SAU DEPTH WATER and propose ertical depu | OF SECT IE SE/4 A 3145', TH IS 33 T AND C AND CEME AND IO,C | 0F , AN 300' :Eme Ente 0000 |

| | | • NB | | | | 30-0 | 015-104 | 16. |
|----------------|---------------------------------|--|--|-------------|------------------|---|--|---|
| DISTRIBUTIO | |) NEW M | EXICO ON | CONSERV | | | FOR | M C-128 |
| LE 1.G.3. | | | | | | | | sed 5/1/57 |
| ND OFFICE | | WELL LOC | ATIUN AN | U ACKEA | GE DEDI | CATION | PLAI | |
| ANSPORTER GAS | | SEE INSTRUCTI | IONS FOR CO | APLETING TH | IS FORM ON | THE REVER | RSE SIDE | |
| ERATOR | | | | | | | | |
| · · · · · · | | | SECTI | DN A | | | | |
| perator | | | Lease | | | | Vell No. | |
| hat the states | Anconie les | Township | | J. 100 - 1 | | | 2 | |
| • | SC | 2-16-8 | Ran | 8- -32-E | County Reiziv | | | |
| tual Footage L | ocation of Well: | | _£ | - 24-54 | | | | |
| 1989 | | | and 13/ | 6 fe | et from the | Vent | line | |
| ound Level Ele | | | Pool | | | 1 | Dedicated Acres | - |
| 3855 | GRATEGINE | - SAN ANDRES | | ARE LAKE | | | 40 | Acres |
| wise? YES | NO If | 'no," have the inter fanswer is "yes," f 'no," list all the ow | Type of Conso | lidation | erests below: | REC | EIVE | |
| | | | | weberip | | AUG | x 7 1 1904 | |
| | | | | | | | . C. C. | |
| | | SECTION B | | <u> </u> | |] . | | N |
| 10161 | 33011 | B-BL-E | | | | | | |
| 1 | 19801 | | | | | in SECTION plete to the belief. | ertify that the in N A above is true best of my kno | ae and com- wledge and |
| • | | and the second | | + | | رب : Position | Stumboff | (RFL000 |
| | | | | | | Company | | |
| | | | | 1 | | Date | LOOD ASSOC | HATES, |
| 1346* | 130 | PSL | | | | 1 | T 26, 1964 | • |
| 1 | Pap | RATION | | 9 | . | | | |
| | Aller and the anatomatorial and | A A A A A A A A A A A A A A A A A A A | | | 6 | | | |
| | | | | | 8 | shown on the plotted from surveys made supervision | tify that the we be plat in SECT field notes of a be by me or unde , and that the sa to the best of m | ION B was actual er my ame is true |
| : .* - | . | | are and a second s | | | Date Survey | ed | |
| | | | e. ¹ | | | August | 17, 1764 Professional En | gineer |
| | i | | <u>ن</u> . | 1 | | and/or Land | | |
| r - | | | | ¥. | | | the second rates of the second se | // |
| / / | | 201 | 13201 | 13 | 01 | Jan | s H. h | firm |

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for *botb* oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.