General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions. If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments

should be listed on this form, see item 35.

Hem 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. Hems 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Hem 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Hem 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.) 33: Submit a separate completion report on this form for each interval to be separately produced.

	Deals to the second sec	247 247	FORMATION	37. SUMMARY OF POROUS SHOW ALL IMPORTANT DEPTH INTERVAL TEST	
	1-71 90 bays 1-71 100 bays	160 11 - 1	TOR	US ZONES: CESTED, CUSHION	tear tear
	emona. S-97,1648-38,1027-1869	SEE	2	MARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THERSOF; DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING	
	New 13 13 13 25 - 14	TACHED		CORED AND S	e i mar
U.S. GOVERNMENT PRINTING OFFICE: 1963	2 3/3" 40; 160' 5/6" 525 1535' 3 11.00 8592' " 200 2360'	VLGLGSAU VLGLGSAU	-	CORED INTERVALS; AND ALL AND SHUT-IN PRESSURES, AN	100 000 100 000 100 000
XFICE: 1963	1606-1699' San	VLGEGEAU	3E.1 G121 0.0010	VE VERY TEST	VE1
V-	2-19-70 2-3-71 3-1- 3-1-3-71 3-1-	-71	A, US	MUCLUDING	CO
LTD - 8692' -		owers ueen enros	Cayon Rivers	38 GEOLOG	53010 656-270
- DTD - 86	2442 02433 02442 03820 07538 07538 07538 07538 07538	408 408 537 648	MEAS, DEFTH	GEOLOGIC MARKERS	
8680'	: : : : : : : : : : : : : : : : : : :	4 1 4	RA LOG		