

NO. OF COPIES RECEIVED	6
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	2
LAND OFFICE	
OPERATOR	1

Form C-105
Revised 1-1-65

NEW MEXICO OIL CONSERVATION COMMISSION
WELL COMPLETION OR RECOMPLETION REPORT AND LOG

RECEIVED

5a. Indicate Type of Lease
State ☐ Fee ☒
5. State Oil & Gas Lease No.

1. TYPE OF WELL
OIL WELL ☒ GAS WELL ☐ DRY ☐ OTHER ☐

b. TYPE OF COMPLETION
NEW WELL ☒ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF. RESVR. ☐

2. Name of Operator
Yates Petroleum Corporation

3. Address of Operator
207 South 4th Street - Artesia, New Mexico 88210

4. Location of Well
UNIT LETTER G LOCATED 2310' FEET FROM THE North LINE AND 1650 FEET FROM

THE East LINE OF SEC. 23 TWP. 17S RGE. 25E NMPM

15. Date Spudded 5-28-71 16. Date T.D. Reached 6-3-71 17. Date Compl. (Ready to Prod.) 6-19-71 18. Elevations (DF, RKB, RT, GR, etc.) 3492' GL 19. Elev. Casinghead

20. Total Depth 1478' 21. Plug Back T.D. 1470' 22. If Multiple Compl., How Many 23. Intervals Drilled By Rotary Tools 0-1478' Cable Tools

24. Producing Interval(s), of this completion - Top, Bottom, Name 1297½-1441½' San Andres

25. Was Directional Survey Made No

26. Type Electric and Other Logs Run Radioactivity 27. Was Well Cored No

28. CASING RECORD (Report all strings set in well)					
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
10 3/4"	32#	219'	13 3/8"	80 SXS	
7"	26 & 23#	1147'	9 7/8"	450 SXS	
4 1/2" } Tapered	9.5#	527') 1470'	6 1/8"	125 SXS	
5 1/2" }	14#	925')			

29. LINER RECORD				30. TUBING RECORD			
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
				XXXXXX	2" EUE	1272'	

31. Perforation Record (Interval, size and number) .51 1-shot/ft
1436½, 1430, 1420½, 1408½, 1397½, 1377, 1362, 1354, 1328½, 1322, 1314½, 1297½, 1318, 1326, 1358, 1365, 1406, 1426, 1433, 1441½. Total 20 shots.

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.
DEPTH INTERVAL 1297½-1441½' AMOUNT AND KIND MATERIAL USED 4000gal 15% acid for BD 40000# 20-40 sand & 80000 gal. treated wtr.

33. PRODUCTION
Date First Production 6-19-71 Production Method (Flowing, gas lift, pumping - Size and type pump) Pumping Well Status (Prod. or Shut-in) Producing
Date of Test 6-21-71 Hours Tested 24 Choke Size Prod'n. For Test Period 25 Oil - Bbl. 25 Gas - MCF TSTM Water - Bbl. 13 BW Gas - Oil Ratio
Flow Tubing Press. Casing Pressure Calculated 24-Hour Rate 25 Gas - MCF TSTM Water - Bbl. 13 BW Oil Gravity - API (Corr.)

34. Disposition of Gas (Sold, used for fuel, vented, etc.) Vented Test Witnessed By Paul Carre

35. List of Attachments Deviation Survey

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief.
SIGNED [Signature] TITLE Engineer DATE 6-24-71

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Commission not later than 20 days after the completion of any newly-drilled or completed well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths, in the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy _____	T. Canyon _____	T. Ojo Alamo _____	T. Penn. "B" _____
T. Salt _____	T. Strawn _____	T. Kirtland-Fruitland _____	T. Penn. "C" _____
B. Salt _____	T. Atoka _____	T. Pictured Cliffs _____	T. Penn. "D" _____
T. Yates _____	T. Miss _____	T. Cliff House _____	T. Leadville _____
T. 7 Rivers _____	T. Devonian _____	T. Menefee _____	T. Madison _____
T. Queen _____	T. Silurian _____	T. Point Lookout _____	T. Elbert _____
T. Grayburg _____	T. Montoya _____	T. Mancos _____	T. McCracken _____
T. San Andres _____	T. Simpson _____	T. Gallup _____	T. Ignacio Qtzte _____
T. Glorieta _____	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Paddock _____	T. Ellenburger _____	T. Dakota _____	T. _____
T. Blinebry _____	T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb _____	T. Granite _____	T. Todilto _____	T. _____
T. Drinkard _____	T. Delaware Sand _____	T. Entrada _____	T. _____
T. Abo _____	T. Bone Springs _____	T. Wingate _____	T. _____
T. Wolfcamp _____	T. _____	T. Chinle _____	T. _____
T. Penn. _____	T. _____	T. Permian _____	T. _____
T. Cisco (Bough C) _____	T. _____	T. Penn. "A" _____	T. _____

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	138	138	Sand and red bed				
138	219	81	Red bed				
219	719	500	Red bed and rocks				
719	825	106	Red bed & lime				
825	1166	341	Anhy & lime				
1166	1478	312	Lime TD				

DEVIATION SURVEY
Yates Petroleum Corporation Gissler AV No. 6
2310' FNL & 1650' FEL of Sec. 23-173-25E
Eddy County, New Mexico

Depth Feet

219'

663'

1166'

Deviation

1/4 deg

1/2 deg

1/2 deg

Sworn to this 21st day of June, 1971.


Eddie M. Mahfood
Engineer for
Yates Petroleum Corporation

STATE OF NEW MEXICO)


: ss

COUNTY OF EDDY)

The foregoing instrument was acknowledged before me this 21st day of June, 1971 by Eddie M. Mahfood agent for Yates Petroleum Corporation.

My Commission expires

8-9-1973


Notary Public in and for
Eddy County, New Mexico