

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIP
(Other instruction
verse side)ATE*
1 re-Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM 0219603

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Federal BZ

9. WELL NO.

3

10. FIELD AND POOL, OR WILDCAT

Eagle Creek S.A.

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 28-17S-25E

Unit A NMPM

12. COUNTY OR PARISH 13. STATE

Eddy

N. Mex.

1.

OIL ☒ GAS ☐
WELL WELL OTHER

2. NAME OF OPERATOR

Yates Petroleum Corporation ✓

3. ADDRESS OF OPERATOR

207 South 4th Street - Artesia, New Mexico 88210

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

990' FNL & 330' FEL of Sec. 28-17S-25E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3549' GL

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON* ☐CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☒SHOOTING OR ACIDIZING ☒(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☐4½" & 5½" Prod. casing ☒(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any
proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones perti-
nent to this work.)*

TD 1520' - Ran a tapered string of production casing as follows: Ran 526' of 4½" 11# J-55 and 977' of 5½" 14# J-55 casing (Total 1503'), 1-float collar and shoe set at 1520' with 125 sacks of Incor Neat 2% CaCl. Cement circulated. PD 5:00 P.M. 8-24-71. Centralizers at 1481, 1364, 1240, and 1083'. WOC 24 hours and tested casing with 1000#. Tested OK. Perforated by Perfojet Services as follows: 1392, 1374½, 1369, 1364, 1358, 1349½, 1344, 1339, 1335, 1312, 1304, 1296, 1404½, 1394½, 1382, 1372, 1367, 1361, 1352, 1347, 1342½, 1340, 1337, 1309. Sand Frac'd using 6000 gallons acid for breakdown, 40000# 20-40 sand and 80000 gallons of treated water.

RECEIVED

SEP 3 1971

SURVEY
MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

Eddie L. Beekman

TITLE

Engineer

DATE

9-8-71

(This space for Federal or State office use)

APPROVED BY
CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

APPROVED

AUG 10 1971

R. L. BEEKMAN

ACTING DISTRICT ENGINEER

*See Instructions on Reverse Side