Form 9-331 U' ED STATE: (May 1963)		Budget Bureau No. 42-B14
DEDADTMENT OF THE I	NTERIOR (Other instruction on a	
GEOLOGICAL SUR		NM 12832
		6. IF INDIAN, ALLOTTEE OR TRIBE NAM
SUNDRY NOTICES AND REPO	DRTS ON WELLS	
(Do not use this form for proposals to dell or to deepen Use "APPLICATION FOR PERMIT-"	or plug back to a different reservoir. for such proposals.)	
1.		7. UNIT AGREEMENT NAME
OIL GAS		: : : : : : : : : : : : : : : : : : :
2. NAME OF OPERATOR		8. FARM OR LEASE NAME
Yates Petroleum Corporation		Federal CD
3. ADDRESS OF OPERATOR	· · · · · · · · · · · · · · · · · · ·	9. WELL NO.
207 South 4th Street - Artesia	, New Mexico	
4. LOCATION OF WELL (Report location clearly and in accordance	with any State requirements.*	10. FIELD AND POOL, OR WILDCAT
See also space 17 below.) At surface	f Cog 29-175-25F	Eagle Creek S.A.
At surface 2310' FnL & 2310' FWL o	I Sec. 20-175-25E	11. SEC., T., R. M., OR BLK. AND SURVEY OR ABEA
		Sec. 28-175-25E Unit F NMPM
		12. COUNTY OF PARISH 13. STATE
IT. FRANT NO.	whether DF, RT, GR, etc.)	
3566	' GL	Eddy N. Me
16. Check Appropriate Box To In	dicate Nature of Notice, Report, or	r Other Data 🖉 🗄 📲 🖅 🖞 着
		BQUENT REPORT OF
NOTICE OF INTENTION TO:		en 2012 3 Altri
TEST WATER SHUT-OFF PULL OR ALTER CASING	WATER SHUT-OFF	X REPAIRING WELL
FRACTURE TREAT MULTIPLE COMPLETE	SHOOTING OR ACIDIZING	ABANDON LENT*
SHOOT OR ACIDIZE ABANDON*	(Other) Spud & 1	0 3/4" casing X
BEPAIR WELL CHANGE PLANS	(Norr: Report resi	nlts of multiple completion on Well
(Other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state of the second st	it was detail, and dre portioent de	tes including estimated date of starting
nent to this work)* 9-25-71 - Spudded 12:45 PM 9-2 TD 160' - Ran 5 jts of 10 3/4" with 75 sacks of Incor Neat 4%	5-71. 32#, J-55 casing, 14 5 CaCl. PD 5:00 PM 9-	7', set at 160' Hours, 25-71. WOC 7 hours,
<pre>nent to this work)* 9-25-71 - Spudded 12:45 PM 9-2 TD 160' - Ran 5 jts of 10 3/4" with 75 sacks of Incor Neat 4% drilled shoe and reduced hole TD 1116' - Ran 34 jts of 23#, 766'. Cemented casing at 1114</pre>	5-71. 32#, J-55 casing, 14 5 CaCl. PD 5:00 PM 9- to 9 7/8" and resumed J-55 casing (1101'), ' with 325 sacks of M '. WOC 18 hours. Te noe and tested casing 11ing.	7', set at 160' hours, 25-71. WOC 7 hours, drilling.centralizers at 1018 leat 2% CaCl. Cement ested casing with 500 with 450#
<pre>nent to this work)* 9-25-71 - Spudded 12:45 PM 9-2 TD 160' - Ran 5 jts of 10 3/4" with 75 sacks of Incor Neat 4% drilled shoe and reduced hole TD 1116' - Ran 34 jts of 23#, 766'. Cemented casing at 1114 circulated. PD 1:00 AM 9-27-7 and tested OK. Drilled out sh</pre>	5-71. 32#, J-55 casing, 14 5 CaCl. PD 5:00 PM 9- to 9 7/8" and resumed J-55 casing (1101'), ' with 325 sacks of M '. WOC 18 hours. Te noe and tested casing 11ing.	7', set at 160' hours, 25-71. WOC 7 hours, drilling.centralizers at 1018 leat 2% CaCl. Cement ested casing with 500 with 450#
<pre>nent to this work)* 9-25-71 - Spudded 12:45 PM 9-2 TD 160' - Ran 5 jts of 10 3/4" with 75 sacks of Incor Neat 4% drilled shoe and reduced hole TD 1116' - Ran 34 jts of 23#, 766'. Cemented casing at 1114 circulated. PD 1:00 AM 9-27-7 and tested OK. Drilled out sh</pre>	5-71. 32#, J-55 casing, 14 5 CaCl. PD 5:00 PM 9- to 9 7/8" and resumed J-55 casing (1101'), ' with 325 sacks of M '1. WOC 18 hours. Te noe and tested casing	7', set at 160' hours, 25-71. WOC 7 hours, drilling.centralizers at 1018 leat 2% CaCl. Cement ested casing with 500 with 450#
<pre>nent to this work)* 9-25-71 - Spudded 12:45 PM 9-2 TD 160' - Ran 5 jts of 10 3/4" with 75 sacks of Incor Neat 4% drilled shoe and reduced hole TD 1116' - Ran 34 jts of 23#, 766'. Cemented casing at 1114 circulated. PD 1:00 AM 9-27-7 and tested OK. Drilled out sh</pre>	5-71. 32#, J-55 casing, 14 5 CaCl. PD 5:00 PM 9- to 9 7/8" and resumed J-55 casing (1101'), ' with 325 sacks of M '. WOC 18 hours. Te noe and tested casing 11ing.	7', set at 160' hours, 25-71. WOC 7 hours, drilling.centralizers at 1018 leat 2% CaCl. Cement ested casing with 500 with 450#
<pre>nent to this work)* 9-25-71 - Spudded 12:45 PM 9-2 TD 160' - Ran 5 jts of 10 3/4" with 75 sacks of Incor Neat 4% drilled shoe and reduced hole TD 1116' - Ran 34 jts of 23#, 766'. Cemented casing at 1114 circulated. PD 1:00 AM 9-27-7 and tested OK. Drilled out sh hole to 6 1/4" and resumed dri </pre>	5-71. 32#, J-55 casing, 14 CaCl. PD 5:00 PM 9- to 9 7/8" and resumed J-55 casing (1101'), ' with 325 sacks of M '. WOC 18 hours. Te hoe and tested casing lling. 007.15	7', set at 160' hours, 25-71. WOC 7 hours, drilling.centralizers at 1018 leat 2% CaCl. Cement ested casing with 500 with 450#
<pre>nent to this work.)* 9-25-71 - Spudded 12:45 PM 9-2 TD 160' - Ran 5 jts of 10 3/4" with 75 sacks of Incor Neat 4% drilled shoe and reduced hole TD 1116' - Ran 34 jts of 23#, 766'. Cemented casing at 1114 circulated. PD 1:00 AM 9-27-7 and tested OK. Drilled out sh hole to 6 1/4" and resumed dri </pre>	5-71. 32#, J-55 casing, 14 CaCl. PD 5:00 PM 9- to 9 7/8" and resumed J-55 casing (1101'), ' with 325 sacks of M '. WOC 18 hours. Te hoe and tested casing lling. 007.15	7', set at 160' hours, 25-71. WOC 7 hours, drilling.centralizers at 1018 leat 2% CaCl. Cement ested casing with 500 with 450#
nent to this work.)* 9-25-71 - Spudded 12:45 PM 9-2 TD 160' - Ran 5 jts of 10 3/4" with 75 sacks of Incor Neat 4% drilled shoe and reduced hole TD 1116' - Ran 34 jts of 23#, 766'. Cemented casing at 1114 circulated. PD 1:00 AM 9-27-7 and tested OK. Drilled out sh hole to 6 1/4" and resumed dri	5-71. 32#, J-55 casing, 14 5 CaCl. PD 5:00 PM 9- to 9 7/8" and resumed J-55 casing (1101'), ' with 325 sacks of M '. WOC 18 hours. Te noe and tested casing 11ing.	7', set at 160' hours, 25-71. WOC 7 hours, drilling.centralizers at 1018 leat 2% CaCl. Cement ested casing with 500 with 450#
<pre>nent to this work.)* 9-25-71 - Spudded 12:45 PM 9-2 TD 160' - Ran 5 jts of 10 3/4" with 75 sacks of Incor Neat 4% drilled shoe and reduced hole TD 1116' - Ran 34 jts of 23#, 766'. Cemented casing at 1114 circulated. PD 1:00 AM 9-27-7 and tested OK. Drilled out sh hole to 6 1/4" and resumed dri 18. I hereby certify that the foregoing is true and correct</pre>	5-71. 32#, J-55 casing, 14 5 CaCl. PD 5:00 PM 9- to 9 7/8" and resumed J-55 casing (1101'), ' with 325 sacks of M '. WOC 18 hours. Te hoe and tested casing 11ing. 007.10 000 000.00 000.00 000.00 000.00 000.00 000.00 000.00 00000	and it is set 160' hours, and it is a set 1018 about 1018 at 160' hours, and 1018 about 1018 at 160' hours at 1018 at ing at 160' hours at 1018 centralizers at 1018 leat 2% CaCl. Cement with 450 more about the at the at the set of the with 450 more about the at the set of the with 450 more about the at the at the set of the build at the set of the set of the set of the with 450 more about the at the set of the with 10-15-71
<pre>nent to this work.)* 9-25-71 - Spudded 12:45 PM 9-2 TD 160' - Ran 5 jts of 10 3/4" with 75 sacks of Incor Neat 4% drilled shoe and reduced hole TD 1116' - Ran 34 jts of 23#, 766'. Cemented casing at 1114 circulated. PD 1:00 AM 9-27-7 and tested OK. Drilled out sh hole to 6 1/4" and resumed dri </pre>	5-71. 32#, J-55 casing, 14 CaCl. PD 5:00 PM 9- to 9 7/8" and resumed J-55 casing (1101'), ' with 325 sacks of M '. WOC 18 hours. Te hoe and tested casing lling. 007.15	and it is set it is in the set of
nent to this work.)* 9-25-71 - Spudded 12:45 PM 9-2 TD 160' - Ran 5 jts of 10 3/4" with 75 sacks of Incor Neat 4% drilled shoe and reduced hole TD 1116' - Ran 34 jts of 23#, 766'. Cemented casing at 1114 circulated. PD 1:00 AM 9-27-7 and tested OK. Drilled out sh hole to 6 1/4" and resumed dri 18. I hereby certify that the foregoing is true and correct SIGNED This reduct of State office use)	5-71. 32#, J-55 casing, 14 CaCl. PD 5:00 PM 9- to 9 7/8" and resumed J-55 casing (1101'), ' with 325 sacks of M '. WOC 18 hours. Te hoe and tested casing 11ing. 00716 COT16 Engineer	T', set 160' Hours, and a constraint of the second
nent to this work.)* 9-25-71 - Spudded 12:45 PM 9-2 TD 160' - Ran 5 jts of 10 3/4" with 75 sacks of Incor Neat 4% drilled shoe and reduced hole TD 1116' - Ran 34 jts of 23#, 766'. Cemented casing at 1114 circulated. PD 1:00 AM 9-27-7 and tested OK. Drilled out sh hole to 6 1/4" and resumed dri 18. I hereby certify that the foregoing is true and correct SIGNED This work.)*	5-71. 32#, J-55 casing, 14 CaCl. PD 5:00 PM 9- to 9 7/8" and resumed J-55 casing (1101'), ' with 325 sacks of M '. WOC 18 hours. Te hoe and tested casing 11ing. 00716 COT16 Engineer	The set at 160' Hours, and a constraint and a set of the set of th
nent to this work.)* 9-25-71 - Spudded 12:45 PM 9-2 TD 160' - Ran 5 jts of 10 3/4" with 75 sacks of Incor Neat 4% drilled shoe and reduced hole TD 1116' - Ran 34 jts of 23#, 766'. Cemented casing at 1114 circulated. PD 1:00 AM 9-27-7 and tested OK. Drilled out sh hole to 6 1/4" and resumed dri 18. I hereby certify that the foregoing is true and correct SIGNED This work.)*	5-71. 32#, J-55 casing, 14 CaCl. PD 5:00 PM 9- to 9 7/8" and resumed J-55 casing (1101'), ' with 325 sacks of M '. WOC 18 hours. Te hoe and tested casing 11ing. 00716 COT16 Engineer	The set at 160' How and the set of the set o
nent to this work.)* 9-25-71 - Spudded 12:45 PM 9-2 TD 160' - Ran 5 jts of 10 3/4" with 75 sacks of Incor Neat 4% drilled shoe and reduced hole TD 1116' - Ran 34 jts of 23#, 766'. Cemented casing at 1114 circulated. PD 1:00 AM 9-27-7 and tested OK. Drilled out sh hole to 6 1/4" and resumed dri 18. I hereby certify that the foregoing is true and correct SIGNED This work.)*	5-71. 32#, J-55 casing, 14 5 CaCl. PD 5:00 PM 9- to 9 7/8" and resumed J-55 casing (1101'), ' with 325 sacks of M '. WOC 18 hours. Te noe and tested casing 11ing. COT COT Engineer TLE Engineer	The set at 160' Hours, and a constraint and a set of the set of th
nent to this work.)* 9-25-71 - Spudded 12:45 PM 9-2 TD 160' - Ran 5 jts of 10 3/4" with 75 sacks of Incor Neat 4% drilled shoe and reduced hole TD 1116' - Ran 34 jts of 23#, 766'. Cemented casing at 1114 circulated. PD 1:00 AM 9-27-7 and tested OK. Drilled out sh hole to 6 1/4" and resumed dri 18. I hereby certify that the foregoing is true and correct SIGNED This reduct of State office use)	5-71. 32#, J-55 casing, 14 5 CaCl. PD 5:00 PM 9- to 9 7/8" and resumed J-55 casing (1101'), ' with 325 sacks of M '. WOC 18 hours. Te noe and tested casing 11ing. COT COT Engineer TLE Engineer	The set at 160' How and the set of the set o
<pre>nent to this work.)* 9-25-71 - Spudded 12:45 PM 9-2 TD 160' - Ran 5 jts of 10 3/4" with 75 sacks of Incor Neat 4% drilled shoe and reduced hole TD 1116' - Ran 34 jts of 23#, 766'. Cemented casing at 1114 circulated. PD 1:00 AM 9-27-7 and tested OK. Drilled out sr hole to 6 1/4" and resumed dri 18. I hereby certify that the foregoing is true and correct SIGNED It is space for Federal or State office use) This space for Federal or State office use) This space for Approval, IF ANY: OCI 21. 1974 OCI 21. 1974 </pre>	5-71. 32#, J-55 casing, 14 5 CaCl. PD 5:00 PM 9- to 9 7/8" and resumed J-55 casing (1101'), ' with 325 sacks of M '. WOC 18 hours. Te noe and tested casing 11ing. COT COT Engineer TLE Engineer	The set at 160' How and the set of the set o