

Form 9-331  
(May 1963)UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE  
(Other instructions on reverse side)

DATE

Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM 12832

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Federal CD

9. WELL NO.

2

10. FIELD AND POOL, OR WILDCAT

Eagle Creek S.A.

11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA

28-17S-25E

Unit F NMPM

12. COUNTY OR PARISH 13. STATE

Eddy

N. Mex.

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Yates Petroleum Corporation

3. ADDRESS OF OPERATOR

207 South 4th Street - Artesia, New Mexico 88210

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*  
See also space 17 below.)

At surface

2310' FNL &amp; 2310' FWL of Sec. 28-17S-25E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3566' GL

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

## NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

☐  
☐  
☐  
☐  
☐

PULL OR ALTER CASING

☐  
☐  
☐  
☐  
☐

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON\*

REPAIR WELL

CHANGE PLANS

(Other)

## SUBSEQUENT REPORT OF:

WATER SHUT-OFF

☐  
☒  
☒  
☐  
☐

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other) 4-1/2" &amp; 5 1/2" Prod. Csg.

REPAIRING WELL

ALTERING CASING

ABANDONMENT\*

☐  
☐  
☐  
☒  
☐

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

TD 1441' , PBSD 1422'. Ran a tapered string of production casing as follows: Ran 445' of 4 1/2" 9.5#, J-55 and 961' of 5 1/2" 14#, J-55 casing (Total 1406') set at 1422' with 125 sacks of Incor Neat 2% CaCl. Cement circulated. PD 5:00 PM 9-30-71. Centralizers at 1401, 1284, 1161 and 1001' WOC 24 hours and pressure tested casing with 1000#. OK. Perforated as follows: 1369, 1365, 1359 1/2, 1345 1/2, 1335, 1330 1/2, 1306, 1284, 1272, 1267, 1263, 1259, 1367, 1362, 1352 1/2, 1343 1/2, 1332, 1327 1/2, 1304, 1279, 1269, 1265, 1261 and 1259 1/2. Sand Frac'd using 5000 gallons of acid for breakdown, 40000# 20-40 sand and 80000 gallons of treated water.

RECEIVED  
OCT 15 1971  
U. S. GEOLOGICAL SURVEY  
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

Engineer

DATE

10-15-71

(This space for Federal or State office use)

APPROVED BY  
CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

APPROVED  
OCT 21 1971  
R. L. BEEKMAN  
ACTING DISTRICT ENGINEER

\*See Instructions on Reverse Side