

NO. OF COPIES RECEIVED	2
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

NEW MEXICO OIL CONSERVATION COMMISSION
RECEIVED

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

JAN 9 1974

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	
7. Unit Agreement Name	
8. Farm or Lease Name Holden "DE"	
9. Well No. 1	
10. Field and Pool, or Wildcat Wildcat	
12. County Eddy	

SUNDRY NOTICES AND REPORTS ON WELLS **O.C.C.**
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DEEPER WELL. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER- <u>RE-ENTRY</u>
2. Name of Operator Yates Petroleum Corporation
3. Address of Operator 207 South 4th Street - Artesia, New Mexico 88210
4. Location of Well UNIT LETTER <u>J</u> <u>1980</u> FEET FROM THE <u>South</u> LINE AND <u>1980</u> FEET FROM THE <u>East</u> LINE, SECTION <u>12</u> TOWNSHIP <u>17S</u> RANGE <u>26E</u> NMPM.
15. Elevation (Show whether L ₂ , RT, GR, etc.) 3304' GR

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input checked="" type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>	OTHER <u>Perf. and acidize</u> <input checked="" type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

11-9-73 - PWTB 8600'. Spudded old hole at 7:00 AM 11-9-73.

TD TD 8746'. Ran 8734' of 4½" 10.5 and 11.6# casing - 64 jts 4½" 11.6#, K-55 (2041'), 151 jts 4½" 10.5#, K-55 (4880') & 57 jts of 4½" 11.6#, K-55 (1810'), 1-guide shoe set at 8734' w/400 sx of Class "H" cement w/3/4% of CFR-2 and 7#/sx salt. PD 1:40 AM 11-28-73. WOC 24 hrs tested to 1000#, tested OK.

Perforated 8354-8662' - set packer at 8450', treated perfs 8684-8662' w/3000g 7½% MSA. Set SV in pkr. at 8450. Set 2nd pkr at 8207' and treated perfs. 8354-8376' w/3000g 7½% acid. Sand Frac perfs 8354-8376' w/28000# 20-40 sd. and 21000g gelled KCl water and 750 MCF CO-2.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Eddie M. Mahaffey TITLE Engineer DATE 1-9-74
APPROVED BY W. A. Gressett TITLE OIL AND GAS INSPECTOR DATE JAN 16 1974
CONDITIONS OF APPROVAL, IF ANY: