NN OTT CONS. COMMISSION	164
Form 9-331 Drade DD Dec. 1973 Artesia, NM 3210	Form Approved.
UNITED STATES	Budget Bureau No. 42-R1424
DEPARTMENT OF THE INTERIOR	5. LEASE
GEOLOGICAL SURVEY	NM-14483 6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a differe	7. UNIT AGREEMENT NAME
reservoir, Use Form 9–331–C for such proposals.)	8. FARM OR LEASE NAME
1. oil gas 🕅 other	June Federal SEP 9 1982
2. NAME OF OPERATOR	1
<u>McClellan Oil Corporation</u> 3. ADDRESS OF OPERATOR	10. FIELD OR WILDCAT NAME O. C. D. High-Nitro Premier ARTESIA, OFFICE
P.O. Drawer 730, Roswell, NM 88202	11. SEC., T., R., M., OR BLK. AND SURVEY OR
 LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 1 below.) 	7 AREA Sec. 4-T16S-R29E
AT SURFACE: 660' FSL & 1980' FEL	12. COUNTY OR PARISH 13. STATE
AT TOP PROD. INTERVAL: AT TOTAL DEPTH:	Eddy New Mexico
	14. API NO.
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICI REPORT, OR OTHER DATA	
REFORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD)
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	3699' G.L.
TEST WATER SHUT-OFF	
FRACTURE TREAT	
PULL OR ALTER CASING	(NOTE: Report results of multiple completion of tank change on Form 9-330.)
MULTIPLE COMPLETE	JUI 2 1982 XII
ABANDON*	1002 7.
(other)	
	VELLOGICAL SURVEY
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*	
5/4/82 Plug and Abandoned well as follows: Set a 15 sack cement plug from 2214 Set a 35 sack cement plug from 1043 Set a 40 sack cement plug from 229 Set a 15 sack cement plug at surfac marker.	1'-2350' ~ 52 caring cut at 1100 3'-1150'. -420'.
Heavy mud was placed between each plug.	
Location has been cleaned, leveled and ripped, and is in process	
of being restored to its original condition.	
	and ripped, and is in process condition. $Vosfed = 8^2$ $Vosfed = 8^2$
Subsurface Safety Valve: Manu. and Type	Set @ Ft.
18. I hereby certify that the foregoing is true and correct	
SIGNED Mark ME Clellan TITLE Geologist	DATE May 28, 1982
(This space for Federal or State	
APPROVED BY TITLE	DATE
CONDITIONS OF APPROVAL, IF ANY:	APPROVED
*See Instructions on Revers	• side SEP 7 1982
	DISTRICT SURPORTS