

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	1
FILE	1 ✓
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

APR 3 - 1974

O. C. C.

ARTESIA, OFFICE

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5a. Indicate Type of Lease State <input type="checkbox"/> Fee <input checked="" type="checkbox"/>
2. Name of Operator Yates Petroleum Corporation		5. State Oil & Gas Lease No.
3. Address of Operator 207 South 4th Street - Artesia, NM 88210		7. Unit Agreement Name
4. Location of Well UNIT LETTER G, 1650 FEET FROM THE North LINE AND 2310 FEET FROM THE East LINE, SECTION 22 TOWNSHIP 17S RANGE 25E NMPM.		8. Farm or Lease Name J Lazy J
		9. Well No. 6
		10. Field and Pool, or Wildcat Eagle Creek S.A.
15. Elevation (Show whether DF, RT, GR, etc.) 3529' GR		12. County Eddy

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER Set Prod. Csg, Perf & SF <input checked="" type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

TD 1456' - Ran 10 jts of 4½" 9.5#, J-55 (407'), 26 jts of 5½" 15.5#, J-55 (1037'), 4-centralizers and 1-insert float shoe. Cemented w/125 sacks of Class "C" Neat at 1456'. PD 4:30 PM 3-26-74. WOC 18 hours and tested casing w/1000#. OK.

Perforated w/.51" jets - 1 shot/ft as follows: 1311, 1329½, 1337, 1342, 1346, 1350, 1375½, 1380, 1389, 1398, 1406, 1410, 1414, 1418½, 1309, 1330½, 1335, 1339, 1344½, 1348, 1378, 1396½, 1402, 1407½, 1412, 1416, 1421 - (28 holes).

Sand Frac'd perforations 1309-1421 w/3000gal 15% acid, 80000 gal treated water and 65000# 20-40 sand and 40 ball sealers.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>Eddie J. Luchessa</u>	TITLE <u>Engineer</u>	DATE <u>4-3-74</u>
APPROVED BY <u>W.A. Gressett</u>	TITLE <u>OIL AND GAS INSPECTOR</u>	DATE <u>APR 4 1974</u>

CONDITIONS OF APPROVAL, IF ANY: