

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on reverse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM 036191

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Federales "BO"

9. WELL NO.

6

10. FIELD AND POOL, OR WILDCAT

Eagle Creek S.A.

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 22-17S-25E

Unit A NMPM

12. COUNTY OR PARISH

Eddy

13. STATE
NM1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Yates Petroleum Corporation

3. ADDRESS OF OPERATOR

207 South 4th Street-Artesia, NM 88210

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

990' FNL & 990' FEL of Sec. 22-17S-25E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, CR, etc.)

3524' GR

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other) Set Prod. Csq.

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

TD 1485'. Ran 20 joints of 4½" 10.5#, J-55 (641.39') and 21 joints of 5½" 17#, J-55 (831.95') (Total 1473.34'). 1-4½" Howco Float Shoe, 5 centralizers at 1452, 1420, 1391, 1359 and 1328', set at 1485' KB. Cemented w/125 sacks Class C cement. Cement circulated. PD 10:00 AM 9-28-74. WOC 18 hours and tested casing to 1000#, OK. Perforated w/36 .42" jet shots as follows: 1280, 1328½, 1348, 1358½, 1361½, 1373, 1377, 1381½, 1387, 1397, 1400½, 1419, 1423, 1427, 1433, 1436½, 1439½, 1450, 1281½, 1330, 1346½, 1349½, 1360, 1375, 1379½, 1384, 1395, 1399, 1421, 1425, 1431½, 1435, 1438, 1441½, 1448½, 1452. Sand Frac'd using 3000 gallons of 15% acid for breakdown, 120000 gallons treated water and 290000# 20-40 sand.

RECEIVED

OCT - 3 1974

U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

Engineer

DATE

10-3-74

(This space for Federal or State office use)

APPROVED BY

TITLE

DISTRICT ENGINEER

DATE

OCT 4 1974

CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

OCT 8 1974

O.C.C.
ARTESIA, OFFICE