Form 9-331 (May 1963)

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

UNITED STATES O. C. C. COPY DEPAR

PULE OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

SHOOTING OR ACIDIZING

Set Prod.

re-				15413.431	ILA1	O. 42 IV
	Б.	LEASE	DESIGN	ATION	VND	HERIAL.
	1					

REPAIRING WELL

TME	OF THE	INTERIOR	verse side)	1	re-
GEOL	OGICAL SU	RVEY			

	NM 021960	NM 0219603 6. IF INDIAN, ALLOTTEE OR TRIBE NAME		
SUNDRY NO	6. IF INDIAN, ALLOTTE			
OIL GAS; WELL OTHER		RECEIVED	7. UNIT AGREEMENT N.	AME
2. NAMO; OF GIBRATER			8. FARM OR LEASE NAT	ME
Yates Petroleum	Corporation	OCT 27 1976	Federal "B	$Z^{\mathfrak{n}}$
3. ADDRESS OF OPERATOR			9. WELL NO.	
207 South 4th S	treet - Artesia,	, NM 83 210	15	
4. LOCATION OF WELL (Report location See also space 17 below.) At surface	s charly and in accordance with	any State Testia, OFFICE	Eagle Cree	
990' FSL &	990' FEL of Sec	21-17S-25E	11. SEC., T., R., M., OR SURVEY OR ABEAA Sec. 21-17S Unit P NM	-25E
14. PERMIT NO.	15. ELEVATIONS (Show wheth	her DF, RT, GR, etc.)	12. COUNTY OR PARISH	13. STATE
	3556 GF	₹	Eddy	NM
16. Check	Appropriate Box To Indica	ite Nature of Notice, Report, o	Other Data	
NOTICE OF IN	ENTION TO:	SUBS	EQUENT REPORT OF:	
		,	•	-

REPAIR WELL (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) (Other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

TD 1450; PBTD 1415. Ran 10 joints of $5\frac{1}{2}$ " 9.5# H-40 (404), 25 joints of 14# J-55 (1010') (35 joints 1414'_ set at 1415' w/l-Guide shoe and 5 centralizers at 1375, 1334, 1294, 1253 and 1213'. Cemented w/150 sacks of Class C cement. Cement circulated. PD 10:30 AM 10-18-76. WOC and tested to 1000#. OK.

Perforated 1313-1397' w/28 .50" shots as follows: <u>lst stage: - 1315, 21,</u> 25, 29, $32\frac{1}{2}$, 55, 58, 62, 66, 70, 78, 95 (12 holes). 2nd stage: - 1313, 17, 19, 23, 27, 31, 34, 49, 53, $56\frac{1}{2}$, 60, 64, 68, 75, 81, 97 (16 holes). Treated all perforations w/60000 gallons of gelled water, 90000# sand, 70000# 20-40 sand and 20000# 100 mesh w/ball sealers.

> RECEIVED ARTESIA, MEW MEXIC

•		~~~0
8. I hereby certify that the foregoing is true and correct SIGNED	TITLE Geol. Secty	DATE 10-21-76
(This space for Federal or State office use) APPROVED BY OL AND CONDITIONS OF APPROVAL, IF ANY:	TITLE COMMERCE ENGINEER	DATE 0CT 2 8 1976