

NO. OF COPIES RECEIVED	2
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL & GAS COMMISSION

MAR 28 1975

Form C-101
Supersedes C-11
C-102 and C-103
Effective 1-1-65

<p align="center">D.C.C.</p> <p align="center">SUNDRY NOTICES AND REPORTS ON WELLS</p> <p align="center"><small>DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.</small></p>		<p>5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/></p> <p>5. State Oil & Gas Lease No. K-4942</p>
<p>1. Name of Operator Yates Petroleum Corporation</p> <p>2. Address of Operator 207 South 4th Street - Artesia, NM 88210</p> <p>3. Location of Well UNIT LETTER B 660 FEET FROM THE North LINE AND 2310 FEET FROM THE East LINE, SECTION 36 TOWNSHIP 17S RANGE 25E NMPM.</p>		<p>7. Unit Agreement Name</p> <p>8. Form of Lease Name ARCO "EC" State</p> <p>9. Well No. 1</p> <p>10. Field and Pool, or Wildcat Und. West Atoka Morrow</p>
<p>15. Elevation (Show whether DF, RT, GR, etc.) 3453' GR</p>		<p>12. County Eddy</p>

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <u>Set 8-5/8" casing</u> <input checked="" type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

TD 1280' - Ran 31 joints of 8-5/8" K-55 (new casing - 1282') w/Texas Pattern notched shoe, centralizers at 1235 and 778', baskets at 824 and 742'. Set at 1276' w/1150 sacks of cement as follows: 500 sacks of Incor Mix 2% CaCl plus 250 sacks of Class "C" 2% CaCl. PD 6:45 AM 3-23-75. Cement did not circulate. WOC 6½ hours, ran Temperature Survey, found top of cement at 860'. Ran 1" tubing and washed fill at 735-750' and spotted 75 sacks of Class "C" 4% CaCl at 750'. PD 3:50 PM 3-23-75. WOC 3 hours, Tagged cement at 740'. Spotted 75 sacks of Class "C" 4% CaCl at 740'. PD 7:40 PM 3-23-75. WOC 3 hours, tagged cement at 728'. Spotted 75 sacks at 724'. PD 11:15 PM 3-23-75. WOC 3½ hours and tagged cement at 541'. Spotted 75 sacks Class "C" 4% at 538'. PD 2:00 AM 3-24-75. Had 130' fillup (Top of cement at 408'). Laid down 1" tubing and cut off 12-3/4" casing and bradenheaded 100 sacks Class "C" 4% CaCl and filled hole w/5 yards of Ready Mix. Cement circulated. PD 4:15 AM 3-24-75. Cut off 8-5/8", welded on flange & Nippled up. WOC 43 hours.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

(Continued on attached page.)

SIGNED Christie Johnson TITLE Geological Secretary DATE 3-27-75

APPROVED BY Frank R. Bergman TITLE SUPERVISOR, DISTRICT II DATE MAR 31 1975

CONDITIONS OF APPROVAL, IF ANY: