

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND	
OFFICE	
OPER	

NEW MEXICO OIL CONSERVATION COMMISSION

Form 1-103
Supersedes Old
6-100 and 6-103
Effective 1-1-67

RECEIVED

OCT 28 1975

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT DEPTH OR USE "APPLICATION FOR PERMIT - A" (FORM C-101) FOR SUCH PROPOSALS.)

<input type="checkbox"/> OIL <input checked="" type="checkbox"/> GAS <input type="checkbox"/> OTHER	6. Indicate type of well <input type="checkbox"/> Oil <input checked="" type="checkbox"/> Gas <input type="checkbox"/> Other
7. Unit Agreement Name Artesia, Office	
8. Name of Licensee Manseau "EK" Fee Com	
9. Well No. 1	
10. Field, Pool, or District Wildcat Strawn & Cisco	
11. Elevation (Show whether DF, RT, GP, etc.) 3501' GR	
12. County Eddy	

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK	<input type="checkbox"/>	PLUG AND ABANDON	<input type="checkbox"/>
TEMPORARILY ABANDON	<input type="checkbox"/>	CHANGE PLANS	<input type="checkbox"/>
NULL OR ALTER CASING	<input type="checkbox"/>	OTHER	<input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK COMMENCE DRILLING OPNS. CASING TEST AND CEMENT JOBS OTHER <u>Perf Strawn & Treat, Perf the Cisco and treat.</u>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>
--	---

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated completion date if proposed work) SEE RULE 1103.

TD 8455'; PBTD 8190'. Perforated w/.42" 64 holes (4 JSPF) Glass Jets at 8003-8019'. Set Guiberson packer at 7976' and acidized perforations 8003-8019' (Strawn perforations) w/1500 gallons of 7½% MS and nitrogen. Sand Frac'd w/10000 gallons of treated water and 20000# 20-40 sand.

Moved in Completion Unit and set Blanking Plug in on-off tool at 7970'. Unlatched tubing and POOH. Set retrievable Bridge Plug at 6665' and perforated the Cisco formation w/70 .34" (4 JSPF) jets 6618-6636'. Set Guiberson packer at 6448' and treated perforations w/2000 gallons 15% DS-30 acid. Flowed at the rate of 7 MMCFPD.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

NEO <u>Christine Lombard</u> TITLE <u>Geol. Secty</u>	10-27-75
APPROVED BY <u>W. A. Gressett</u> TITLE <u>SUPERVISOR, DISTRICT II</u>	DATE <u>NOV 14 1975</u>

CONDITIONS OF APPROVAL, IF ANY: