

NEW MEXICO OIL CONSERVATION COMMISSION
DRAWER DD
ARTESIA, NEW MEXICO

FIELD REPORT FOR CEMENTING OF WELLS

Operator <u>Atlantic Richfield</u>		Lease <u>Empire Abo Unit</u>		Well # <u>271</u>	
Location of Well	Unit	Section	Township	Range	County
		<u>32</u>	<u>17</u>	<u>28</u>	<u>Eddy</u>
Drilling Contractor	<u>Arad Dels</u>		Type of Equipment <u>Rotary</u>		

APPROVED CASING PROGRAM

Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cement
<u>12 1/4"</u>	<u>8 5/8</u>	<u>24</u>			<u>Circ</u>

Casing Data:

Surface 24 joints of 8 5/8 inch 24 # Grade API New K-55
(Approved) (~~Rejected~~)

Inspected by Lelan Munnis date 6-2-75

Cementing Program

Size of hole 12 1/4 Size of Casing 8 5/8 Sacks cement required 550

Type of Shoe used Guide Float collar used Yes Btm 2 jts ~~welded~~ Thread lock

TD of hole 1007 KB Set 995' GL Feet of 8 5/8 Inch 24 # Grade K-55

New-used csg. @ 995' GL with 150 sacks neat cement around shoe class C 2% cc 14.8
+ 400 sax Flow-Lite additives 8" salt 6" floccs 13.0 #

Plug down @ 3:35 (AM) (PM) Date 6-3-75

Cement circulated Yes No. of Sacks

Cemented by Halliburton Witnessed by Lelan Munnis

Temp. Survey ran @ (AM) (PM) Date top cement @

Casing test @ (AM) (PM) Date

Method Used Witnessed by

Checked for shut off @ (AM) (PM) Date

Method used Witnessed by

Remarks: