

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

JAN 27 1976

O. C. C.

ARTESIA, OFFICE

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT - A" (FORM C-101) FOR SUCH PROPOSALS.)

<input type="checkbox"/> OIL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER	5a. Indicate Type of Well <input type="checkbox"/> Oil <input checked="" type="checkbox"/> Gas <input type="checkbox"/> Other
6. Name of Operator <b>Yates Petroleum Corporation</b>	
3. Address of Operator <b>207 South 4th Street - Artesia, NM 88210</b>	
4. Location of Well UNIT LETTER <b>E</b> <b>1980</b> FEET FROM THE <b>North</b> LINE AND <b>660</b> FEET FROM THE <b>West</b> LINE, SECTION <b>30</b> TOWNSHIP <b>17S</b> RANGE <b>26E</b> NMPM.	
15. Elevation (Show whether DF, RT, GR, etc.) <b>3432' GR</b>	
12. County <b>Eddy</b>	

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING Casing <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated completion date, if proposed work) SEE RULE 1103.

TD 1300' - Ran 30 joints of 8-5/8" 24# K-55 (1305.38') set at 1300'. Ran 1-Tex Pattern shoe, 1-Bake lite baffle at 1260'. Centralizers at 1260 and 600', baskets at 640' and 560'. Cemented w/450 sacks of Howco-lite, 5# gilsonite and 1/4# flocele, followed w/100 sacks Class "C" 2% CaCl. PD 8:30 AM 1-17-76. Cement did not circulate. WOC 6 hours and ran Temperature Survey and found top of cement at 740'. Ran 1" to 420' and spotted 50 sacks of Class "C" 4% CaCl. PD 3:30 PM 1-17-76. WOC 3 hrs. and ran 1" to 420', spotted 50 sacks of Class "C" 4% CaCl. PD 6:45 PM 1-17-76. WOC 3 hrs, ran 1" to 420' and spotted 50 sacks Class "C" 4% CaCl. PD 10:00 PM 1-17-76. Circ. small amt of wtr. WOC 2 1/2 hrs and ran 1" to 420' spotted 50 sacks of Class "C" 4% CaCl. PD 12:30 AM 1-18-76. Circ. some mud. Dumped 1 1/2 yards of 1/2" Pea Gravel. PD 2:30 AM 1-18-76. Ran 1" to 420' and spotted 50 sacks of Class "C" 4% CaCl. PD 2:45 AM 1-18-76. WOC 3 hours and ran 1" and found top of cement at 368', pulled up to 338' and spotted 50 sacks of Class "C" 4% CaCl. PD 8:45 AM 1-18-76. Cement Circ. WOC 18 hrs. Cut off csg. NU, instld BOP's, tstd to 1000#.OK. Drld cmt plug and tstd to 600#. OK. Reduced hole to 7-7/8" & resumed drilling.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Christine Tomlinson TITLE Geol. Secty 1-26-76

APPROVED BY W. A. Gressett TITLE SUPERVISOR, DISTRICT II DATE JAN 27 1976

CONDITIONS OF APPROVAL, IF ANY: