

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION
WELL COMPLETION OR RECOMPLETION REPORT AND LOG

5a. Indicate Type of Lease
State ☐ Fee ☒

5. State Oil & Gas Lease No.

10. TYPE OF WELL
OIL WELL ☐ GAS WELL ☒ DRY ☐ OTHER ☐

b. TYPE OF COMPLETION
NEW WELL ☒ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ OTHER ☐

RECEIVED
DEC 30 1975

7. Unit Agreement Name

8. Farm or Lease Name
Gossett "EU"

9. Well No.
1

2. Name of Operator
Yates Petroleum Corporation

3. Address of Operator
207 South 4th Street - Artesia, NM 88210

4. Location of Well
UNIT LETTER K LOCATED 1980 FEET FROM THE West LINE AND 1650 FEET FROM THE South LINE OF SEC. 26 TWP. 17S RGE. 25E NMPM

10. Field and Pool, or Well Unit
Cage Creek Strawn Undesignated

15. Date Spudded 9-18-75
16. Date T.D. Reached 10-12-75
17. Date Compl. (Ready to Prod.) 12-5-75
18. Elevations (DF, RKB, RT, GR, etc.) 3515' GR

12. County
Eddy

20. Total Depth 8420'
21. Plug Back T.D. 7821'
22. If Multiple Compl., How Many

19. Elev. Casinghead
23. Intervals Drilled By Rotary Tools 0-8420 Cable Tools

24. Producing Interval(s), of this completion - Top, Bottom, Name
7792-7819' Strawn

25. Was Directional Survey Made No

26. Type Electric and Other Logs Run
DLL & CNL-Density

27. Was Well Cored No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13-3/8"	48#	340'	17 1/2"	250 sacks	
8-5/8"	24#	1220'	12 1/4"	1000 sacks	
4 1/2"	11.6&10.5#	7824'	7-7/8"	610 sacks	

29. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN
2-3/8"				

30. TUBING RECORD

SIZE	DEPTH SET	PACKER SET
2-3/8"	7765'	7762'

31. Perforation Record (Interval, size and number)

7814-7819' 0.43" (11 holes)
7792-7798' 0.43" (12 holes)

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
7792-7819'	1500g 15% DS-30 acid & N2
7792-7819'	20000# 20-40 sd in 12000g
	gelled 3% acid & 4000 g
	CO2

33. PRODUCTION

Date First Production 12-5-75
Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing
Well Status (Prod. or Shut-in) Shut in

Date of Test	Hours Tested	Choke Size	Prod'n. For Test Period	Oil - Bbl.	Gas - MCF	Water - Bbl.	Gas - Oil Ratio
12-6-75	12	1/2		0	225	0	-

Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API (Corr.)
63	Pkr		0	450	0	

34. Disposition of Gas (Sold, used for fuel, vented, etc.) Vented

Test Witnessed By

35. List of Attachments
DST & Deviation Survey enclosed

36. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief.

SIGNED Eddie M. Walcott TITLE Engineer DATE 12-29-75

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Commission not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy	T. Canyon	6684	T. Ojo Alamo	T. Penn. "B"
T. Balt	T. Strawn	7515	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt	T. Atoka	7930	T. Pictured Cliffs	T. Penn. "D"
T. Yates	T. Miss		T. Cliff House	T. Leadville
T. 7 Rivers	T. Devonian		T. Menefee	T. Madison
T. Queen	T. Silurian		T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya		T. Mancos	T. McCracken
T. San Andres	T. Simpson		T. Gallup	T. Ignacio Qtzte
T. Glorieta	T. McKee		Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger		T. Dakota	T.
T. Blinebry	T. Gr. Wash		T. Morrison	T.
T. Tubb	T. Granite		T. Todilto	T.
T. Drinkard	T. Delaware Sand		T. Entrada	T.
T. Abo	T. Bone Springs		T. Wingate	T.
T. Wolfcamp	T. Morrow Clastics	8202	T. Chinle	T.
T. Penn.	T.		T. Permian	T.
T. Cisco (Bough C)	T.		T. Penn. "A"	T.

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	350	350	Surface & Gravel				
350	975	625	Red bed				
975	1220	245	Lime, dolo & shale				
1220	1755	535	Dolomite				
1755	2285	530	Lime				
2285	3308	1023	Lime & dolomite				
3308	4115	807	Lime & sand				
4115	4838	723	Lime				
4838	6876	2038	Lime & shale				
6876	7423	547	Lime				
7423	8420	997	Lime & shale				

DRILLSTEM TESTS

Yates Petroleum Corp. Gossett "EU" No. 1' 26-17S-25E Eddy County, NM

DST #1 7780-7900' (Strawn) - TO 30". SI 65". OP 60". SI 180".

Op w/wk blow, remained steady. Reop w/good blow. GTS in 17" Reduced
choke to 1/4", flowed 10# on 1/4" choke, steady. Recovered: - 650' DM
+150' SGCDM. Sampler: - 200#, 0.492 cfg no water. Pressures:- HP 3570-
3505; IFP 123-211; ISIP 2048; FFP 176-228; FSIP 2400.

NEW MEXICO OIL CONSERVATION COMMISSION

OPERATOR Yates Petroleum Corporation ADDRESS 207 South 4th Street, Artesia, N.M. 882
 FIELD Richard Knob LEASE Gossett "EU" WELL NO. 1
 LOCATION 1650' FSL and 1980' FWL, Section 26, T-17-S, R-25-E, Eddy County, New Mexico

DEVIATION RECORD

DEPTH	DEGREES	DEPTH	DEGREES
340	1/2	4883	3-1/4
840	1-1/2	4983	3
1578	1-3/4	5125	2-1/2
1919	1-1/4	5250	2
2311	3/4	5562	3/4
2843	1/4	6061	3/4
3348	1/2	6574	3/4
3828	1/2	7074	1
4146	1	7565	1
4646	3-1/4	7900	1
4741	3-1/4	8420	1-1/4

RECEIVED

DEC 30 1975

O. C. C.
ARTESIA, OFFICE

Certification of personal knowledge of Deviation Record:

I hereby certify that I have personal knowledge of the data and facts placed on this form, and that such information is true and complete.

N. W. Harrison
Signature

ARD DRILLING COMPANY
Company

STATE OF TEXAS
COUNTY OF MIDLAND

Before me, the undersigned authority, on this day personally appeared N. W. Harrison, known to me to be the person whose name is subscribed hereto, who, after being duly sworn, on oath states that he is acting at the direction and on behalf of the operator of the well identified in this instrument and that such well was not intentionally deviated from the vertical.

N. W. Harrison
Signature

Manager, Ard Drilling Company
Title

Sworn and Subscribed to before me, this the 17th day of October, 19 75

S. R. McKinney, Jr.
Notary Public in and for Midland County,