

CONTR Hondo #3 3379' GL, 3393' KB PD 8700' RT

9-23-75 Drlg 1880'
9-29-75 TD 4360'; checking BOP'S
10-6-75 Drlg 6285' 1m & sh
Sample TOPS: Abo 4355', Wolfcamp 5485' (-2092)
DST (Lower Leonard) 5460-5510', open 1 hr 30 mins,
rec 90' DM, 1 hr ISIP 80#, FP 40-53#, 1 hr FSIP
80#, HP 2491-2491#, BHT 106 deg
10-13-75 Drlg 7535' 1m & sh
DST (Canyon) 7035-74', open 1 hr 30 mins, GTS in
18 mins ~~C64~~ MCFGPD ~~in~~ 119 MCFGPD & stab @ 109
MCFGPD, rec 210' GCM, 1 hr ISIP 2830#, FP 159-239#,
2 hr FSIP 2804#, HP 3328-3328#, BHT 110 deg
10-20-75 TD 8045'; WOO
DST (Atoka) 7482-7583', open 1 hr 30 mins, Rec
270' DM w/no shows; 1 hr ISIP 185#, FP 162-162#,
2 hr FSIP 208#, HP 3712-3715#, BHT 125 deg
SP-DST (Atoka) 7574-7812', open 1 hr 30 mins, Rec
140' DM (Sampler rec ~~Tr~~ gas + 2300 cc's DM)
1 hr ISIP 425#, FP 212-212#, 2 hr FSIP 478#, HP
3712-3827#, BHT 132 deg

10-27-75 TD 8045 PB 2163 Prep Ref