NO. OF COPIES RECEIV					Saper						m C-10 vised)		. !
SANTA FE NEW MEXICO OIL CONSERVATION COMMISSION							State X For						
U.S.G.S. LAND OFFICE WELL COMPLETION OR RECOMPLETION REPORT AND LOG RECEIVED								İ	5. State Oil & Gas Leave No.				
OPERATOR						,	₹ 5	 1			777		TT
la. TYPE OF WELL							_F	EB 13-1	976	7. Unit	Agree	ment 15 m.e	
	O!L WE:		GAS WELL	X	DRY	OTHER							
b. TYPE OF COMPLE	ETION RK DEEP		PLUG BACK	DII	FF.	OTHER	€ بدر	TESIA, OF	1			ease Nume EC" State	
2. Name of Operator	etroleum				.578. []	OTHER				9. Well	No. 2		
3. Address of Operator										10. Fi		Pool, or Wildcat	
207 Sou	th 4th St	reet	t - Art	tesia	, NM	8821) 			Un	d. S	Strawn	~~~
UNIT LETTERI	LOCATED 1	100	FEET FR	OM THE _	East	LINE AS	1D	1980	EET FROM				
South eme of	36	3	L7S	251	E					ום. כם ית	unty ddy		
15, Date Spudded	16. Date T.D.	Reached	l 17. Date	Compl. (R	eady to				KB, RT, G		19. E	Clev. Cashinghead	7777
10-16-75 20. Total Depth	11-9-	- /5 ug Back	-	L2-2-	If Multip	le Compl., H		23. Interval	s Rotar	y Tools	l	3445 Cable Tools	
3590	81		7. 7.44		Many			Drilled	By 0-8	8590		<u> </u>	
24. Producing Interval(-		96' Sti								25), Was Directional St Made NO	ırvey
26. Type Electric and	<u>-</u>	· · · · ·	• 4		-							s Well Corei	
ک بابات کر 28.	GR-CNL-E	ens.		ING RECO	ORD (Rep	port all strin	gs set	in well)				NO.	
CASING SIZE	WEIGHT LB	./FT.	DEPTH		но 17½'	LE SIZE	-		Sack			AMOUNT PULL	ED
8-5/8"	24╬			50'	124		1	650	sack	S			
4½"	11.6 &	10.5	5# 820	02'	7-7,	/8"	-	270	sack	S			
29.			RECORD					30.		TUBING		T	
SIZE	TOP	80	оттом	SACKS	EMENT	SCREE	N .	2-3/8"		7945		PACKER SET	
31, Perforation Record	(Internal size as	nd numbe	er)			32.	۸۲۱	D, SHOT, FR	ACTURE	CEMEN	T SOU	FEZE ETC	
7988-7996'						DEPT	HINT	ERVAL	AMOL	JNT AN	D KINI	D MATERIAL USED	
1 /988-96 10000									g 15% DS-30 & N ₂)# 20-40 sd in 8000 c			U 9	
									gelle	d 3%	MS	A & CO2	
33.						DUCTION		<u>-</u>					
Date First Production 12-1-75	Prod	luction N	dethod (Flou		lift, pum; Lowi:		and ty	pe pump)		i		(Prod. or Shut-in) OPLC	
Date of Test 12-2-75	Hours Tested $2\frac{1}{2}$	CI	hoke Size	Frod'n. Test P		Oil - Bbl.		Gas - MCF	1	er – Bbl		Gas=Oil Ratio	
How Tubing Press.	Casing Pressu		alculated 24 our Hate	- Cil - E	> 3bl.	<u> </u>	- MCF	l	ter — Bbl.		011	Gravity = API (Corr.)
46# 34. Disposition of Gas	Pkr		····	-	-		850		O Tes	4 1974 to no	sed By	,	
at. Balpowiter of Gar		nted							н.	s.	App	le	<u> </u>
35, List of Attachment	s DST's & I	Devi	ation	Surve	y							ا مر	
36, I hereby certify the	at the information	shown o	on both side	s of this f	form is tr	ue and comp	lete to	the best of i	ny knowled	lge and	belief.		
SIGNED (1	dusa	ر _~	TI F	Geol.	Sec	ty		DATE	2	-12-76	
3161420													
1. 100	346	NIV	ir člas	stics	8363	T Chink	o		Т.				_
		r	106707		(1))T Darmi	an						-
T. Penn. T Cisco (Bough	C)	т				T. Penn.	"A"		Т.				_
		FO	RMATION I	RECORD	(Attach	additional	shee	ts if necess	ary)				
From To	Thickness		Formati	on		From	T	Thicknes			Forma	tion	
0 372	in Feet	Sur	face, o	grave	1		-		1		·		
372 1283	1 1		bed	J · · -	_								
1283 2900	1617	Lime											
2900 3558 3558 5555	1 1	Dolo	omite e										
5555 8590			e and	shale	٠.			1				:	
1	1					H	1	1	1				

DRILL STEM TESTS

Yates Petroleum Corporation ARCO "EC" State No. 2 Section 36-T17S-R25E Eddy County, New Mexico

DST #1 6719-6812' - TO 20", SI 60", TO 120", SI 240". OP w/good blow. GTS in 15" 2/24# on 1/4" choke, increased to 26# on 1/4" choke in 20". Re-op GTS immediately, 25# on 1/4" choke in 10". Decreased to 3# in 2 hrs. Sampler: - 400#, 0.64 cfg, 1900 cc SW. Recovered: - HP 3049-3049; IFP140-193; ISIP 2312; FFP 193-526; FSIP 2100.

DST #2 7975-8150' (Strawn) - OP 25", SI 75", OP 60", SI 120". OP w/good blow, GTS 13". 25# on 3/16" choke in 25". Reop GTS immediately, stabalized to 32# on 1/4" choke. Recovered: 120' drilling fluid.

Sampler: - No recovery - broken. Pressures: HP 3721-3634; IFP 87-131; ISIP 3064' FFP 131-131; FSIP 3064. BHT 134 deg.

NEW MEXICO OIL CONSERVATION COMMISSION

OPERATOR	Yates Petroleum Corporation	ADDRESS 207 S.	1th Street, Artesia, N.M. 8821						
FIELD	Eagle Creek (Morrow)		"EC" WELL NO. 2						
LOCATION	1100' FEL and 1980' FSL, Section	n 36, T-17-S, R-25-E	, Eddy County, New Mexico						
	DEVI	ATION RECORD							
DEPTH	DEGREES	<u>DEPTH</u>	DEGREES						
372 800 1260 1600 2100 2522 3023 3260 3760	3/4 1-1/4 2 1-1/2 1 1 3/4 3/4	4820 5262 5760 6231 6670 6812 7312 7786 8150	2 1 1/2 3/4 1 3/4 1 1-1/4 3/4						
4260	3/4	8590	2-3/4						
	RECEIVED								
		FEB 1 3 1976							
		O. C. C.							
I he	ation of personal knowledge of De ereby certify that I have persona I that such information is true a	.l knowledge of the da	ata and facts placed on this						
		ARD_DRILLING (Company	COMPANY						
STATE OF COUNTY OF									
who, afte behalf of	Before me, the undersigned auth rrison, known to me to be being duly sworn, on oath state the operator of the well identiationally deviated from the verti	e the person whose names that he is acting fied in this instrumental.	ame is subscribed hereto, at the direction and on ent and that such well was						
		Signature	tarrism						
		Manager - Ard D	cilling Company						
≁ Swor	rn and Subscribed to before me, t	Title this the 19th day	of November, 1975						
		Notary Public Texas.	in and for Midland County, S. R. McKINNEY, JR.						

HV COMMICCION EVOIDEC.