

N. M. O. C. COPY  
UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE\*  
(Other instructions on reverse side)Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

LC-056302(b)

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Square Lake Flood, East.

8. FARM OR LEASE NAME

Johnson

9. WELL NO.

18

10. FIELD AND POOL, OR WILDCAT

Square Lake (G.SA)

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

34-16S-31E NMPM

12. COUNTY OR PARISH

Eddy

13. STATE

New Mexico

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT" for such proposals.)1. OIL WELL ☒ GAS WELL ☐ OTHER

2. NAME OF OPERATOR

NEWMONT OIL COMPANY ✓

3. ADDRESS OF OPERATOR

P.O. Box 1305, Artesia, New Mexico 88210

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)  
At surface

1980' FSL &amp; 2080' FEL of Section 34

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4017' GLM

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

## NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐

(Other)

PULL OR ALTER CASING ☐MULTIPLE COMPLETION ☐ABANDON\* ☐CHANGE PLANS ☐

## SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐

(Other)

Running Casing &amp; Perforating XXX

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT\* ☐

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

4-9-76 - Drilled to T.D. 3785' K.B. Circulated hole 2 1/2 hours, pulled drill pipe and collars. Ran Dual Laterolog and BHC Acoustilog.

4-10-76 - Ran 3775' of 4 1/2" 10.5# K-55 casing with 15' short joint on bottom with guide shoe and automatic float collar. Reciprocated 5 times (15' each). Started cement, pumped 650 sacks cement, pumped plug - did not circulate. Ran 1" Hydrill pipe behind 4 1/2" casing to 500', pumped 250 sacks cement, did not circulate. Pulled 1" Hydrill pipe, shut down for day.

4-11-76 - Ran Temperature survey, cement from 51' to 500' and from 1550' to 3775' GLM.

4-13-76 - Circulated 24 sacks cement from 51' to surface behind 4 1/2" casing. Pressured up on casing to 2000 psi for 30 minutes, no leak off.

4-14-76 - Ran 3 1/2" Steel Strip Gun with Ceramic charges and perforated 0.43" hole, 2 sh/ft 3486-3496', 3541-3548', 3586-3594' GLM.

18. I hereby certify that the foregoing is true and correct

SIGNED Charles C. JoyTITLE SuperintendentDATE 4/26/76

(This space for Federal or State office use)

APPROVED BY [Signature]  
CONDITIONS OF APPROVAL, IF ANY:

TITLE \_\_\_\_\_

DATE \_\_\_\_\_

\*See Instructions on Reverse Side

BYRON JACKSON INC.

34-16-31

CEMENTING AFFIDAVIT

I, Gerry Guye, being of lawful age and having full knowledge of the facts herein below set out do state: I am employed by Byron Jackson Inc. On April 10, 1976, BYRON JACKSON INC. performed the cementing operation herein described for Newmont Oil Company on their Well No. 11-X 18 on the Johnson lease located in Eddy County, State of New Mexico.

CASING CEMENTING: Name or type of string was Production. Information provided by the Customer Company states that the casing was 4 1/2 in. O.D. set in 7-7/8 inch hole, and that the casing depth set was 3785 feet. For this job the following materials were used:

700 sacks Class C Cement10 sacks Salt200 sacks Class H Cement20 sacks Sand1316 lbs. A-21 1/2 sacks A-7141 lb D-31

An estimated 0 sacks of excess cement was circulated out of the well.  
DTD NOT CIRCULATE

CEMENT PLUG: Information provided by the Customer Company states that the hole size was \_\_\_\_\_ inches, and total depth was \_\_\_\_\_ feet. For this job the following materials were used to place plugs as indicated:

Plug from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. with \_\_\_\_\_ sacks of \_\_\_\_\_

**RECEIVED****APR 26 1976****U. S. GEOLOGICAL SURVEY  
ARTESIA, NEW MEXICO**SIGNED: BYRON JACKSON INC.BY- Gerry GuyeDATE: 4/10/76