

NEW MEXICO OIL CONSERVATION COMMISSION

JUN 9 1976

O. C. C.

ARTESIA, OFFICE

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

5a. Indicate Type of Well State <input type="checkbox"/> Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.
7. Unit Agreement Name
8. Form or Lease Name Gissler "AV"
9. Well No. 13
10. Field Name or Locality Eagle Creek S.A.
12. County Eddy

1. Name of Operator Yates Petroleum Corporation ✓
2. Address of Operator 207 South 4th Street - Artesia, NM 88210
3. Location of Well UNIT LETTER L, 2310 FEET FROM THE South LINE AND 330 FEET FROM THE West LINE, SECTION 23 TOWNSHIP 17S RANGE 25E N.M.P.M.
15. Elevation (Show whether DF, RT, GP, etc.) 3513' GR

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <input checked="" type="checkbox"/> Set Prod csg, perf & treat

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated work) SEE RULE 1103.

TD 1499'; PBTD 1479'. Ran 11 joints of 4½" 10.5# H-55 (452'), 26 joints of 5½" 15.5# J-55 (1026') (37 joints)(1478') set at 1479'. 1-Guide shoe and 6 centralizers at 1438, 1397, 1356, 1315, 1274 and 1233'. Cemented w/150 sacks of Class "C" cement. Cement circulated. PD 1:00 PM 5-20-76. WOC and tested to 1000#. OK.

TD 1499'; PBTD 1479'. Perforated 1338-1416½ w/24 .45" holes as follows:
1st Stage: - 1338, 42, 56, 60, 64, 79, 86, 95, 1401, 08 and 16½ (11 holes). Acidized w/3000 gallons of 15% regular acid. 2nd Stage: - 1340, 44, 54, 58, 62, 66, 77, 82, 93, 98, 1403½, 06 and 15' (13 holes). Treated all perforations w/60000 gallons of treated water and 100000# 20-40 sand w/ball sealers.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Christine Tomlinson TITLE Geol. Secty 6-8-76

APPROVED BY W. A. Gressett TITLE SUPERVISOR, DISTRICT II DATE JUN 9 1976

CONDITIONS OF APPROVAL, IF ANY: