

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	/
FILE	/
U.S.G.S.	
LAND OFFICE	
OPERATOR	/

**RECEIVED**  
NEW MEXICO OIL CONSERVATION COMMISSION

SEP - 1976

O. C. C.  
ARTESIA, OFFICE

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fed <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	
7. Unit Agreement Name	
8. Farm or Lease Name Norris "FK"	
9. Well No. 1 2	
10. Field and Pool, or Wildcat Eagle Creek (S.A.)	
12. County Eddy	

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEPLEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>
2. Name of Operator Yates Petroleum Corporation
3. Address of Operator 207 South 4th Street - Artesia, NM 88210
4. Location of Well UNIT LETTER <u>M</u> , <u>380</u> FEET FROM THE <u>South</u> LINE AND <u>330</u> FEET FROM THE <u>West</u> LINE, SECTION <u>12</u> TOWNSHIP <u>17S</u> RANGE <u>25E</u> NMPM.
15. Elevation (Show whether DF, RT, GR, etc.) 3475' GR

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data  
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input checked="" type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input checked="" type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

8-18-76 - Spudded a 15" hole at 2:30 PM 8-18-76.  
TD 345' - Ran 11 joints of 10-3/4" 32# (348.15') set at 330'. Cemented w/200 sacks of Class "C" 4% CaCl. Cement circulated. PD 10:30 AM 8-19-76. WOC 12 hours, cut off casing, reduced hole to 9-7/8", drilled plug and resumed drilling.  
TD 1237'. Ran 29 joints of 7" 23# J-55 (1242.24') of used casing set at 1237' KB 1-Guide shoe, centralizers at 1194 and 590' and baskets at 630-550'. Cemented by Denton w/350 sacks of mix 2% CaCl followed w/150 sacks of Class "C" 2% CaCl. PD 3:50 PM 8-21-76. Cement did not circulate. WOC 6 hours and ran Temperature Survey, found top of cement at 680'. Ran 1" to 450', spotted 50 sacks of Class "C" 4% CaCl. PD 11:00 PM 8-21-76. Ran 1" to 336', spotted 50 sacks of Class "C" 4% CaCl. PD 3:00 AM 8-22-76. Ran 1" to 316', spotted 75 sacks of Class "C" 4% CaCl. PD 7:30 AM 8-22-76. Cement circulated. WOC 18 hours, nipples up, tested BOP's to 1000#. OK. Reduced hole to 6 1/4", drilled plug and tested to 600#. OK. Resumed drilling.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Christine Tomlinson TITLE Geological Secretary DATE 9-2-76

APPROVED BY W. A. Gressett TITLE CONTROLLER, DISTRICT II DATE SEP 3 1976

CONDITIONS OF APPROVAL, IF ANY: