

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN T
(Other instruc
reverse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM 0219603

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Federal "BZ"

9. WELL NO.

16

10. FIELD AND POOL, OR WILDCAT
Eagle Creek S. A.11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREASec. 28-17S-25E
Unit H NMPM

12. COUNTY OR PARISH 13. STATE

Eddy

NM

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL ☒ GAS WELL ☐ OTHER RE-ENTRY
2. NAME OF OPERATOR
Yates Petroleum Corporation
3. ADDRESS OF OPERATOR
207 South 4th Street-Artesia, NM 88210
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface
1980' FNL & 660' FEL of Sec. 28-17S-25E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3550' GR; 3566' KB

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

Set Prod. csg, perf, treat X

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Remove the cap and marker from well and cleaned out to 1500'. Ran 36 joints of 5½" 14# J-55 (1451') of casing set at 1451'. Cemented w/240 sacks of Class H 3/10% CFR-2. PD 11:00 AM 5-16-79. Cement circulated 10 sacks to surface. WOC and tested to 1000#. OK.

TD 1500'; PBTD 1451'. WIH w/Casing Gun on Wireline and perforated 1308-1401' w/20 .50" holes (1 shot at each point) as follows: 1308, 11, 15, 23, 26, 30, 33, 37, 45, 48, 51, 54, 57½, 60, 69, 73, 76½, 79, 99 and 1401'. Sand Frac'd perforations w/76000 gallons treated water, 4000 gallons 15% regular acid, 72000 gallons gelled KCL water, 95000# sand, 20000# 100 mesh and 75000# 20-40 sand.

RECEIVED

JUN 14 1979

JUN 12 1979

G. S. S.
ARTESIA, N.M.U.S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

Albert R. Stall

TITLE Geol. Secty.

DATE 6-12-79

(This space for Federal or State office use)

APPROVED BY: *(Signature)* ALBERT R. STALL
CONDITIONS OF APPROVAL, IF ANY:

TITLE ACTING DISTRICT ENGINEER DATE JUN 13 1979