

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	1
FILE	1 ✓
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

RECEIVED
NEW MEXICO OIL CONSERVATION COMMISSION

JAN 18 1977

O. C. C.
ARTESIA. OFFICE

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease State <input type="checkbox"/> Fee <input checked="" type="checkbox"/>	
5. State Oil & Gas Lease No.	
7. Unit Agreement Name	
8. Farm or Lease Name Tom Brown "GO" Conn	
9. Well No. 1 1	
10. Field and Pool, or Wildcat Unit. Kennedy Farms Morrow	
12. County Eddy	

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER- 2. Name of Operator Yates Petroleum Corporation 3. Address of Operator 207 South 4th Street - Artesia, NM 88210 4. Location of Well UNIT LETTER C 835 FEET FROM THE North LINE AND 1980 FEET FROM THE West LINE, SECTION 22 TOWNSHIP 17S RANGE 26E N14PM. 15. Elevation (Show whether DF, RT, GR, etc.) 3339' GR	16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> OTHER <input type="checkbox"/> SUBSEQUENT REPORT OF: REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> PLUG AND ABANDONMENT <input type="checkbox"/> CASING TEST AND CEMENT JOBS <input type="checkbox"/> OTHER Set Prod. casing <input checked="" type="checkbox"/>
---	--

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

TD 8725'; PBTD 8559' by wireline. Ran 51 joints of 5½" 17# K-55 LT&C (2194') w/1-Guide shoe and Diff-fill-up float collar, 141 joints of 5½" 15.5# K-55 LT&C (5517'), 22 joints 17# K-55 LT&C (920') (Total 8631') set at 8609' KB. Cemented w/250 gallons mud flush, 100 sacks Halli-Lite 1/2 of 1% CFR2, 5# KCL (Slurry 12.7), 100 sacks of Class H 1/2 of 1% CFR2 and 5# KCL (Slurry 15.6) Displaced w/40 bbls of KCL water, 114 bbls fresh water and 50 bbls mud. PD 1:45 PM 1-13-77. WOC 18 hours. Ran temperature survey and found top of cement at 7450'. PBTD 8559' by wireline. Tested to 1500#. OK.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>Christine Tomlinson</u>	TITLE <u>Geol. Secty</u>	DATE <u>1-16-77</u>
APPROVED BY <u>W.A. Gussett</u>	TITLE <u>SUPERVISOR, DISTRICT II</u>	DATE <u>JAN 18 1977</u>

CONDITIONS OF APPROVAL, IF ANY: