

N. M. O. C. C. CO.
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPL
(Other instructions
verse side)Copy to SF
Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		7. UNIT AGREEMENT NAME	
2. NAME OF OPERATOR George A. Chase		8. FARM OR LEASE NAME Jeffers	
3. ADDRESS OF OPERATOR P.O. Box 637, Artesia, New Mexico 88210		9. WELL NO. 2M	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 990' FSL, 1650' FWL, Sec. 27, T-16-S, R-31-E		10. FIELD AND POOL, OR WILDCAT Square Lake	
14. PERMIT NO.		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 27, T16S, R31E	
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4045'		12. COUNTY OR PARISH Eddy	
		13. STATE N. Mex.	

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input checked="" type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	
(Other) <input type="checkbox"/>		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1-4-77 Spud 11" hole

1-6-77 TD 400'. Ran 400' 8 5/8" 24 & 28# and cemented with 150 sacks class 'C' cement with 2% CaCl₂. Cement circulated. WOC & down 48 hours.

1-9-77 Pressure tested cement 1200#. Held OK.

1-20-77 3780' TD 9:45 A.M. - From ground.
Ran 3774' new 5 1/2" 15.5# K-55 Lt & C casing. Insert collar at 3754' - Centralizers at 3754', 3714', 3634', 3594' & 3554'. Halliburton cemented 125 sacks class 'C' cement, 2% CaCl₂ - plug down 2:00 A.M.
1-21-77. WOC.

1-27-77 Pressure tested 2000# for 30 minutes. Held OK. Preparing to perforate and treat.

18. I hereby certify that the foregoing is true and correct

SIGNED

Charles W. Hicks

TITLE

Representative

DATE

1-31-77

(This space for Federal or State office use)

APPROVED BY

Joe D. Lara

TITLE

ACTING DISTRICT ENGINEER

DATE

FEB 7 1977

CONDITIONS OF APPROVAL, IF ANY: