

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	/
FILE	/
U.S.G.S.	
LAND OFFICE	
OPERATOR	/

NEW MEXICO OIL CONSERVATION COMMISSION

RECEIVED

OCT 24 1978

O. C. C.
ARTESIA, OFFICE

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER-		7. Unit Agreement Name
2. Name of Operator Yates Petroleum Corporation		8. Farm or Lease Name Lizzie Howard HK
3. Address of Operator 207 South 4th Street - Artesia, NM 88210		9. Well No. 1
4. Location of Well UNIT LETTER K 2310 FEET FROM THE South LINE AND 1980 FEET FROM THE West LINE, SECTION 13 TOWNSHIP 16S RANGE 25E NMPM.		10. Field and Pool, or Wildcat Wildcat Atoka
15. Elevation (Show whether DF, RT, GR, etc.) 3445' KB		12. County Eddy

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input checked="" type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input checked="" type="checkbox"/> Open Atoka Completion

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

On October 3, 1978 we recompleted this well by placing the Atoka completion in the tubing and the Wolfcamp in the casing annulus. Killed well, pulled tubing and packer from 4983', RIH with bit and tubing and washed sand fill from 7020-7121'. Laid down bit. RIH with Guiberson "FL" (on/off) sub, tubing, Baker Model L Sleeve with 1.87" profile (@ 5076'), blast joint across Wolfcamp perforations (5055-5073.5') and latch 2-3/8" tubing into Atoka packer at 7121'. Swabbed in Wolfcamp and closed sliding sleeve shutting Wolfcamp in casing annulus, pulled blanking plug from Guiberson packer at 7121' opening Atoka to the tubing.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>E. L. M. M. M.</u>	TITLE <u>Engineer</u>	DATE <u>10-23-78</u>
APPROVED BY <u>W. A. Gressett</u>	TITLE <u>SUPERVISOR, DISTRICT II</u>	DATE <u>OCT 25 1978</u>
CONDITIONS OF APPROVAL, IF ANY:		