

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE

(See other in-
structions on
reverse side)Form approved.
Budget Bureau No. 42-R355.5.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL:		OIL WELL ☐	GAS WELL ☒	DRY ☐	Other ☐										
b. TYPE OF COMPLETION:		NEW WELL ☒	WORK OVER ☐	DEEP-EN ☐	PLUG BACK ☐	DIFF. RESVR. ☐	Other ☐								
2. NAME OF OPERATOR Morgan Drilling Company															
3. ADDRESS OF OPERATOR Drawer I, Artesia, N.M. 88210															
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements) At surface 1980 from North line 1980 from East line At top prod. interval reported below Unit G At total depth															
14. PERMIT NO.		DATE ISSUED JUL 19 1977													
15. DATE SPUDDED 4-26-77		16. DATE T.D. REACHED 6-15-77		17. DATE COMPL. (Ready to prod.) 7-5-77		18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* 3464.3' GR	19. ELEV. CASINGHEAD								
20. TOTAL DEPTH, MD & TVD 1679		21. PLUG BACK T.D., MD & TVD 1632		22. IF MULTIPLE COMPL., HOW MANY* 1		23. INTERVALS DRILLED BY →	ROTARY TOOLS X								
24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 1376-84 Loco Mills						25. WAS DIRECTIONAL SURVEY MADE									
26. TYPE ELECTRIC AND OTHER LOGS RUN Corp. Neut. Density						27. WAS WELL CORED									
28. CASING RECORD (Report all strings set in well)															
CASING SIZE		WEIGHT, LB./FT.		DEPTH SET (MD)		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED					
10 3/4		38#		214		10		90sx CCCem. & 1'yd. ready-mix to top		855					
8 5/8		20#		855		8		mudded							
4 1/2		9.5#		1679		8		300sx HOWCO Lite, 250sx 50/50 Poz, circ. 28 sx.							
29. LINER RECORD								30. TUBING RECORD							
SIZE		TOP (MD)		BOTTOM (MD)		SACKS CEMENT*		SCREEN (MD)		SIZE		DEPTH SET (MD)		PACKER SET (MD)	
31. PERFORATION RECORD (Interval, size and number) 1376-84 2 HPF .041"dia.								32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.							
								DEPTH INTERVAL (MD)		AMOUNT AND KIND OF MATERIAL USED					
										Spot 500 gal HCL acid					
										Frac w/10,000 gal gel 3% HCL acid, 10,000#20-40 sand, 10 ball sealers					
33.* PRODUCTION															
DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Flowing						WELL STATUS (Producing or shut-in) SI							
DATE OF TEST 7-6-77		HOURS TESTED 24		CHOKE SIZE 8/64		PROD'N. FOR TEST PERIOD →		OIL—BBL. 0		GAS—MCF. 265		WATER—BBL. 0		GAS-OIL RATIO	
FLOW. TUBING PRESS.		CASING PRESSURE 250		CALCULATED 24-HOUR RATE →		OIL—BBL. 0		GAS—MCF. 265		WATER—BBL. 0		OIL GRAVITY-API (CORR.)			
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)										TEST WITNESSED BY					
35. LIST OF ATTACHMENTS															
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records															
SIGNED W. N. Morgan		TITLE President						DATE 7-7-77							

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sealing Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

APPROVED FOR FILING
JAN 10 1974
FEDERAL BUREAU OF REVENUE

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES			38. GEOLOGIC MARKERS			
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH TOP	TRUE VERT. DEPTH
				T/Queen Premier Grayburg San Andres	798 1065 1244 1584	