

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	1
FILE	1 ✓
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

NEW MEXICO OIL CONSERVATION COMMISSION

RECEIVED

AUG 22 1977

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL ARTESIAN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT - A" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator Yates Petroleum Corporation	8. Farm or Lease Name Mitchell IN
3. Address of Operator 207 South 4th Street - Artesia, NM 88210	9. Well No. 1 2
4. Location of Well UNIT LETTER <u>I</u> <u>2030</u> FEET FROM THE <u>South</u> LINE AND <u>660</u> FEET FROM THE <u>East</u> LINE, SECTION <u>23</u> TOWNSHIP <u>17S</u> RANGE <u>25E</u> NMPM.	10. Field and Pool, or Wildcat Undesignated
15. Elevation (Show whether DF, RT, GR, etc.) 3476' GR	12. County Eddy

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input checked="" type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input checked="" type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1503.

Spudded a 17½" hole at 8:30 AM 8-9-77.

TD 3548'. Ran 9 joints of 13-3/8" 61# J-55 ST&C casing (361.44') set at 358' KB. Cemented w/280 sacks of Class C 4% CaCl. Slurry wt. 14.8, 1.32 cu. ft. /sacks. Compressive Strength at 70 degrees 1023 psi in 12 hours. PD 7:15 PM 8-9-77. Cement circulated. WOC 12 hours, cut off casing, reduced hole to 12½", drilled plug and tested to 600#. OK.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Christine Ambrose TITLE Geol. Secty DATE 8-19-77

APPROVED BY W. A. Gressett TITLE SUPERVISOR, DISTRICT II DATE AUG 24 1977

CONDITIONS OF APPROVAL, IF ANY: