Form 9-331 May 1963)

DEPARTMENT OF THE INTERIOR (Other instructions on re-GEOLOGICAL SURVEY

5. LEASE DESIGNATION AND SERIAL NO.

LC-057674 (a)

	SUNDRY N (Do not use this form for I	IOTICES AND REPORTS proposals to drill or to deepen or plug ECHCATION FOR PERMIT. " for such a	Dack to a different reservoir.	G. IF INDIAN, ALLOTTEE OR TRIBE NAME	
i	OIL GAS [] OTH		0C7 & 1 1977	7. UNIT AGREEMENT NAME	
2.	NAME OF OPERATOR		8, FARM OR LEAST NAME		
	JFG ENTERPRISES			Daugherity	
3.	ADDRESS OF OPERATOR			9 WELL NO.	
;	P.O. Box 100, Artes LOCATION OF WELL (Report local See also space 17 below.) At surface	1 10. PIELD AND DOOT, OR WILDCAT Daughenty S A 11. SEC. T., R., M., OR ALK, AND			
	,,,,, , , , , , , , , , , , , , , , ,	2310' FEL Section 10,		SURVEY OR AREA	
1.4	PER HT NO.	15. ELEVATIONS (Show whether E	F. KT. GR. etc.)	Sec. 10- T17S, R27E	
• • •			.,,,		
		Gr. 3430			
6.	Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data				
	NOTICE OF INTENTION TO:		SUBSEQU	SUBSEQUENT REPORT OF:	
	IEST WATER SHUT-OFF	PULL OR ALTER CASING	WATER SHUT OFF	REPAIRING WELL	
	URACTURE TREAT	MCLTIPLE COMPLETE	PRACTURE TREATMENT	ALTERING CARING	
	SHOOF OR ACIDIZE	ARANDON®	SHOOTING OR ACIDIZING	ABANDON MENT*	
	REPAIR WELL	CHANGE PLANS	(Other) Drilling		
	(Other)		(Note: Report results Conditation or Recompt	of multiple completion on Well etion Report and Log form.)	
	Spudded well 10/12/77. Drilled 11".Hole to 400 ft. Ran 402 ft. 8 5/8" 20#: Cemented with 165 sacks cement. Circulated 20 sacks. Pumped plug down at 6:00 P.M. 10/12/77. 10/13/77. 12:00 Noon. Tested plug to 1000 PSI. 10/17/77 Reached TD of 2198 ft. Ran 2195 ft. 4 1/2" 9.5# Casing. Cemented 350 sacks Class C Cement. 10/18/77 Ran temperature survey: Top cement 600 ft.				
			•		
			α	126 Mil	
		e ⊎	U.S. G ARTE	EOLUGICAL SULVEI SIA, NEW MEXICO	
18.	1 hereby certify that the foregon SIGNED (The space for Federal or Man APPROVED BY CONDITIONS OF APPROVAL,	te office juse)	Mgn- ACTING DISTRICT ENGINE	DATE 10-27-77 ER DATE OCT 28 1977	